

ICD List Sorted by Name of Scheme, as of 2024-12-31

ICD	Name of Scheme
0001	(Not Assigned)
0103	(Not Assigned)
0181	(Not Assigned)
0159	ACTALIS Object Identifiers
0083	Advanced Telecommunications Modules Limited, Corporate Network
0120	Advantis
0027	Aeronautical Telecommunications Network (ATN)
0121	Affable Software Data Interchange Codes
0051	AGFA-DIS
0019	Air Transport Industry Services Communications Network
0075	Alcanet/Alcatel-Alsthom Corporate Network
0187	Amazon Unique Identification Scheme
0197	APPLiA PI Standard
0074	ARINC
0063	ascomOSINet
0107	Association of Swedish Chambers of Commerce and Industry Scheme (EDIRA compliant)
0030	AT&T/OSI Network
0084	Athens Chamber of Commerce & Industry Scheme (EDIRA compliant)
0079	ATM Forum
0157	ATM interconnection with the Dutch KPN Telecom
0118	ATM-Network ZN'96
0049	Auckland Area Health
0156	AUNA
0151	Australian Business Number (ABN) Scheme
0108	Australian Chambers of Commerce and Industry Scheme (EDIRA compliant)
0123	BASF Company ATM-Network
0122	BB-DATA GmbH
0128	BCNR (Swiss Clearing Bank Number)
0110	Bell Atlantic
0109	BellSouth ICD AESA (ATM End System Address)
0129	BPI (Swiss Business Partner Identification) code
0104	BT - ICD Coding System
0047	BULL ODI/DSA/UNIX Network
0136	Cable & Wireless Global ATM End-System Address Plan
0162	CEN/ISSS Object Identifier Scheme
0132	Certicom Object Identifiers
0098	CHAMBER OF COMMERCE TEL AVIV-JAFFA Scheme (EDIRA compliant)
0114	Check Point Software Technologies
0091	Cisco Sysytems / OSI Network
0041	Citicorp Global Information Network
0205	CODDEST

ICD	Name of Scheme
0131	Code for the Identification of National Organizations
0210	CODICE FISCALE
0201	Codice Univoco Unit Organizzativa iPA
0003	Codification Numerique des Etablissements Financiers En Belgique
0017	COMMON LANGUAGE
0191	Company code
0153	Concert Global Network Services ICD AESA
0188	Corporate Number of The Social Security and Tax Number System
0237	CPR
0070	DaimlerChrysler Corporate Network
0096	DANISH CHAMBER OF COMMERCE Scheme (EDIRA compliant)
0059	DANZNET
0060	Data Universal Numbering System (D-U-N-S Number)
0042	DBP Telekom Object Identifiers
0094	DEUTSCHER INDUSTRIE- UND HANDELSTAG (DIHT) Scheme (EDIRA compliant)
0145	DGCP (Direction Gnrale de la Comptabilit Publique)administrative accounting identification scheme
0146	DGI (Direction Gnrale des Impots) code
0024	Digital Equipment Corporation: DEC
0184	DIGSTORG
0130	Directorates of the European Commission
0144	DoDAAC (Department of Defense Activity Address Code)
0127	Dresdner Bank Corporate Network
0239	EAEU
0161	ECCMA Open Technical Directory
0173	eCI@ss
0203	eDelivery Network Participant identifier
0031	EDI Partner Identification Code
0152	Edira Scheme Identifier Code
0143	EINESTEINet AG
0015	Electronic Data Interchange: EDI
0233	Elnummer
0055	Energy Net
0198	ERSTORG
0223	EU based company
0189	European Business Identifier (EBID)
0012	European Computer Manufacturers Association: ECMA
0020	European Laboratory for Particle Physics: CERN
0016	EWOS Object Identifiers
0165	FIEIE Object identifiers
0212	Finnish Organization Identifier
0213	Finnish Organization Value Add Tax Identifier
0050	Firmenich

ICD	Name of Scheme
0138	France Telecom ATM End System Address Plan
0225	FRCTC ELECTRONIC ADDRESS
0226	FRCTC Particulier
0224	FTCTC CODE ROUTAGE
0097	FTI - Ediforum Italia, (EDIRA compliant)
0046	FUNLOC
0088	GLN, Global Location Number
0137	Global AESA scheme
0149	Global Business Identifier
0155	Global Crossing AESA (ATM End System Address)
0209	GS1 identification keys
0126	GTE/OSI Network
0160	GTIN -Global Trade Item Number
0102	HEAG
0125	Henkel Corporate Network (H-Net)
0095	Hewlett - Packard Company Internal AM Network
0043	HydroNETT
0073	ICD Formatted ATM address
0045	ICI Company Identification System
0158	Identification number of economic subject (ICO) Act on State Statistics of 29 November 2001, 27
0154	Identification number of economic subjects: (ICO)
0202	Indirizzo di Posta Elettronica Certificata
0134	Infonet Services Corporation
0068	Intel Corporation OSI
0011	International Code Designator for the Identification of OSI-based, Amateur Radio Organizations, Network Objects and Application Services.
0081	International NSAP
0028	International Standard ISO 6523
0090	Internet IP addressing - ISO 6523 ICD encoding
0124	IOTA Identifiers for Organizations for Telecommunications Addressing using the ICD system format defined in ISO/IEC 8348
0035	ISO 6523 - ICD
0112	ISO register for Standards producing Organizations
0054	ISO6523 - ICDPCR
0148	ITU (International Telecommunications Union)Data Network Identification Codes (DNIC)
0194	KOIOS Open Technical Dictionary
0062	KPN OVN
0008	LE NUMERO NATIONAL
0200	Legal entity code
0199	Legal Entity Identifier (LEI)
0071	LEGO /OSI NETWORK
0204	Leitweg-ID

ICD	Name of Scheme
0180	Lithuanian military PKI
0171	Luxembourg CP & CPS (Certification Policy and Certification Practice Statement) Index
0182	Luxembourgish Healthcare Object Identifiers
0037	LY-tunnus
0150	Madge Networks Ltd- ICD ATM Addressing Scheme
0119	MCI / OSI Network
0222	Metadata Registry Support
0053	Migros_Network M_NETOPZ
0078	Mitel terminal or switching equipment
0230	National e-Invoicing Framework
0087	National Federation of Chambers of Commerce & Industry of Belgium, Scheme (EDIRA compliant)
0141	NATO Commercial and Government Entity system
0026	NATO ISO 6523 ICDE coding scheme
0072	NAVISTAR/OSI Network
0004	NBS/OSI NETWORK
0215	Net service ID
0217	Netherlands Chamber of Commerce and Industry establishment number
0014	NIST/OSI Implementments' Workshop
0232	NOBB product number
0056	Nokia Object Identifiers (NOI)
0227	NON - EU based company
0023	Nordic University and Research Network: NORDUnet
0082	Norwegian Telecommunications Authority's, NTA'S, EDI, identifier scheme (EDIRA compliant)
0092	Not to be assigned (see additional comments)
0208	Numero d'entreprise / ondernemingsnummer / Unternehmensnummer
0183	Numro d'identification suisse des entreprises (IDE), Swiss Unique Business Identification Number (UIDB)
0111	Object Identifiers
0177	Odette International Limited
0192	Organisasjonsnummer
0190	Organisatie Indentificatie Nummer (OIN)
0007	Organisationsnummer
0010	Organizational Identifiers for Structured Names under ISO 9541 Part 2
0113	OriginNet
0022	OSF Distributed Computing Object Identification
0025	OSI ASIA-OCEANIA WORKSHOP
0048	OSINZ
0216	OVTcode
0115	Pacific Bell Data Communications Network
0176	Paradine GmbH
0211	PARTITA IVA

ICD	Name of Scheme
0179	Penango Object Identifiers
0185	Perceval Object Code
0207	PiLog Ontology Codification Identifier (POCI)
0238	Plateforme.s agréée.s à la facturation électronique (PPF/PDP)
0100	PNG_ICD Scheme
0105	Portuguese Chamber of Commerce and Industry Scheme (EDIRA compliant)
0167	Priority Telecom ATM End System Address Plan
0172	Project Group Lists of Properties (PROLIST)
0116	PSS Object Identifiers
0240	Register of legal persons (in French : Répertoire des personnes morales)
0220	Register of Natural Persons
0221	registered number of the qualified invoice issuer
0206	Registre du Commerce et de l'Industrie : RCI
0228	Répertoire des Entreprises et des Etablissements (RIDET)
0034	Reuter Open Address Standard
0093	Revenue Canada Business Number Registration (EDIRA compliant)
0066	Roche Corporate Network
0178	Route1 MobiNET
0033	S G W OSI Internetwork
0057	Saint Gobain
0139	Savvis Communications AESA:.
0142	SECETI Object Identifiers
0135	SIA Object Identifiers
0175	Siemens AG
0058	Siemens Corporate Network
0099	Siemens Supervisory Systems Network
0195	Singapore Nationwide E-Invoice Framework
0231	single taxable company
0009	SIRET-CODE
0076	Sistema Italiano di Identificazione di oggetti gestito da UNINFO
0077	Sistema Italiano di Indirizzamento di Reti OSI Gestito da UNINFO
0069	SITA Object Identifier Tree
0196	slensk kennitala Icelandic identifier
0018	SNA/OSI Network
0021	SOCIETY FOR WORLDWIDE INTERBANK FINANCIAL, TELECOMMUNICATION S.W.I.F.T.
0052	Society of Motion Picture and Television Engineers (SMPTE)
0061	SOFFEX OSI
0065	SOLVAY OSI CODING
0101	South African Code Allocation
0147	Standard Company Code
0117	STENTOR-ICD CODING SYSTEM
0174	StepNexus

ICD	Name of Scheme
0085	Swiss Chambers of Commerce Scheme (EDIRA) compliant
0169	Swiss Federal Business Identification Number. Central Business names Index (zefix) Identification Number
0166	Swissguide Identifier Scheme
0002	System Information et Repertoire des Entreprise et des Etablissements: SIRENE
0229	T.A.H.I.T.I (traitement automatique hiérarchisé des institutions de Tahiti et des îles)
0219	Taxpayer registration code
0133	TC68 OID
0170	Teikoku Company Code
0032	Telecom Australia
0036	TeleTrust Object Identifiers
0164	TELUS Corporation
0044	Thai Industrial Standards Institute (TISI)
0029	The All-Union Classifier of Enterprises and Organisations
0089	The Association of British Chambers of Commerce Ltd. Scheme, (EDIRA compliant)
0038	The Australian GOSIP Network
0039	The OZ DOD OSI Network
0236	ToimipaikkaID
0234	Toimitusosoite ID
0140	Toshiba Organizations, Partners, And Suppliers' (TOPAS) Code
0214	Tradeplace TradePI Standard
0186	TrustPoint Object Identifiers
0235	UAE Tax Identification Number (TIN)
0193	UBL.BE Party Identifier
0080	UK National Health Service Scheme, (EDIRA compliant)
0218	Unified registration number
0040	Unilever Group Companies
0086	United States Council for International Business (USCIB) Scheme, (EDIRA compliant)
0006	USA DOD OSI NETWORK
0005	USA FED GOV OSI NETWORK
0163	US-EPA Facility Identifier
0064	UTC: Uniforme Transport Code
0106	Vereniging van Kamers van Koophandel en Fabrieken in Nederland (Association of Chambers of Commerce and Industry in the Netherlands), Scheme (EDIRA compliant)
0168	Vodafone Ireland OSI Addressing
0013	VSA FTP CODE (FTP = File Transfer Protocol)
0067	ZellwegerOSINet

END OF LIST

International Code Designator

0001

ICD : 0001

Name of Coding System : (Not Assigned)

Intended Purpose/App. Area

Issuing Organization :

Structure of Code :

Display Requirements :

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System :

Notes on Use of Code :

Alt. Names for Scheme :

Sponsoring Authority :

Date of Issue of ICD :

Additional Comments :

International Code Designator

0 0 0 2

ICD : 0002

Name of Coding System : System Information et Repertoire des Entreprise et des Etablissements: SIRENE

Intended Purpose/App. Area

Issuing Organization : Institut National de la Statistique et des Etudes Economiques, (I.N.S.E.E.),
Departement des Repertoires, 18, Bd Adolphe Pinard, 75675 PARIS Cedex 14, Tel:
540 1212, Tlx:204924 INSEE F

Structure of Code : 1) Number of characters: 9 characters ("SIREN") 14 " 9+5 ("SIRET"), The 9 character number designates an organization, The 14 character number designates a specific establishment of the organization designated by the first 9 characters. 2) Check digits: 9th & 14th character respectively

Display Requirements : The 9 figure code number (SIREN) is written in groups of 3 characters. Example: 784 301 772, The 14 figure code number is written in 3 groups of 3 characters and a single group of 5. Example: 784 301 772 00025

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Enterprises; (individual enterprises or companies) in the field of agriculture, industry, trade, services, Associations; Authorities, regional authorities and public establishments, active in France. Number of units covered: approximately

Notes on Use of Code : The Sirene number is used in France mainly for the official registration in the Trade Register and as the only number used between authorities and organizations, and between authorities when dealing with data interchange on organizations.

Alt. Names for Scheme :

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Jan 1986

Additional Comments : None

International Code Designator

0003

ICD : 0003

Name of Coding System : Codification Numerique des Etablissements Financiers En Belgique

Intended Purpose/App. Area

Issuing Organization : Association Belge des Banques, rue Ravenstein 36, Bte 5, 1000 BRUXELLES, Tel: 02 512 5868

Structure of Code : 1) 3 numeric digits, 2) None

Display Requirements : In one group of three

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : All financial institutions in Belgium.

Notes on Use of Code : Many financial institutions have more than one code number, e.g. to indicate each branch individually. The codes can be reallocated over the time (mostly in the case where a financial institution terminates its activity). Some code numbers are currently unused. Code numbers 990 through 999 are reserved.

Alt. Names for Scheme :

Sponsoring Authority : Organization for Data Exchange by Tele Transmission in Europe: ODETTE

Date of Issue of ICD : Feb 1986

Additional Comments : None

International Code Designator

0004

ICD : 0004

Name of Coding System : NBS/OSI NETWORK

Intended Purpose/App. Area

Issuing Organization : National Bureau of Standards, Bldg 225 Room B151, Gaithersburg MD, 20899, USA,
Tel: 301 975 2833, Tlx: 197674 NBS UT

Structure of Code : 1) 0004 OSINET Open System Interconnection Network, 2) No check digits are needed as the whole message has a checking mechanism.

Display Requirements : None except that all fields are left justified.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : NBS will assign a sub value to any company or organizations that, participates in the OSINET. The covered by program encompasses companies in the US as well as the code Europe and Asia.

Notes on Use of Code : The ICD code forms the initial part of the OSI network addressing and naming tree as depicted in Addendum 2 to ISO 8348.

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute: ANSI

Date of Issue of ICD : Feb 1988

Additional Comments :

International Code Designator

0005

ICD : 0005

Name of Coding System : USA FED GOV OSI NETWORK

Intended Purpose/App. Area

Issuing Organization : National Bureau of Standards, Bldg 225 Room B151, Gaithersburg MD, 20899, USA,
Tel: 301 975 2833, Tlx: 197674 NBS UT

Structure of Code : 1) 0005 GOSNET United States Federal Government Open System Interconnection Network, 2) No check digits are needed as the whole message has a checking mechanism.

Display Requirements : None except that all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : NBS will assign a sub value to any company or organizations that participates in the Government Open System Interconnection Network. This program encompasses governmental offices throughout the world.

Notes on Use of Code : The ICD code forms the initial part of the OSI network addressing and naming tree as depicted in Addendum 2 to ISO 8348.

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute: ANSI

Date of Issue of ICD : Feb 1988

Additional Comments :

International Code Designator

0006

ICD : 0006

Name of Coding System : USA DOD OSI NETWORK

Intended Purpose/App. Area

Issuing Organization : Defense Communication Agency, DSEC - R130, 1860 Wiehle Ave, Reston VA, 22090-5500, Tel: 703 437-2802, Fax: 703 437-2382

Structure of Code : 1) 0006 DODNET Open System Interconnection Network for the Department of Defense USA, 2) No check digits are needed as the whole message has a checking mechanism.

Display Requirements : None except that all fields are left justified.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : US DOD will assign a sub value to any commands, the bases, or field activities that participates in the DOD OSI network program. The program encompasses all military commands throughout the entire world.

Notes on Use of Code : The ICD code forms the initial part of the OSI network addressing and naming tree as depicted in Addendum 2 to ISO 8348.

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute: ANSI

Date of Issue of ICD : Feb 1988

Additional Comments :

International Code Designator

0007

ICD : 0007

Name of Coding System : Organisationsnummer

Intended Purpose/App. Area

Issuing Organization : The National Tax Board, (Riksskatteverket, RSV), 171 94 SOLNA, SWEDEN, Tel: 08 981520

Structure of Code : 1) 10 digits. 1st digit = Group number, 2nd - 9th digit = Ordinalnumber1st digit, = Group number, 10th digit = Check digit, 2) Last digit.

Display Requirements : Single group of 10 digits.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : All persons registered in Sweden for tax purposes.

Notes on Use of Code : The third digit in the organisation number is never lower than 2 in order to avoid it being confused with personal numbers.

Alt. Names for Scheme :

Sponsoring Authority : Organization for Data Exchange by Tele Transmission in Europe: ODETTE

Date of Issue of ICD : Nov 1986

Additional Comments :

International Code Designator

0008

ICD : 0008

Name of Coding System : LE NUMERO NATIONAL

Intended Purpose/App. Area

Issuing Organization : Ministere De L'interieur et de la Fonction Publique, Cite administrative de l'Etat, Tour des Finances, Bd. Pacheco. 19 - Bte 20, 1010 Bruxelles.

Structure of Code : 1) 13 characters, 2) 8th & 9th characters

Display Requirements : Four groups, Group 1 = single digit, Group 2 = six digits, Group 3 = two digits (check digits), Group 4 = four digits

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Business registered for tax purposes.

Notes on Use of Code : None

Alt. Names for Scheme :

Sponsoring Authority : Organization for Data Exchange by Tele Transmission in Europe: ODETTE

Date of Issue of ICD : Apr 1986

Additional Comments :

International Code Designator

0009

ICD : 0009

Name of Coding System : SIRET-CODE

Intended Purpose/App. Area

Issuing Organization : DU PONT DE NEMOURS (FRANCE) S.A. 137, rue de l'Universite, F-75334, PARIS Cedex 07, Tel: 1 45 50 65 50

Structure of Code : 1) 14 digits, 2) None

Display Requirements : In four groups, Groups 1 - 3 = three digits each, Group 4 = five digits

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Used for CEFIC Trials.

Notes on Use of Code : None

Alt. Names for Scheme :

Sponsoring Authority :

Date of Issue of ICD : Apr 1988

Additional Comments :

International Code Designator

0010

ICD : 0010

Name of Coding System : Organizational Identifiers for Structured Names under ISO 9541 Part 2

Intended Purpose/App. Area

Issuing Organization : Association for Font Information Interchange: AFII, 2961 Copa de Oro, Los Alamites, California 90720, USA, Tel: 1 213 333 4642, Fax: 1 213 333 4664

Structure of Code : 1) Between 1 - 14 characters (letters, digits and hyphens only). 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization which applied to be covered under visions of ISO 9541-2, in order that they may create structured names as defined in the above standard.

Notes on Use of Code : The organizational codes established under this coding systems constitute the registered organizational identifiers recognised under ISO 9541-2. That standard effectively establishes agreements under which, as allowed by clauses 5.1 and 5.3 of ISO 6523, both the ICD and the organization name are generally omitted, from the SIO, and thus only the organization code portion of the SIO is interchanged.

Alt. Names for Scheme :

Sponsoring Authority : Association for Font Information Interchange: AFII

Date of Issue of ICD : Apr 1988

Additional Comments :

International Code Designator

0 0 1 1

ICD : 0011

Name of Coding System : International Code Designator for the Identification of OSI-based, Amateur Radio Organizations, Network Objects and Application Services.

Intended Purpose/App. Area

Issuing Organization : The Radio Amateur Telecommunications Society, 206 North Vivyen Street, Bergenfield, New Jersey 07621, Tel: 201-387-8896

Structure of Code : 1) The format of the code is: Class Instance, a. The Class is a field which indicates the general category of object such as the identified organization, network element or application services. b. The Instance is a field which indicates the specific instance of the organization, network element or application service. c. These fields shall be separated by any non-alphabetic, non-numeric, printable IA5 character. 2) None

Display Requirements : The "Class" and "Instance" field combine to unique identify a particular organization, network element or application service. In applications where the "Instance" implicitly reflects the "Class" to the user, the "Class" field may be omitted.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Amateur Radio groups which wish to participate in the OSI-based network fostered by our work and the work of our members and affiliated groups.

Notes on Use of Code : Specific object and attribute naming conventions are currently being defined.

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute: ANSI

Date of Issue of ICD : Apr 1988

Additional Comments :

International Code Designator

0 0 1 2

ICD : 0012

Name of Coding System : European Computer Manufacturers Association: ECMA

Intended Purpose/App. Area

Issuing Organization : European Computer Manufacturers Association, rue du Rhone 114, 1204 Geneva, SWITZERLAND Tel: 41 22 735 36 34, Tlx 22288 ECMA CH

Structure of Code : 1) Three fields, First field = ICD, Second field = Organization Code, four-digit number, 1000-9989, Third field = Organization Name, upto 250 characters, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Member companies of ECMA

Notes on Use of Code : None

Alt. Names for Scheme :

Sponsoring Authority : European Computer Manufacturers Association: ECMA

Date of Issue of ICD : Sep 1988

Additional Comments : None

ICD : 0013

Name of Coding System : VSA FTP CODE (FTP = File Transfer Protocol)

Intended Purpose/App. Area

Issuing Organization : Verband der Automobilindustrie e.V. Westendstrasse 61, 6000 Frankfurt/M.1, GERMANY, Tel: 0 69 75 702 81, Tlx: 411293

Structure of Code : 1) Four fields, First field = four digit, ICD code, Second field = six characters, Third field = eight characters, identification of organization. Fourth field = six characters, special identification (e.g. sub-address), if required. 2) None

Display Requirements : Identification of the organization field may only use capital letters, digits 1 -9 and hyphens.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Motorcar manufacturer and motor suppliers

Notes on Use of Code : The code serves the addressing between the communicating partners

Alt. Names for Scheme :

Sponsoring Authority : Deutsches Institut für Normung e.V.: DIN

Date of Issue of ICD : Apr 1989

Additional Comments :

International Code Designator

0 0 1 4

ICD : 0014

Name of Coding System : NIST/OSI Implementers' Workshop

Intended Purpose/App. Area

Issuing Organization : United States Department of Commerce, National Institute of Standards and Technology, Gaithersburg, Maryland 20899, USA, Tel: 301 975 2833, Tlx: 197674

Structure of Code : 1) 0014 OWI NIST Workshop for Implementors of OSI, 2) No check digits are needed as the whole message has checking mechanism

Display Requirements : None, except that all fields are left justified.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : NIST/OSI Workshop attendees will assign a sub value to any special interest group that is approved and chartered by the Workshop, if it is appropriate to assign such sub values. The Workshop, is an open, public, international forum.

Notes on Use of Code : The ICD code forms the initial part of the Workshop naming and addressing tree.

Alt. Names for Scheme :

Sponsoring Authority : United States Department of Commerce.

Date of Issue of ICD : Aug 1989

Additional Comments : None

International Code Designator

0015

ICD : 0015

Name of Coding System : Electronic Data Interchange: EDI

Intended Purpose/App. Area

Issuing Organization : Avon Rubber p.l.c. Bath Road, Melksham, Wiltshire, SN12 8AA, Tel: 0225 703101,
Fax: 0225 707880

Structure of Code : 1) details not received yet, 2)

Display Requirements : Details not received yet

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Details not received yet

Notes on Use of Code : Details not received yet

Alt. Names for Scheme :

Sponsoring Authority : None

Date of Issue of ICD : Not confirmed, awaiting above details

Additional Comments : (PROVISIONAL)

International Code Designator

0016

ICD : 0016

Name of Coding System : EWOS Object Identifiers

Intended Purpose/App. Area

Issuing Organization : EWOS (European Workshop for Open Systems), Rue de Stassart 36, B-1050 Brussels, BELGIUM, Tel: 32 2 511 7455, Fax: 32 2 511 8723

Structure of Code : 1) Digit ICD code = 0016, Organization Code = 4 characters, Organization Name = 34 characters, 2) None

Display Requirements : Communication: A solidus (/) is used as a separate, the SIO shall be terminated by a double solidus(//). Display: When the SIO is displayed or printed, the ICD, the organization code and the organization name shall be separated by one or more spaces.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : EWOS is the European Regional Workshop for the elaboration of Functional standards, the taxonomy for which is described in JTC 1 TR 10000, in cooperation with the other Regional Workshops (N-IOW and AOW) in order to ensure International harmonization.

Notes on Use of Code : a) In the SIO the Organization Name will normally be omitted, b) The code is primarily intended for the registration of Objects Identifiers according to ISO 8824: Level 1: iso (1), Level 2: identified-organization (3), Level 3: ewos (0016), Level 4: and higher: (defined by EWOS conventions)

Alt. Names for Scheme :

Sponsoring Authority : European Workshop for Open Systems

Date of Issue of ICD : Oct 1990

Additional Comments :

International Code Designator

0017

ICD : 0017

Name of Coding System : COMMON LANGUAGE

Intended Purpose/App. Area

Issuing Organization : Data Communications Technology Planning, Telcordia, Room 1F-359, 331 Newman Springs Road, P O Box 7020, Red Bank, NJ 07701-7020, USA, Tel: 1 201 758 2198, Fax: 1 201 530 6875

Structure of Code : 1) Two fields, a. Place Code = four characters, derived from location name. b. State/Province/Country code = two characters, derived from the location name, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Telecommunication administrations and public carriers.

Notes on Use of Code : Codes for named populated places, geographic places, geopolitical places, outlying areas, and other related entities of the state of the United States, provinces and territories of Canada, countries of the world, and other, unique areas. Also for the identification of organizations, places, equipment and governmental entities by the telecommunication industry.

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute: ANSI

Date of Issue of ICD : Mar 1990/ Amended Apr 2000

Additional Comments : None

ICD : 0018

Name of Coding System : SNA/OSI Network

Intended Purpose/App. Area

Issuing Organization : International Business Machines Corporation: IBM, IBM Bldg. 678, 1001 Winstead Drive, Cary, NC 27513, USA, Tel: 1 919 301 4004

Structure of Code : 1) xxx SNA-OSI NET Open Systems Interconnection Network, 2) None, as the whole message has a checking mechanism.

Display Requirements : None, except that all fields are left justified.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any company or organization that participates in an SNA/OSI networking environment. This program encompasses companies throughout the world.

Notes on Use of Code : The ICD code will also form the initial part of the OSI Network addressing and naming tree as depicted in Addendum 2 to ISO 8348.

Alt. Names for Scheme :

Sponsoring Authority : International Business Machines Corporation: IBM

Date of Issue of ICD : May 1990

Additional Comments :

International Code Designator

0 0 1 9

ICD : 0019

Name of Coding System : Air Transport Industry Services Communications Network

Intended Purpose/App. Area

Issuing Organization : International Air Transport Association, IATA Centre, Route de l'Aéroport 33,
P.O.Box 672, CH-1215 Geneva 15 Airport, Switzerland

Structure of Code : 1) ICD IATA International Air Transport Association, 2) No check digits are needed as the whole message has a checking mechanism.

Display Requirements : None at the present time except that all fields are left justified.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : IATA will assign a sub value to any company or organisations that participates in aeronautical telecommunications networks. This program encompasses companies and organizations worldwide.

Notes on Use of Code : The ICD code forms the initial part of the OSI network addressing and naming tree as depicted in Addendum 2 to ISO 8348.

Alt. Names for Scheme :

Sponsoring Authority :

Date of Issue of ICD : Provisional

Additional Comments : This ICD is allocated on a provisional basis, awaiting confirmation from IATA.

International Code Designator

0 0 2 0

ICD : 0020

Name of Coding System : European Laboratory for Particle Physics: CERN

Intended Purpose/App. Area

Issuing Organization : European Laboratory for Particle Physics, CERN, 1211 Geneva 23, Switzerland. Tel: 41 22 767 6111, Fax: 41 22 767 7155

Structure of Code : 1) 4 Digit ICD code. Organization code upto 14 characters. Organization name upto 250 characters. 2) No check digits needed.

Display Requirements : None.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : CERN itself and academic institutes collaborating with CERN.

Notes on Use of Code : The ICD code forms the initial part of the OSI network addressing and naming tree as depicted in Addendum 2 of ISO 8348.

Alt. Names for Scheme :

Sponsoring Authority : European Laboratory for Particle Physics: CERN.

Date of Issue of ICD : Aug 1990

Additional Comments :

International Code Designator

0 0 2 1

ICD : 0021

Name of Coding System : SOCIETY FOR WORLDWIDE INTERBANK FINANCIAL, TELECOMMUNICATION
S.W.I.F.T.

Intended Purpose/App. Area

Issuing Organization : SOCIETY FOR WORLDWIDE INTERBANK FINANCIAL, TELECOMMUNICATION
S.W.I.F.T. Avenue Adele,1, B - 1310 La Hulpe, BELGIUM, Tel: +32 2 6553111, Fax:
+32 2 6553226

Structure of Code : 1) ICD 4 Digits, Organization code upto 11 characters, Organization name upto 250
characters, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Bank's identifiers for financial transfer on the S.W.I.F.T. Network.

Notes on Use of Code : To be used for assignment of object identifiers (ISO 8824/8825)

Alt. Names for Scheme :

Sponsoring Authority : S.W.I.F.T.

Date of Issue of ICD : Sep 1990

Additional Comments :

International Code Designator

0 0 2 2

ICD : 0022

Name of Coding System : OSF Distributed Computing Object Identification

Intended Purpose/App. Area

Issuing Organization : Open Software Foundation, 11 Cambridge Center, Cambridge, MA 02142, USA, Tel: 617 621 8700, Fax: 617 621 0631

Structure of Code : 1) Organization code: full 4- character code without spaces or hyphens. Organization name: at most 250 characters and shall consist of the legal name or alternative names. 2) None.

Display Requirements : Display of SIO should be in the order of ICD, organization code and organization name where the components are separated by spaces. Example: for the organization "OSF", SIO representation ICD CODE NAME, communication: xxxx/xxxx/OSF//, display: xxxx xxxx OSF

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Member organizations of Open Software Foundation - currently OSF has 205 members located in 37 countries in the North America, South America, Europe, Asia, Africa and Australia.

Notes on Use of Code : OSF provides public domain software in OS, ISO networking and management. The initial use of the coding system are for identifying the following objects in OSF's distributed computing environment: the attributes of entries in the distributed directory, the object class of each entry in the directory, the type of name components (RDNs), the communication protocol profiles, the interfaces offered by

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute: ANSI

Date of Issue of ICD : Sep 1990

Additional Comments :

International Code Designator

0 0 2 3

ICD : 0023

Name of Coding System : Nordic University and Research Network: NORDUnet

Intended Purpose/App. Area

Issuing Organization : NORDUnet, c/o SICS, P O Box 1263, S-16428 KISTA, Sweden, Tel. +46 8 7521563, Fax. +46 8 7517230

Structure of Code : 1) ICD Code - 4 digits, Organisation code - upto 14 characters, Organisation Name - upto 250 characters, 2) No check digits needed.

Display Requirements : None.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : The coding system covers the following national research networking, organizations in the five Nordic countries: - Finnish University and Research Network (FUNET), - SURIS (Island), - Swedish University Network (SUNET), - UNI.C (Denmark), - UNINETT (Norway), They together comprise the NORDUnet network currently, connecting more than 15,000 hosts.

Notes on Use of Code : The ICD code forms the initial part of the OSI network addressing and tree as depicted in Addendum 2 of ISO 8348.

Alt. Names for Scheme :

Sponsoring Authority : NORDUnet and the above mentioned five national networking organizations.

Date of Issue of ICD : Jan 1991

Additional Comments : None.

International Code Designator

0 0 2 4

ICD : 0024

Name of Coding System : Digital Equipment Corporation: DEC

Intended Purpose/App. Area

Issuing Organization : Digital Equipment (Europe) S.A.R.L. B.P. 129 - Sophia Antipolis, 06561 Valbonne Cedex, France, Tel: 33 92 95 51 11, Fax: 33 93 65 34 24

Structure of Code : 1) Four digit ICD code, Organisation code upto 14 characters, Organisation name upto 250 characters, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Digital Equipment Corporation and associated companies.

Notes on Use of Code : The ICD code forms the initial part of the OSI network addressing as described in ISO8348 Addendum 2.

Alt. Names for Scheme :

Sponsoring Authority : Digital Equipment Corporation

Date of Issue of ICD : Jan 1991

Additional Comments : None

International Code Designator

0025

ICD : 0025

Name of Coding System : OSI ASIA-OCEANIA WORKSHOP

Intended Purpose/App. Area

Issuing Organization : OSI ASIA-OCEANIA WORKSHOP, c/o Interoperability Technology Association for Information Processing, Japan, Sumito Gaien Bldg. 3F, 24 Daikyo-cho, Shinjuku-ku, Tokyo 160, JAPAN, Tel: +81-3-3358-2721, Fax: +81-3-3358-4753

Structure of Code : 1) Number of the characters and their significance as defined in clause 3 of ISO 6523, ICD = 4 characters, Organization code = upto 14 characters, Organization name = upto 250 characters, 2) No identification of check digits

Display Requirements : As defined in clause 4 of ISO 6523

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organizations working on the establishment of OSI functional standard in AOW, such as the AOW SIGs (Special Interest Groups)

Notes on Use of Code : The code is used as an element of object identifiers which need to be assigned relating the ISPs (International Standardized Profiles) that AOW is working on.

Alt. Names for Scheme :

Sponsoring Authority : AOW (Asia Oceania Workshop)

Date of Issue of ICD : Feb 1991

Additional Comments :

International Code Designator

0 0 2 6

ICD : 0026

Name of Coding System : NATO ISO 6523 ICDE coding scheme

Intended Purpose/App. Area

Issuing Organization : North Atlantic Treaty Organisation (NATO), NATO HQ, Bvd Leopold III, B - 1110
Brussels, Belgium, Attention: Mr S Seiffert, DS/ICP Section, (TSGCEE SG/9
Secretary), Tel: 010 32 2 728 4632, Fax: 010 32 2 728 4103

Structure of Code : 1) ICD Code - 4 digits, Organisation code up to 14 characters, Organisation name up
to 250 characters, 2) No check digits

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : NATO OSI networks

Notes on Use of Code : The ICD code forms the initial part of the OSI network addressing and naming tree
depicted in Addendum 2 of ISO 8348

Alt. Names for Scheme :

Sponsoring Authority : British Standards Institution: BSI

Date of Issue of ICD : Mar 1991

Additional Comments :

International Code Designator

0 0 2 7

ICD : 0027

Name of Coding System : Aeronautical Telecommunications Network (ATN)

Intended Purpose/App. Area

Issuing Organization : International Civil Aviation Organization (ICAO), Communications Section, Air Navigation Bureau, 1000 Sherbrooke Street West, Montreal, Quebec H3A 2R2, CANADA

Structure of Code : 1) /XXXX/ICAO/International Civil Aviation Organization, 2) No check digits

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : ICAO will assign a sub-value to its Contracting States

Notes on Use of Code : The ICD code forms the initial part of the ISO network addressing and naming tree as depicted in Addendum No 2 to ISO 8348

Alt. Names for Scheme :

Sponsoring Authority : British Standards Institution: BSI

Date of Issue of ICD : Jun 1991

Additional Comments : None

International Code Designator

0 0 2 8

ICD : 0028

Name of Coding System : International Standard ISO 6523

Intended Purpose/App. Area

Issuing Organization : Styria Federn GmbH, Postfach 101, A-8750 Judenburg, AUSTRIA

Structure of Code : 1) 14 characters identifying STYRIA FEDERN GmbH, 2) no check digits

Display Requirements : No separators

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : ODETTE - Organisation for Data Exchange through Tele Transmission in Europe

Notes on Use of Code : None

Alt. Names for Scheme :

Sponsoring Authority : Osterreichisches Normungsinstitut (ON)

Date of Issue of ICD : Jun 1991

Additional Comments :

International Code Designator

0 0 2 9

ICD : 0029

Name of Coding System : The All-Union Classifier of Enterprises and Organisations

Intended Purpose/App. Area

Issuing Organization : General Computing Centre of the State, Committee of the USSR on Statistics, 44 Izmailovskoye Chosse, Moscow 105679, U S S R

Structure of Code : 1) 8 character in digits, The first 7 digits indicate the ordinal number of an organization, 2) From 0 to 9 including one check digit

Display Requirements : The check digit is given without a space

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : All organisations of the USSR

Notes on Use of Code : None

Alt. Names for Scheme :

Sponsoring Authority : The State Committee of the USSR for Standardization & Metrology (GOMST)

Date of Issue of ICD : Aug 1991

Additional Comments :

International Code Designator

0030

ICD : 0030

Name of Coding System : AT&T/OSI Network

Intended Purpose/App. Area

Issuing Organization : AT&T, Standards and Regulatory Support, Room 5A256, Route 202-206N, Bedminster, NJ 07921, UNITED STATES OF AMERICA

Structure of Code : 1) ICD, 2) Organization Code, 1-14 characters, 3) Organization Name, upto 250 characters

Display Requirements : None except that all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organizations in an AT&T/OSI networking environment. This program encompasses organizations throughout the world.

Notes on Use of Code : The ICD code will also form the Initial Domain Part of the OSI network, addressing and naming tree as specified in Addendum 2 to ISO 8348.

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute (ANSI) - USA

Date of Issue of ICD : Sep 1991

Additional Comments :

International Code Designator

0031

ICD : 0031

Name of Coding System : EDI Partner Identification Code

Intended Purpose/App. Area

Issuing Organization : Odette NL, Europaplein 2, 1078 GZ AMSTERDAM, Tel: 020 - 5491212, Fax: 020 - 6463857

Structure of Code : 1) ICD Code...N4, District Number of Chamber of Commerce...N2, Company number according to Chamber of Commerce...N12, Sub-address...AN 6 (if required)

Display Requirements : N.A.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Partners in assembly industry

Notes on Use of Code : To identify EDI partners

Alt. Names for Scheme :

Sponsoring Authority : NNI - Delft - The Netherlands

Date of Issue of ICD : Oct 1991

Additional Comments :

International Code Designator

0 0 3 2

ICD : 0032

Name of Coding System : Telecom Australia

Intended Purpose/App. Area

Issuing Organization : Australia Telecommunications Corporation, Forward Network Planning Unit, 11/172 Williams Street, Melbourne, AUSTRALIA 3000, Tel: 613 634 7878, Fax: 613 670 2562

Structure of Code : 1) Delimiter between ICD and Organisation code to be 3 spaces, 2) Delimiter between Organisation name and Organisation code to be 2 spaces, 3) Delimiter between names within the Organisation name to be 2 spaces, 4) No check digits

Display Requirements : As defined in clause 4 of ISO 6523

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : This would be Telecom Australia and its associated Companies both nationally and internationally

Notes on Use of Code : The code is used as an element of Object Identifier when defining objects within Telecom Australia. In addition the code shall be used as an element of NSAP addressing.

Alt. Names for Scheme :

Sponsoring Authority : Telecom Australia

Date of Issue of ICD : Oct 1991

Additional Comments :

International Code Designator

0033

ICD : 0033

Name of Coding System : S G W OSI Internetwork

Intended Purpose/App. Area

Issuing Organization : S G Warburg Group Management Ltd, 1 Finsbury Avenue, LONDON, EC2M 2PA,
Tel: 071 606 1066, Fax: 071 382 4800

Structure of Code : 1) S G W OSI, 2) S G Warburg Group Management Ltd

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Exclusive use by S G Warburg locations worldwide

Notes on Use of Code : Exclusive use by S G W

Alt. Names for Scheme :

Sponsoring Authority : BSI UK

Date of Issue of ICD : Nov 1991

Additional Comments : Contact for enquiries at S G W: Tim Ecott, Extn 3840

International Code Designator

0 0 3 4

ICD : 0034

Name of Coding System : Reuter Open Address Standard

Intended Purpose/App. Area

Issuing Organization : Reuters Ltd, 85 Fleet Street, LONDON, EC4P 4AJ, Tel: 071 250 1122, Tlx: 23222

Structure of Code : 1) According to ISO 8348 Addendum 2, 2) There are no check digits

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Reuters and associated companies, their customers and suppliers.

Notes on Use of Code : To be used in the formation of OSI Network Service Access Point (NSAP) addresses

Alt. Names for Scheme :

Sponsoring Authority : BSI IST/6 Technical Committee

Date of Issue of ICD : Nov 1991

Additional Comments :

International Code Designator

0035

ICD : 0035

Name of Coding System : ISO 6523 - ICD

Intended Purpose/App. Area

Issuing Organization : The British Petroleum Co Plc, Britannic House, 1 Finsbury Circus, LONDON, EC2M 7BU, Tel: 071 496 4054, Fax: 071 496 4540, Tlx: 888811

Structure of Code : 1), 2)

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : British Petroleum Ltd businesses including (but not limited to) BP Exploration International, BP Oil International, BP Chemicals, BP Research, BP Finance, BP Engineering.

Notes on Use of Code : This code will be used internationally by BP thus a non-geographic code is requested.

Alt. Names for Scheme :

Sponsoring Authority : British Standards Institute/ISO 6523-ICD

Date of Issue of ICD : Nov 1991

Additional Comments : This will be the AFI:IDI for the BP Group OSI Network implementation worldwide

International Code Designator

0 0 3 6

ICD : 0036

Name of Coding System : TeleTrust Object Identifiers

Intended Purpose/App. Area

Issuing Organization : TeleTrust Deutschland e.V. c/o GMD, Dolivostrasse 15, D-6100 Darmstadt, GERMANY, Tel: 49 6151 869 700, Fax: 49 6151 869 785

Structure of Code : 1) Organization code: TeleTrust, 2) Organization name: TeleTrust-Deutschland-e.V.

Display Requirements : As per ISO 6523 Clause 4

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : TeleTrust Deutschland is a group of 16 companies (vendors, software, houses, user and research organizations) organized to promote trustworthiness in Open Systems, i.e. in particular to contribute to the development, the acceptability and the legal basis of Digital Signatures for the purpose of communication and co-operation of Open Systems.

Notes on Use of Code : a) In the SIO the Organization name will normally be omitted. b) The code is primarily intended for the registration of Object Identifiers for security related objects according to ISO/IEC 8824, Level 1: iso(1), Level 2: identified-organization(3), Level 3: teletrust(0036), Level 4 and higher: (defined by TeleTrust conventions)

Alt. Names for Scheme :

Sponsoring Authority : BSI

Date of Issue of ICD : Nov 1991

Additional Comments :

International Code Designator

0037

ICD : 0037

Name of Coding System : LY-tunnus

Intended Purpose/App. Area

Issuing Organization : National Board of Taxes, (Verohallitus), Haapanimenk 7-9B, SF-00530 Helsinki, FINLAND Tel: 010 3580 39621, Fax: 010 3580 39624247

Structure of Code : 1) 8 digits, 1st-7th digit = number, 8th digit = check number, 2) digit

Display Requirements : Single group of 8 digits

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : All organizations in Finland included juridical persons and associations

Notes on Use of Code : It is possible to add 0-4 characters set to the code for more detailed use of one organization. Characters are digits or capital letter.

Alt. Names for Scheme :

Sponsoring Authority : Standardization body of Finland (SFS)

Date of Issue of ICD : Feb 1992

Additional Comments : None

ICD : 0038

Name of Coding System : The Australian GOSIP Network

Intended Purpose/App. Area

Issuing Organization : Standards Australia, 80 Arthur Street, P O Box 458, North Sydney, NSW 2059, AUSTRALIA, Tel: 010 612 963 4111, Fax: 010 612 959 3896

Structure of Code : 1) NSAP address: maximum length: 20 codes including the ICD code, 2) No check digit

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Australian government departments and agencies at federal, state and local levels as well as other GOSIP conferment groups. GOSIP groups from nearby countries have been invited to use this scheme too.

Notes on Use of Code : As noted above it will be used as the initial identifier of an NSAP coding scheme.

Alt. Names for Scheme :

Sponsoring Authority : Standards Australia (who will hold the registration in trust for the Australian GOSIP registration scheme)

Date of Issue of ICD : Mar 1992

Additional Comments :

ICD : 0039

Name of Coding System : The OZ DOD OSI Network

Intended Purpose/App. Area

Issuing Organization : The Australian Department of Defence, Communications and Information Branch, Russell Offices (B-3-25), P O Box E33, Queen Victoria Terrace, Canberra, ACT 2600, AUSTRALIA, Tel: 010 616 265 3730, Fax: 010 616 265 3601

Structure of Code : 1) 0039/OZDOD DEFNET/Australian Department of Defence OSI Network, 2) No check digits needed as the whole message has a checking mechanism

Display Requirements : None except all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : The Australian DOD is the Australian Government military organisation which looks after the defence requirements of the country.

Notes on Use of Code : The ICD code forms the initial part of the OSI naming and addressing, tree as depicted in ISO 8348/Add 2 standard. Format of the tree is described in the Australian GOSIP Manuals and used globally.

Alt. Names for Scheme :

Sponsoring Authority : Standards Australia

Date of Issue of ICD : Mar 1992

Additional Comments :

International Code Designator

0 0 4 0

ICD : 0040

Name of Coding System : Unilever Group Companies

Intended Purpose/App. Area

Issuing Organization : Information Technology Group, Unilever Plc, Unilevr House, P O Box 68, LONDON, EC4P 4BQ, Tel: 071 822 6763, Fax: 071 822 5996

Structure of Code : 1) 4 digits 0-9, 2) No check digits

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Group companies of Unilever Plc and/or Unilever NV.

Notes on Use of Code : To be used in data communications to form part of the Network Address as defined in ISO 8348. The ISO 6523, ICD IDI format with Binary syntax will be used.

Alt. Names for Scheme :

Sponsoring Authority : BSI

Date of Issue of ICD : Mar 1992

Additional Comments :

International Code Designator

0 0 4 1

ICD : 0041

Name of Coding System : Citicorp Global Information Network

Intended Purpose/App. Area

Issuing Organization : Citicorp Global Information Network, One Court Square, 48th floor, Long Island City, NY 11120, USA, Tel: 1 718 248 2990, Fax: 1 718 248 2767

Structure of Code : 1) ICD CGIN Citicorp Global Information Network, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any company or organization that participates in a Citicorp Global Information network environment. This program encompasses companies throughout the world.

Notes on Use of Code : The ICD code will also form the initial part of the Citicorp Network addressing object identifier tree and naming tree as depicted in Addendum 2 to ISO 8348

Alt. Names for Scheme :

Sponsoring Authority : ANSI

Date of Issue of ICD : Apr 1992

Additional Comments :

International Code Designator

0 0 4 2

ICD : 0042

Name of Coding System : DBP Telekom Object Identifiers

Intended Purpose/App. Area

Issuing Organization : DBP Telekom, Product Development Telesec, P.O. Box 10 00 20, D - 5900 Siegen, GERMANY, Tel: +49 271 708 1600, Fax: +49 271 21 835

Structure of Code : 1) Organisation code: four numeric digits (ICD), 2) Organisation name: Deutsche Bundespost Telekom

Display Requirements : The display of the code is as per ISO 6523 clause 4, however, its use is restricted to the ISO register. The presentation of the organisation name in a certain application is decided individually by the requirements of the application.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Telekom subdivisions and customers using Telekom applications & communication services.

Notes on Use of Code : 1) The ICD is primarily intended for the registration of Object Identifiers, according to ISO 8824/8825 (ANS.1) to be used for the identification resp. registration of: - application layer protocols, - file & document formats, - information objects, - local/remote procedures. The OID structure and the inclusion of the ICD therein is given below: level 1: iso(1), level 2: identifiedOrganisation(3), level 3 (ICD): dbpt(0042), level 4 to n: (defined by Telekom)

Alt. Names for Scheme :

Sponsoring Authority : DIN

Date of Issue of ICD : May 1992

Additional Comments :

International Code Designator

0 0 4 3

ICD : 0043

Name of Coding System : HydroNETT

Intended Purpose/App. Area

Issuing Organization : Norsk Hydro a.s. Att. Nils Hoeg, Corporate Staff Information Systems,
Drammensveien 264, Vaekero, Oslo, P. O. Box 200, N-1321 Stabekk, Norway, Tel:
+47 2 73 81 00, Fax: +47 2 73 97 87, Tlx: 72948 hydro N

Structure of Code : 1) ICD code: 4 digit, Organization code: (up to 14 characters). Organization name:
(up to 250 characters). 2) No check digits needed.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Norsk Hydro a.s. is a multinational company represented with different business
units in more than 25 countries.

Notes on Use of Code : The ICD code forms the initial part of the OSI network addressing as depicted in ISO
8348/AD2.

Alt. Names for Scheme :

Sponsoring Authority : Norges Standardiseringsforbund. (Norwegian Standards Association.)

Date of Issue of ICD : Aug 1992

Additional Comments :

International Code Designator

0 0 4 4

ICD : 0044

Name of Coding System : Thai Industrial Standards Institute (TISI)

Intended Purpose/App. Area

Issuing Organization : Thai Industrial Standards Institute (TISI), Rama VI Street, Bangkok 10400, THAILAND TEL: +66 2 245 78 02, FAX: +66 2 247 87 41

Structure of Code : 1) Four Fields, First field = four digits, ICD code, Second field = three characters to represent organization group, Third field = between 1-11 characters, Fourth field = Organization Name, up to 250, characters, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Government: organizations, business entities, financial institutions, etc. as specified by the second field to ensure smooth inter-communication among these organizations in Thailand.

Notes on Use of Code : The ICD code forms the initial part of international addressing for Thailand.

Alt. Names for Scheme :

Sponsoring Authority : Thai Industrial Standards Institute (TISI)

Date of Issue of ICD : Aug 1992

Additional Comments :

International Code Designator

0 0 4 5

ICD : 0045

Name of Coding System : ICI Company Identification System

Intended Purpose/App. Area

Issuing Organization : ICI PLC, Millbank, London, SW1P 3JF, Tel: 071 834 4444, Fax: 071 834 2042

Structure of Code : 1) ICD org, Code, 1 4 5 8 9 n, xxxx/xxxx/organisation name//, 2) None

Display Requirements : Upper and lower case only

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : The coding system covers all ICI Companies Worldwide.

Notes on Use of Code : The ICD code will be used to manage NSAP allocation for all ICI companies on a worldwide basis. The organisation code is used Worldwide by ICI application systems to identify ICI registered companies in machine to machine communications.

Alt. Names for Scheme :

Sponsoring Authority : BSI Standards

Date of Issue of ICD : Sep 1992

Additional Comments :

International Code Designator

0 0 4 6

ICD : 0046

Name of Coding System : FUNLOC

Intended Purpose/App. Area

Issuing Organization : Royal Philips Electronics N.V. Corporate Information Technology, building VP-1, Groenewoudseweg 1, P O Box 218, 5600 MD Eindhoven, The Netherlands, Tel: +31 40 27 83008, Fax: +31 40 27 80080

Structure of Code : 1) 6 Decimal digits, the first 3 denoting the country in a proprietary coding system. 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Function locations identified by legal name and address; both for Philips and external parties.

Notes on Use of Code : Current applications are Philips accounting and logistic systems; new application is the identification of objects in the open network environment according to ISO 8824 which starts with a party identification

Alt. Names for Scheme :

Sponsoring Authority : NNI

Date of Issue of ICD : Sep 1992 / Amended September 2002

Additional Comments :

International Code Designator

0 0 4 7

ICD : 0047

Name of Coding System : BULL ODI/DSA/UNIX Network

Intended Purpose/App. Area

Issuing Organization : BULL S.A. DTBG,20 Rue Dleumegaie, FRANCE 93406 Saint-Ouen, Tel: +33 (1) 49 45 51 40, Fax: +33 (1) 49 45 53 36

Structure of Code : 1) Four numeric digits, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : All structures and customers in the world using Bull Networks applications and communications services.

Notes on Use of Code : To be used in data communications to form part of the network address. The ISO 6523 ICD IDI format with binary syntax will be used.

Alt. Names for Scheme :

Sponsoring Authority : AFNOR

Date of Issue of ICD : Sep 1992

Additional Comments :

International Code Designator

0 0 4 8

ICD : 0048

Name of Coding System : OSINZ

Intended Purpose/App. Area

Issuing Organization : OSINZ, (Open Systems Interconnection of New Zealand Inc.), c/- P O Box 5356, Wellesley Street, Auckland New Zealand Tel: Fax

Structure of Code : 1) 8 Digits (1-4 organisation), (5-8 Subnet ID), 2) None

Display Requirements : None except all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organisations in New Zealand participating in OSI interop activities

Notes on Use of Code : ISO 6523 ICD IDI format with binary syntax will be used

Alt. Names for Scheme :

Sponsoring Authority : SANZ

Date of Issue of ICD : OCT 1992

Additional Comments :

International Code Designator

0049

ICD : 0049

Name of Coding System : Auckland Area Health

Intended Purpose/App. Area

Issuing Organization : Auckland Area Health Board, Information Systems, Greenlane/National Women's Hospital, Greenlane West, Auckland 3, New Zealand Tel: Fax

Structure of Code : 1) 8 Digits (1-4 organisation), (5-8 Subnet ID), 2) None

Display Requirements : None except all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Health related organizations in New Zealand

Notes on Use of Code : ISO 6523 ICD IDI format with binary syntax will be used

Alt. Names for Scheme :

Sponsoring Authority : SANZ

Date of Issue of ICD : Oct 1992

Additional Comments :

International Code Designator

0050

ICD : 0050

Name of Coding System : Firmenich

Intended Purpose/App. Area

Issuing Organization : Firmenich S A, 7, rue de la Bergere, CH-1217 Meyrin 2, GENEVA, Switzerland Tel: ++41 22 780 2211, Contact: Marc Gaudar

Structure of Code : 1) XXXX/XXX XXXXXXXX/FIRMENICH//, 2) XXXX/XXXXXXXXXXXX//

Display Requirements : 1) XXXX XXX XXXXXXXX FIRMENICH, 2) XXX XXXXXXXXXX

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : International commercial organization with 30 large and 40 small plants in a total of 25 different countries

Notes on Use of Code : Interconnect the plants by an OSI network essentially over X.25 carrier

Alt. Names for Scheme :

Sponsoring Authority : BAKOM Switzerland

Date of Issue of ICD : Oct 1992

Additional Comments :

International Code Designator

0051

ICD : 0051

Name of Coding System : AGFA-DIS

Intended Purpose/App. Area

Issuing Organization : AGFA N.V. Septestraat 27, 2640 Mortsel, BELGIUM, Tel: + 32 3 4442111, Fax: + 32 3 4447094

Structure of Code : 1) XXXX/AGFA-DIS/AGFA-DIS//, 2) None

Display Requirements : XXXX AGFA-DIS AGFA-DIS

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : All medical related organisations of AGFA

Notes on Use of Code : Medical Communication

Alt. Names for Scheme :

Sponsoring Authority : IBN - BELGIUM

Date of Issue of ICD : Nov 1992

Additional Comments :

International Code Designator

0 0 5 2

ICD : 0052

Name of Coding System : Society of Motion Picture and Television Engineers (SMPTE)

Intended Purpose/App. Area

Issuing Organization : Society of Motion Picture and Television Engineers (SMPTE), 595 W. Hartadae Ave. White Plains, NY 10607, USA, Tel: +1 914 761 11 00, Fax: +1 914 761 31 15

Structure of Code : 1) Three fields, First field = ICD, Second field = SMPTE, Third field = Society of Motion Picture and Television Engineers, 2) None, except that all fields are left

Display Requirements : Any organization which operates within or contributes to establishing SMPTE practices. This program encompasses organizations throughout the world.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization which operates within or contributes to establishing SMPTE practices. This program encompasses organizations throughout the world.

Notes on Use of Code : The ICD code will also be used to identify SMPTE constituent organizations (committees, working groups, task forces, etc./), and the objects they, define. The ICD code will also form the Initial Domain Part of the OSI network addressing and naming tree as specified in Addendum 2 tot ISO 8348

Alt. Names for Scheme :

Sponsoring Authority : ANSI

Date of Issue of ICD : Nov 1992

Additional Comments :

International Code Designator

0053

ICD : 0053

Name of Coding System : Migros_Network M_NETOPZ

Intended Purpose/App. Area

Issuing Organization : Migros-Genossenschafts-Bund, Administration KIM-TEKO HH17, Limmatstrasse
152, 8031 ZURICH, Tel: Fax

Structure of Code : 1) MIGROS, MGB, 2) None

Display Requirements : NONE

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Private Network for National Industrie SWISS, With Backbone Netz X25, About 400
nodes (1992)

Notes on Use of Code : NONE

Alt. Names for Scheme :

Sponsoring Authority : OFCOM (SWISS)

Date of Issue of ICD : Dec 1992

Additional Comments :

International Code Designator

0054

ICD : 0054

Name of Coding System : ISO6523 - ICDPCR

Intended Purpose/App. Area

Issuing Organization : Pfizer Central Research, Ramsgate Road, Sandwich, Kent, CT13 9NJ, Tel: 0304 616223, Fax

Structure of Code : 1) As per Addendum 2 ISO 8348, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Pfizer is a world-wide organization of which Pfizer Ltd is the principal UK subsidiary. It possesses a private global network

Notes on Use of Code : This code could be used internationally by Pfizer thus a non-geographic code is required. The code forms the initial part of the OSI network addressing and naming tree depicted in Addendum 2 of ISO 8348.

Alt. Names for Scheme :

Sponsoring Authority : BSI

Date of Issue of ICD : Dec 1992

Additional Comments : This will be the AFI:IDI for the Pfizer Group OSI Network implementation, worldwide.

International Code Designator

0055

ICD : 0055

Name of Coding System : Energy Net

Intended Purpose/App. Area

Issuing Organization : ABB Asea Brown Boveri Ltd, Affolterstrasse 44, 8050 Zurich, Correspondence
Address: ABB Informatik AG, C. Falbriad, TEC1.N, Haselstrasse, CH-5401 Baden,
Tel: + 41 56 75 26 77, Fax: + 41 56 75 21 21

Structure of Code : 1) AFI, ICD, country code, routing domain, Area, ID, SEL, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Worldwide Private Network for the power plant, power transmission and distribution industry segment.

Notes on Use of Code : None

Alt. Names for Scheme :

Sponsoring Authority : BAKOM, CH-2503 Biel- Bienne, Switzerland

Date of Issue of ICD : Jan 1993

Additional Comments :

ICD : 0056

Name of Coding System : Nokia Object Identifiers (NOI)

Intended Purpose/App. Area

Issuing Organization : Nokia Corporation Tel: + 358 0 43761, Research Centre Fax: + 358 0 4376227, P.O.Box 156, SF-02101 Espoo, FINLAND

Structure of Code : 1) ICD (fixed length 4 digits), Organization code (variable length up to 14 characters), Organization name (variable length up to 250 characters), 2) None

Display Requirements : When the SIO is displayed or printed the ICD, the organization, code and the organization name shall be separated by one or more spaces.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Nokia Corporation with its Business Groups (Telecommunications, Mobile Phones, Cables and Machinery, Consumer Electronics and Basic Industries) and its associated companies worldwide.

Notes on Use of Code : a) In the SIO the organization name will normally be omitted, b) The code is primarily intended for the registration of Object Identifiers according to ISO/IEC 8824: Level 1:iso(1), Level 2:identified-organization(3), Level 3:nokia(xxxx), Level 4 and higher:defined by Nokia conventions

Alt. Names for Scheme :

Sponsoring Authority : Finish Standards Association SFS

Date of Issue of ICD : Feb 1993

Additional Comments :

International Code Designator

0057

ICD : 0057

Name of Coding System : Saint Gobain

Intended Purpose/App. Area

Issuing Organization : Saint Gobain, Les Miroirs, 18, avenue d'Alsace, 92096 PARIS La Defense Cedex 27, Monsieur Jean Dorleans, Tel: 33 1 47 62 36 05, Fax: 33 1 47 62 50 64

Structure of Code : 1) ICD 4 digits, (AFI 47 followed by a 4 digit ICD), 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : A group of industrial companies manufacturing engineered materials located in 35 different countries.

Notes on Use of Code : To be used for assignment of: N.E.T (ISO 8348/Add 2), A.E.T (FTAM, X.400 Psaps, and so on), and object identification (ISO 8824/8825)

Alt. Names for Scheme :

Sponsoring Authority : AFNOR

Date of Issue of ICD : Mar 1993

Additional Comments : None

International Code Designator

0058

ICD : 0058

Name of Coding System : Siemens Corporate Network

Intended Purpose/App. Area

Issuing Organization : Siemens AG,RI SCN, St Martin-Str. 76, W-8000 Muenchen 90, Germany, Tel: +49 89 4133 2565, Fax: +49 89 4133 1984

Structure of Code : 1) cccc(ICD) SCN (Siemens Corporate Network), 2) No check digits as in general the whole message has a checking mechanism.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any company or organization that participates in the Siemens Corporate Network. This network encompasses companies and organizations throughout the world.

Notes on Use of Code : The ICD code will form the initial part of the OSI Network addressing and naming tree as depicted in Addendum 2 to ISO 8348 (Network layer addressing). These addresses will uniquely identify systems within SCN and to the outside world.

Alt. Names for Scheme :

Sponsoring Authority : Deutsches Institut fur Normung e.V.(DIN)

Date of Issue of ICD : Apr 1993

Additional Comments :

International Code Designator

0059

ICD : 0059

Name of Coding System : DANZNET

Intended Purpose/App. Area

Issuing Organization : DANZAS AG, Head Office, Switzerland 4051 Basel, Attn Schutz Bertrand

Structure of Code : 1) Between 1 - 4 characters (letters, digits and hyphens only). 2) Between 1 - 12 characters (letters, digits and hyphens only).

Display Requirements : NONE

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Danzas country group organizations and Head Office

Notes on Use of Code : NONE

Alt. Names for Scheme :

Sponsoring Authority : OFCOM/BAKOM

Date of Issue of ICD : May 1993

Additional Comments :

International Code Designator

0060

ICD : 0060

Name of Coding System : Data Universal Numbering System (D-U-N-S Number)

Intended Purpose/App. Area

Issuing Organization : Dun and Bradstreet Ltd, Holmers Farm Way, High Wycombe, 1 Bucks, HP12 4UL

Structure of Code : 1) Eight identification digits and a check digit. A two digit prefix will be added in the future but it will not be used to calculate the check digit. 2) The Organization name is not part of the D-U-N-S number.

Display Requirements : I1111111C where all characters are the digits 0, to 9, I = an identification digit and C = the check digit. When the prefix (P) is added the display requirement will be eleven digits, P11111111C.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : It is the objective of Dun and Bradstreet to allocate a D-U-N-S number to all businesses and institutions engaged in a specific business activity.

Notes on Use of Code : The D-U-N-S Number originated to facilitate the compilation of financial status reports on those involved in business transactions but it is now widely used for other purposes also. The number has world wide recognition as a means of identifying businesses and institutions.

Alt. Names for Scheme :

Sponsoring Authority : BSI/DISC

Date of Issue of ICD : JUN 1993

Additional Comments : A full specification of scheme has been deposited with the Registration Authority

International Code Designator

0061

ICD : 0061

Name of Coding System : SOFFEX OSI

Intended Purpose/App. Area

Issuing Organization : SOFFEX Swiss Options and Financial Futures Exchange AG. Neumattstrasse 7, CH-8953 Dietikon, Switzerland

Structure of Code : 1) 4 numeric digits, 2) None

Display Requirements : None except all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Swiss financial derivatives exchange

Notes on Use of Code : This code is to assist in uniquely identifying data network node addresses in an international supporting network for financial applications. This supporting network may have operational interfaces to other (private) data networks.

Alt. Names for Scheme :

Sponsoring Authority : BAKOM - Bundesamt fuer Kommunikation, (Swiss Federal Office for Communication), CH-2501 Biel-Bienne, Switzerland.

Date of Issue of ICD : Jun 1993

Additional Comments : None

International Code Designator

0062

ICD : 0062

Name of Coding System : KPN OVN

Intended Purpose/App. Area

Issuing Organization : Koninklijke KPN, Operator Vaste net BBT/IP, P O Box 30000, 2500 GA's-Gravenhage, The Netherlands, Contact: G L J Kloos, Tel: +31 70 343 4762, Fax: +31 70 371 3569, E-mail: g.l.j.kloos@kpn.com

Structure of Code : 1) ICD 4 digits, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : KPN OVN (Operator Fixed Networks)

Notes on Use of Code : This code is used in the VTOA network of KPN OVN.

Alt. Names for Scheme :

Sponsoring Authority : Nederlands Normalisatie Instituut, P O Box 5059, 2600 GB DELFT

Date of Issue of ICD : Jul 1993/ Amended Sep 2000

Additional Comments : Changes in 'Name of coding system', 'Name & address of issuing organization', 'Description of organizations covered by coding system' and 'Notes on use' Sept

International Code Designator

0063

ICD : 0063

Name of Coding System : ascomOSINet

Intended Purpose/App. Area

Issuing Organization : Ascom AG, Belpstrasse 37, CH-3000 Bern, Switzerland Fax: +41 55 41 63 85, Tel: +41 55 41 60 04

Structure of Code : 1) ICD 4 digits, 2) None

Display Requirements : All fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : ascom

Notes on Use of Code : -

Alt. Names for Scheme :

Sponsoring Authority : BAKOM Bundesamt fur Kommunikation, Zukunftstrasse 44, CH-2501 Biel-Bienne Switzerland

Date of Issue of ICD : Aug 1993

Additional Comments : -

International Code Designator

0064

ICD : 0064

Name of Coding System : UTC: Uniforme Transport Code

Intended Purpose/App. Area

Issuing Organization : Foundation UTC, P.O.Box 82118, 2508 EC The Hague, The Netherlands, Tel: + 31 70 35 10 777, Fax: + 31 70 35 12 025

Structure of Code : 1) ICD Code: 4 digits, Organization code: minimum 1, maximum 8 digits, Sequence number: minimum 1, maximum 8 digits, 2) None

Display Requirements : Check digit according to ISO 7064-8

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : The shipping and transport industry

Notes on Use of Code : The code identifies an individual transport or handling unit (e.g. pallet, parcel) for reasons of tracing or tracing. The unit may have an international destination.

Alt. Names for Scheme :

Sponsoring Authority : NNI - The Netherlands

Date of Issue of ICD : Oct 1993

Additional Comments : None

International Code Designator

0065

ICD : 0065

Name of Coding System : SOLVAY OSI CODING

Intended Purpose/App. Area

Issuing Organization : Direction Centrale Technique (Informatique Scientifique), SOLVAY S.A, Rue de Ransbeek 310, B-1120 Bruxelles

Structure of Code : 1) Two octets, fixed length. The particular values of 00-00 (all zeros) and FF-FF (all ones) will be reserved, so that addresses are able to comply with ECMA-117, where the ISO 6523 organization code is mapped to ECMA-117 subnetwork. This structure also permits compliance with GOSIP (FIPS PUB 146), 2) No check digits will be used

Display Requirements : The code should be displayed as XX-XX where X is an hexadecimal number.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Companies member of the Solvay Group (globally consolidated), and major organizational subdivisions of such companies, including large plants or national subsidiaries.

Notes on Use of Code : Whenever possible, ISO 8348 addresses using this code will comply with FIPS PUB 146, with an End System ID of exactly 4 octets, so that the DSP can also conform to ECMA 117 where ECMA's subnet-address maps onto FIPS's Subnet ID concatenated with the End System ID.

Alt. Names for Scheme :

Sponsoring Authority : IBN-Belgium

Date of Issue of ICD : Dec 1993

Additional Comments : None

International Code Designator

0066

ICD : 0066

Name of Coding System : Roche Corporate Network

Intended Purpose/App. Area

Issuing Organization : F. HOFFMANN - LA ROCHE AG, Grenzacherstasse 124, CH-4002 BASEL, Switzerland

Structure of Code : As per Addendum 2 ISO 8348

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Hoffmann- La Roche is an international organization with a private global network. The coding system includes all affiliates belonging to the the Roche group (currently about 125 different legal entities).

Notes on Use of Code : Will be used internationally by Roche thus a non-geographic code is required.

Alt. Names for Scheme :

Sponsoring Authority : BAKOM Switzerland

Date of Issue of ICD : Jan 1994

Additional Comments :

International Code Designator

0067

ICD : 0067

Name of Coding System : ZellwegerOSINet

Intended Purpose/App. Area

Issuing Organization : Zellweger Uster AG, Wilstrasse 11, CH-8610 USTER, Switzerland Tel: + 41 1 943 2608, Fax: + 41 1 943 3815

Structure of Code : 1) ICD 4 digits, 2) None

Display Requirements : All fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Zellweger

Notes on Use of Code : BAKOM - Switzerland

Alt. Names for Scheme :

Sponsoring Authority :

Date of Issue of ICD : Jan 1994

Additional Comments : None

International Code Designator

0068

ICD : 0068

Name of Coding System : Intel Corporation OSI

Intended Purpose/App. Area

Issuing Organization : Intel Corporation, 1900 Prairie City Road, Folsom, Ca. 95630, USA

Structure of Code : 1) 4 Numeric digits, 2) None

Display Requirements : None except all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Intel Corporation, operating in several countries around the world.

Notes on Use of Code : The ICD code will be used to form the Initial Domain Identifier (IDI) portion of the Initial Domain Part (IDP) as described in ISO 8348 Addendum 2 for OSI NSAP addressing.

Alt. Names for Scheme :

Sponsoring Authority : ANSI - USA

Date of Issue of ICD : Jan 1994

Additional Comments :

International Code Designator

0069

ICD : 0069

Name of Coding System : SITA Object Identifier Tree

Intended Purpose/App. Area

Issuing Organization : SITA, 112 Avenue Charles de Gaulle, 92522 NEUILLY-SUR-SEINE CEDEX, France

Structure of Code : 1) ISO(1), identified organization(3), sita(00xx), 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Airlines Aircraft Manufacturers etc (i.e. users of SITA Worldwide Telecommunications and Information Services)

Notes on Use of Code : SITA intends to use its OID Tree to define its own Objects for use with its OSI-based services (e.g. MHS & OSI Management)

Alt. Names for Scheme :

Sponsoring Authority : SITA (as an international organization) has a class B Liason with ISO/IEC JTC1

Date of Issue of ICD : Apr 1994

Additional Comments :

International Code Designator

0070

ICD : 0070

Name of Coding System : DaimlerChrysler Corporate Network

Intended Purpose/App. Area

Issuing Organization : DaimlerChrysler AG, TOS/L, 010 M406, EmilKessler Strasse 4, 70546 Stuttgart, GERMANY

Structure of Code : 1) cccc (ICD) DCCN (DaimlerChrysler Corporate Network), 2) No check digits as in general the whole message has a checking mechanism

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any company or organization that participates in the DaimlerChrysler Corporate Network. This network encompassed companies and organizations throughout the world.

Notes on Use of Code : The ICD code will form the initial part of the OSI Network addressing and naming free as depicted in Addendum 2 to ISO 8348 (Network Layer addressing). These addresses will uniquely identify systems within DBCN and to the outside world.

Alt. Names for Scheme :

Sponsoring Authority : Deutsches Institut fur Normung e.V. (DIN)

Date of Issue of ICD : Apr 1994/ Amended Oct 2001

Additional Comments :

International Code Designator

0071

ICD : 0071

Name of Coding System : LEGO /OSI NETWORK

Intended Purpose/App. Area

Issuing Organization : LEGO Systems Inc, 555 Taylor Road, Enfield, Conneticut 06082, USA, Tel: (203) 749 2291, Fax: (203) 763 6681

Structure of Code : 1) Three fields: First field = ICD, Second field = Organization Code, Third field = Organization Name, 2) None

Display Requirements : None, except that all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : The organizations to be covered by the coding system include company locations and subsidiaries in the United States, 15 European cities, the Far East (Japan & Korea) and Brazil. We estimate having 5000+ nodes on the LEGOnet within 3 years.

Notes on Use of Code : The ICD code will also form the Initial Domain Part of the OSI network addressing and naming tree as specified in addendum 2 to ISO 8348.

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute (ANSI) - USA

Date of Issue of ICD : May 1994

Additional Comments : It is also necessary for 1 or more of these sites to be able to connect to non-LEGO companies

International Code Designator

0072

ICD : 0072

Name of Coding System : NAVISTAR/OSI Network

Intended Purpose/App. Area

Issuing Organization : International Truck & Engine Corp, 4201 Winfield Road, Warrenville, Illinois 60555, USA, Attention: Kosit Manaspiti, Tel: 630 753 5517, Fax: 630 753 6710, e-mail: kosit.manaspiti@nav-international.com

Structure of Code : 1) Three fields: First field = ICD, Second field = NAVISTAR, Third field = International Truck and Engine Corporation, 2) None

Display Requirements : None, except that all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization that participates in the NAVISTAR/OSI networking system including: - Navistar International Corporation, -International Truck and Engine Corporation

Notes on Use of Code : The ICD code will also form the Initial Domain Part of the OSI Network addressing and naming tree as specified in Addendum 2 to ISO 8348.

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute (ANSI) - USA

Date of Issue of ICD : May 1994/ Amended Nov 2001

Additional Comments : None

International Code Designator

0073

ICD : 0073

Name of Coding System : ICD Formatted ATM address

Intended Purpose/App. Area

Issuing Organization : Newbridge Networks Corporation, 600 March Road, P O Box 13600, Kanata, Ontario, CANADA, K2K 2E6

Structure of Code : 1) Format: /XXXX/xxxxxxx/Organization Name//, Example: /XXXX/000000/Newbridge Network Corporation//, The xxxxxx field is a 6-digit BCD encoded number. 2) There are no check digits

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Private ATM Networks using Newbridge ATM terminal and switching equipment.

Notes on Use of Code : Used as an ATM address prefix by, 1) Newbridge ATM terminal equipment: a) when performing user - network address registration, b) transparently initiating signalled ATM connections on behalf of other non-ATM (LAN) devices, c) directly initiating signalled ATM connections, 2) Newbridge ATM switching equipment used to: a) perform network - user address registration, b) perform routing of Switched Virtual Connections across a private ATM cell switching network

Alt. Names for Scheme :

Sponsoring Authority : COSIRA, c/o CGI Information Systems and Management Consultants Inc. 275 Slater Street, 19th Floor, Ottawa, Ontario, CANADA, K1P 5H9

Date of Issue of ICD : Jun 1994

Additional Comments :

International Code Designator

0074

ICD : 0074

Name of Coding System : ARINC

Intended Purpose/App. Area

Issuing Organization : ARINC Incorporated, 2551 Riva Road, Annapolis, MD 21401-7465, USA, Tel: + 410 266 4000, Fax: + 410 266 4040

Structure of Code : 1) ISO (1), identified organization (3), arinc (00xx), 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Owners and Customers of ARINC'S Data Network services, Information Systems and other services. Members of the Aeronautical industry.

Notes on Use of Code : ARINC will define its own Objects for use with its OSI-based systems and services. ARINC will also define Objects for use within the Aeronautical industry.

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute (ANSI)

Date of Issue of ICD : Jul 1994

Additional Comments : None

International Code Designator

0075

ICD : 0075

Name of Coding System : Alcanet/Alcatel-Alsthom Corporate Network

Intended Purpose/App. Area

Issuing Organization : Alcatel Network Services Deutschland GmbH, Motostr. 25, D - 70499 Stuttgart, GERMANY, Technical Contact: Thomas Galuschka, Tel: + 49 711 821 2367, Fax: + 49 711 821 4793

Structure of Code : 1) cccc (ICD) Alcanet, 2) No check digits as in general the whole message has a checking mechanism

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any company or organization that is part of the Alcatel-Alsthom group. The network of this group (Alcanet) encompasses companies and organizations throughout the

Notes on Use of Code : The ICD code forms the initial part of the OSI network addressing scheme as depicted in Addendum 2 of ISO 8384

Alt. Names for Scheme :

Sponsoring Authority : Deutsches Institut für Normung e.V. (DIN)

Date of Issue of ICD : Aug 1994

Additional Comments : None

International Code Designator

0076

ICD : 0076

Name of Coding System : Sistema Italiano di Identificazione di oggetti gestito da UNINFO

Intended Purpose/App. Area

Issuing Organization : UNINFO, Ente di Normazione Federato all'UNI, C.so Galileo Ferraris 93, 10128 Torino, ITALY, Tel: + 3911 501 027, Fax: + 3911 501 837

Structure of Code : 1) Six digits. Organization name: variable length up to 250 characters, 2) No check digits

Display Requirements : Space used as separator within the coding scheme of the organization name and between the organization code and the organization name.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any Italian company or organization intending for the registration of Object Identifiers according to ISO 8824

Notes on Use of Code : To be used for assignments of object identifiers according to ISO 8824 and ISO 8825

Alt. Names for Scheme :

Sponsoring Authority : UNI

Date of Issue of ICD : Oct 1994

Additional Comments :

International Code Designator

0077

ICD : 0077

Name of Coding System : Sistema Italiano di Indirizzamento di Reti OSI Gestito da UNINFO

Intended Purpose/App. Area

Issuing Organization : UNINFO, Ente di Normazione Federato all'UNI, C.so Galileo Ferraris, 93, 10128 Torino, ITALY

Structure of Code : 1) To be defined, 2)

Display Requirements : To be defined

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any company or organization operating in an Italian OSI networking environment.

Notes on Use of Code : The ICD code forms the initial part of the OSI network Addressing and naming tree depicted in Addendum 2 of ISO 8348.

Alt. Names for Scheme :

Sponsoring Authority : UNI

Date of Issue of ICD : Oct 1994

Additional Comments :

International Code Designator

0078

ICD : 0078

Name of Coding System : Mitel terminal or switching equipment

Intended Purpose/App. Area

Issuing Organization : Mitel Corporation, 350 Legget Drive, P O Box 13089, Kanata ON K2K 1X3, Canada,
Attn: Mr Francois Audet

Structure of Code : 1) XXX/MITEL/Mitel Corporation//, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Networks using Mitel terminal or switching equipment

Notes on Use of Code : The ICD code will form the initial part of the naming tree for: 1 - Private Integrated Services Network manufacturer-specific information as the Organization identifier forming the initial part of the OBJECT IDENTIFIER tree. 2 - OSI Application Layer such as CSTA (ECMA 179).

Alt. Names for Scheme :

Sponsoring Authority : COSIRA, 275 Slater St, 19th Floor, Ottawa ON K1P 5H9, Canada

Date of Issue of ICD : Nov 1994

Additional Comments : None

ICD : 0079

Name of Coding System : ATM Forum

Intended Purpose/App. Area

Issuing Organization : The ATM Forum, 303 Vintage Park Drive, Foster City, CA 94404-1138, USA, Tel: +(415)-578-6860, Fax: +(415)-525-0182

Structure of Code : 1) Format includes 2 fields, First field = ICD, Second field = Domains Specific Part, 2) None

Display Requirements : None, except that all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization or company that participates in the ATM Forum UNI private addressing format. The ATM Forum encompasses organizations and companies throughout the world.

Notes on Use of Code : The ICD code will also form part of the Initial Domain Part of the OSI network addressing as specified in Addendum 2 to ISO 8348

Alt. Names for Scheme :

Sponsoring Authority : ANSI, 11 West 42nd Street, New York 10036, USA

Date of Issue of ICD : Dec 1994

Additional Comments : None

International Code Designator

0080

ICD : 0080

Name of Coding System : UK National Health Service Scheme, (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : National Health Service, Information Management Center, 15 Frederick Road, Birmingham, B15 1SD, Contact person: Mr Brian LOVE, Tel: +44 1454 261 551, Fax: +44 1454 261 581

Structure of Code : 1) Structure of EDI identifier, Character repertoire, The EDI identifier consists of digits only. The identifier is fixed length and therefore no separators are required. Length of registered organization id, The registered organization identifier has a fixed length of 10 digits including check digit, Subdivisions of registered organization id, There are no formal sub-divisions of the registered organization identifier. It is intended to allocate initially from the band <10xxxxxxc> in case it becomes necessary to assign registration sub-authorities. Sub-authorities would then be allocated bands <11xxxxxxc>, <12xxxxxxc> etc. allowing a possible total of 89 sub authorities. Registered organization identifiers starting <0xxxxxxc> are reserved for special purposes. 2) Check sum computation, The check sum used will be modulo 7.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organization highest level, Intended scope is 'legal entities' of the UK Healthcare community i.e. GPs, GDPs, NHS Hospital Trusts, Health Authorities, Health Commissioning Agencies, Health Laboratories, NHS Executive and other NHS bodies such as Blood Transfusion etc. Organizations having a legitimate interest in the Healthcare Community e.g. health insurance companies etc. will be strongly encouraged to use alternative registration schemes but may be considered for the NHS scheme on a case by case basis.

Notes on Use of Code : EDIRA recommendations for coding in EDIFACT and other EDI systems

Alt. Names for Scheme :

Sponsoring Authority : Association Francaise de Normalisation (AFNOR), Tour Europe, Cedex 7, 92049 Paris La Defense, FRANCE

Date of Issue of ICD : Jan 1995

Additional Comments : None

International Code Designator

0 0 8 1

ICD : 0081

Name of Coding System : International NSAP

Intended Purpose/App. Area

Issuing Organization : Federal Office for Communications, Zukunftstrasse 44, POSTFACH, CH-2501 Biel, Switzerland Tel: +41 32 285 111, Fax: +41 32 285 528

Structure of Code : 1) NSAP address (detailed document on structure can be supplied on request, 2) No check digit

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization requiring an international (country-independant) NSAP numbering space

Notes on Use of Code : None

Alt. Names for Scheme :

Sponsoring Authority : OFCOM/Swiss Federal Office for Communications

Date of Issue of ICD : Feb 1995

Additional Comments : None

International Code Designator

0 0 8 2

ICD : 0082

Name of Coding System : Norwegian Telecommunications Authority's, NTA'S, EDI, identifier scheme (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : Norwegian Telecommunications Authority, P O Box 447 Sentrum, N-0104 Oslo, NORWAY, Contact person: Mr Knut Smaaland Tel: + 47 22 82 48 04, Fax: + 47 22 82 48 40

Structure of Code : 1) Character repertoire; the registered identifier consists of digits only, the length is variable, no separators are needed, Length of registered organization identifier; the identifier has a minimum length of 4 digits and a maximum length of 12 digits including the check digit where applicable. Subdivision of registered organization identifier; the first digit designates the version number of the coding system, the next two digits designates the registration authority or one of its sub-authorities, then follows the organization designator. The registered part is preceded by the ICD value when encoded in EDIFACT messages. 2) Check digit computation; when applicable the check digit will be computed modulo 11. The check digit will be the last digit in the registered identifier.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization or part thereof in need of unique EDI identifier.

Notes on Use of Code : For use in EDIFACT messages in accordance with current national recommendation on identification of EDI objects. (EDIRA compliant)

Alt. Names for Scheme :

Sponsoring Authority : Norwegian Standards Association

Date of Issue of ICD : Feb 1995

Additional Comments : Previously used code 56 within the UN/ECE 0007 code list.

International Code Designator

0083

ICD : 0083

Name of Coding System : Advanced Telecommunications Modules Limited, Corporate Network

Intended Purpose/App. Area

Issuing Organization : ATM Ltd, Mount Pleasant House, Cambridge, CB3 0BL, ENGLAND

Structure of Code : 1) Format includes 2 fields : First field = ICD, Second field = Domain specific part, 2) None

Display Requirements : None - all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : ATM terminal or switching equipments using the UNI private, addressing format

Notes on Use of Code : The ICD code will also form part of the Initial Domain Part of the OSI network addressing as specified in Addendum 2 to ISO 8348

Alt. Names for Scheme :

Sponsoring Authority : BSI

Date of Issue of ICD : Mar 1995

Additional Comments : None

International Code Designator

0 0 8 4

ICD : 0084

Name of Coding System : Athens Chamber of Commerce & Industry Scheme (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : Athens Chamber of Commerce & Industry, Akadimias Street 7, GR 108 71 Athens, Contact person: Mrs M Hliapa, Tel: +301 362-7911, Fax: +301-362-4643

Structure of Code : Character repertoire, The EDI identifier consists of digits only. The identifier has a fixed length. No separators are required. Structure: [123] [123456] [123456] [12], 17, < >, A B C D, A: numerical value allocated by the RA to the regional sub-authority (3 digits), B: numerical value allocated by the sub-authority to the registered organization (mandatory part of the identifier ;6 digits), C: numerical value used by the registered organization (free part; 6 digits), D: numerical check digit calculated by the registered organization; (2 digits), Check digit computation, The check digit is modular 97 computed on ABC as one number.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organization highest level, The Athens Chamber of Commerce & Industry will register at the highest level: Organizations (legal persons, partnerships, sole proprietor-ships and their branch offices) registered in the business register or organizations (legal or natural persons) not registered in the business register.

Notes on Use of Code : EDIRA recommendations for coding in EDIFACT and other EDI syntaxes.

Alt. Names for Scheme :

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Mar 1995

Additional Comments :

International Code Designator

0085

ICD : 0085

Name of Coding System : Swiss Chambers of Commerce Scheme (EDIRA) compliant

Intended Purpose/App. Area Numerical identifiers of organizations

Issuing Organization : Zurich Chamber of Commerce on behalf of Swiss Chambers, of Commerce, CH-8022 Zurich, Otto Mueller, Phone: + 411 217 4050 Fax: + 411 217 4051, e-mail: omueller@zurichcci.ch

Structure of Code : 999-999999-999999-9-99; useage of 100999999-999999-9-99 is prohibited, 1)18 numerical characters, organization ID (mandatory): 9 characters (first 3 char. may, indicate a registration office), organization part, OPI (optional): 6 char. OPI source indicator, OPIS (optional): 1 char. 2) Check digits (optional): last 2 char. Calculated mod 97 on used characters

Display Requirements : 00859999999999999999999999999999; the allocated ICD value is used as a 4 digit prefix

Character Repertoire : 0-9 numerical characters

Language(s) Used : English, German, French, Italian

Supports Org. Parts? : Yes

Org. Identifier Reuse : 25 years

Orgs Covered by System : Organizations (legal persons, partnerships, sole propietor-ships and their branch offices) registered in the business register and legal or natural persons not registered in the business register.

Notes on Use of Code : EDIRA recommendations for coding in syntaxes used for e-commerce and e-government, e.g. EDIFACT, ebXML

Alt. Names for Scheme : CH-CCI EDIRA code

Sponsoring Authority : EDIRA Association, c/o Zurich chamber of commerce, Bleicherweg 5, P. O. Box 4031, 8022 Zurich - Tel: +411 217 4050 - Fax: +411 217 4051, Otto Mueller OttoMueller-omueller@zurichcci.ch, Andre Mesropian amesropi@club-internet-fr

Date of Issue of ICD : Mar 1995/ Amended Jan 2001/ Amended Jun 2002

Additional Comments : ICD code 0085 originally issued to Zurich Chamber of Commerce on behalf of the Swiss Chamber of Commerce however it was never used. The rights and obligations for the scheme were transferred to Swisskey, Ltd.; the Swiss Chambers of commerce are shareholders of Swisskey Ltd.; Swisskey had been using the scheme since 1998. Swisskey has ceased its operation on 30th June 2001; all identifiers issued by Swisskey started with 100. They were used in X.509-certificates which are

International Code Designator

0086

ICD : 0086

Name of Coding System : United States Council for International Business (USCIB) Scheme, (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : United States Council for International Business (USCIB), 1212 Avenue of the Americas, USA New York, NY 10036, Contact person: Mr Peter ROBINSON, Tel: +1212 354 4851, Fax: +1212 575 0327

Structure of Code : Character repertoire, The EDI identifier consists of digits only. The identifier has a fixed length. No separators are required. Structure: [123] [123456] [123456] [12], 17, < >, A B C D, A: numerical value allocated by the RA to the regional sub-authority (3 digits), B: numerical value allocated by the sub-authority to the registered organization (mandatory part of the identifier; 6 digits), C: numerical value used by the registered organization (free part; 6 digits), D: numerical check digit calculated by the registered organization; (2 digits), Check digit computation, The check digit is modular 97 computed on ABC as one number.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organization highest level, The United States Council for International Business will register at their highest level: Organizations (legal persons, partnerships, sole proprietor-ships and their branch offices) registered in the business register or organizations (legal or natural persons) not registered in the business register.

Notes on Use of Code : EDIRA recommendations for coding in EDIFACT and other EDI syntaxes.

Alt. Names for Scheme :

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Mar 1995

Additional Comments : None

International Code Designator

0087

ICD : 0087

Name of Coding System : National Federation of Chambers of Commerce & Industry of Belgium, Scheme (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : National Federation of Chambers of Commerce & Industry of, Belgium Avenue des Arts 1-2. B 10, BE 1040 Brussels, Contact person: Mr Michael PEEREMAN, Tel: +322-217-3671, Fax: +322-217-4634

Structure of Code : Character repertoire, The EDI identifier consists of digits only. The identifier has a fixed length. No separators are required. Structure: [123] [123456] [123456] [12], 17, < >, A B C D, A: numerical value allocated by the RA to the regional sub-authority (3 digits), B: numerical value allocated by the sub-authority to the registered organization (mandatory part of the identifier; 6 digits), C: numerical value used by the registered organization (free part; 6 digits), D: numerical check digit calculated by the registered organization; (2 digits), Check digit computation, The check digit is modular 97 computed on ABC as one number.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organization highest level, The National Federation of Chambers of Commerce and Industry will register at their highest level. Organizations (legal persons, partnerships, sole proprietor-ships and their branch offices) registered in the business register or organizations (legal or natural persons) not registered in the business

Notes on Use of Code :

Alt. Names for Scheme : EDIRA recommendations for coding in EDIFACT and other EDI syntaxes.

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Mar 1995

Additional Comments : None

International Code Designator:

0088

ICD :	0088
Name of Coding System :	GLN, Global Location Number
Intended Purpose/App. Area :	The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Issuing Organization :	GS1 avenue Louise 326 B-1050 Brussels Belgium Tel: +32 495 52 9444 Fax : +32 2 788 7899 Contact: Henri Barthel Email: henri.barthel@gs1.org
Structure of Code : number of characters and their significance, if any: 1)	The GLN has a fixed length of 13 digits.
identification of the check digit characters, if any: 2)	The last digit is a Check Digit calculated from all other digits to provide extra security.
Display Requirements :	None.
Character Repertoire :	
Language(s) Used :	
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	Global Location Numbers are available to any public or private organization in the world.
Notes on Use of Code :	The Global Location Number, or GLN, is used to identify locations and legal entities. Locations can be a physical place such as a warehouse, a storage cabinet or even a specific shelf within a store; they can be a legal entity such as a company, or division of a company; or they can be a function that takes place within a legal entity, such as the accounting department of a company or the pediatric ward of a hospital.
Alt. Names of Scheme :	EAN location code
Sponsoring Authority :	GS1 avenue Louise 326 B-1050 Brussels Belgium Tel: +32 495 52 9444 Fax : +32 2 788 7899 Contact: Henri Barthel Email: henri.barthel@gs1.org
Date of Issue of ICD :	1995-04
Additional Comments :	Updated 2010-04. Updated 2020-04-09: Change contact info, organizations covered, notes on use.
Record Last Updated :	2020-04-09 04:58:53 UTC

ICD : 0089

Name of Coding System : The Association of British Chambers of Commerce Ltd. Scheme, (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : The Association of British Chambers of Commerce Ltd. 9, Tufton Street, Westminster, LONDON, SW1P 3QB, Contact person: Mrs Elizabeth Boyd-Adams, Tel: +44 71 222 1555, Fax: +44 71 799 2202, E-mail X400 G=Elizabeth, S=Boyd-Adams, O= ABCC, A=BT, C=GB

Structure of Code : Character repertoire, The EDI identifier consists of digits only. The identifier has a fixed length. No separators are required. Structure: [123] [123456] [123456] [12], 17, < >, A B C D, A: numerical value allocated by the RA to the regional sub-authority (3 digits), B: numerical value allocated by the sub-authority to the registered organization (mandatory part of the identifier; 6 digits), C: numerical value used by the registered organization (free part; 6 digits), D: numerical check digit calculated by the registered organization; (2 digits), Check digit computation, The check digit is modular 97 computed on ABC as one number.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organization highest level, The Association of British Chambers of Commerce Ltd will register at their highest level. Organizations (legal persons, partnerships, sole proprietor-ships and their branch offices) registered in the business register (states's Secretary of State or equivalent) or organizations (legal or natural persons) not registered in the business register.

Notes on Use of Code :

Alt. Names for Scheme : EDIRA recommendations for coding in EDIFACT and other EDI syntaxes.

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Jun 1995

Additional Comments : None

International Code Designator

0090

ICD : 0090

Name of Coding System : Internet IP addressing - ISO 6523 ICD encoding

Intended Purpose/App. Area

Issuing Organization : Internet Assigned Numbers Authority, c/o Joyce K. Reynolds, USC - Information Sciences Institute, 4676 Admiralty Way, Marina del Rey, California 90292-6695, USA, E-mail: iana @ isi.edu, Phone: +1 310-822-1511

Structure of Code : 1) ICD, Organization Code, 1-14 characters, Organization name, up to 250 characters, 2) None, as the whole message has a checking mechanism

Display Requirements : As per ISO 6523: 1984 clause 4

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization in the Internet environment. This program encompasses organizations with upwards of 30 million users throughout the world.

Notes on Use of Code :

Alt. Names for Scheme : The ICD code will also form the Initial Domain Part of the OSI network addressing and naming tree as specified in ISO 8348, Annex A.

Sponsoring Authority : ISO/IEC JTC 1/SC 6

Date of Issue of ICD : Jul 1995

Additional Comments : None

International Code Designator

0091

ICD : 0091

Name of Coding System : Cisco Sysytems / OSI Network

Intended Purpose/App. Area

Issuing Organization : Cisco Systems, 170 W. Tasman Drive, San Jose, CA 95134, USA, Phone + 1 408 526 4000, Fax + 1 408 426 4100

Structure of Code : 1) Three fields, First field = ICD, Second field = Organization Code, 1-14 characters, Third field = Organization Name, up to 150 characters, 2)

Display Requirements : None, except that all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization that participates in a Cisco Systems / OSI networking environment. This program encompasses organizations throughout the world.

Notes on Use of Code :

Alt. Names for Scheme : The ICD will also form the Initial Domain Part of the OSI networking addressing and naming tree as specified in Addendum 2 to ISO 8348.

Sponsoring Authority : American National Standards Institute (ANSI) - USA

Date of Issue of ICD : Nov 1995

Additional Comments : None

ICD : 0092

Name of Coding System : Not to be assigned (see additional comments)

Intended Purpose/App. Area

Issuing Organization :

Structure of Code : 1), 2)

Display Requirements :

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System :

Notes on Use of Code :

Alt. Names for Scheme :

Sponsoring Authority :

Date of Issue of ICD :

Additional Comments : This was originally allocated to the Danish Chamber of Commerce but due to a conflict with the UN/ECE codes they have been reallocated ICD 0096.

International Code Designator

0093

ICD : 0093

Name of Coding System : Revenue Canada Business Number Registration (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : Revenue Canada, 123 Slater Street, Ottawa, ON K1A 0L8, Signatory name, Roderick G. Quiney, Director-General, Contact address, 25 McArthur, Tower C, 7th Floor, Ottawa, Ontario CANADA K1A 0L8, Tel + 1 613 941 5007, Fax + 1 613 941

Structure of Code : Character repertoire, The BN contains a 15 character number (e.g. "12345 6789 RC0001"), Characters are restricted to the numeric 0-9 and the alphabetic A-z. The BN is fixed length. Length of the registered organization id, The length is up to 15 characters. Each field if used, has a fixed length. Subdivisions of registered organization id, The identifier is sub-divided into up to 3 fixed length fields. The Registration Number consisting of nine numeric digits may be inherited from its Goods and Services Tax (GST) number or may be allocated from unused BN number space. The Program Identifier consists of two character alphabetic code. The four Program Identifiers already allocated are "RC" (corporate income tax), "RM" (import/export duties), "RP" (payroll source deductions) and "RT" (goods and service tax). Two potential Program Identifiers already reserved are "VS" (vendor/supplier of goods and services to government) and "VC", (consignee as government destination /accounting point). The Reference Number within a particular government program consists of four numeric digits. The use of an (organization-free part) is possible at the user's will, but is not specified as part of the registration scheme. Check character, The BN is a 15 character broken into a 9 digit root followed by a 6 character account identifier. The last digit of the 9 root is the check digit using MOD10.

Display Requirements : To facilitate user consultation, the BN is displayed as three components, separated by a space.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : The BN is a numbering system whose purpose is to uniquely identify private and public sector entities, i.e. registrants, government programs and operating entity(ies).

Notes on Use of Code :

Alt. Names for Scheme : EDIRA recommendations for coding in EDIFACT and other EDI systems.

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Nov 1995

Additional Comments : None

International Code Designator

0094

ICD : 0094

Name of Coding System : DEUTSCHER INDUSTRIE- UND HANDELSTAG (DIHT) Scheme (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : Deutscher Industrie -und Handelstag (DIHT), Adenauerallee 148, D - 53113 Bonn, Contact person: Ute Quink-Ermst, Tel: + 49 228 104 102, Fax: + 49 228 104 158

Structure of Code : Character repertoire, The EDI identifier consists of digits only. The identifier has a fixed length. No separators are required. Structure: [123] [123456] [123456] [12], 17, < >, A B C D, A: numerical value allocated by the RA to the regional sub-authority, (3 digits), B: numerical value allocated by the sub-authority to the registered organization (mandatory part of the identifier; 6 digits), C: numerical value used by the registered organization (free part; 6 digits), D: numerical check digit calculated by the registered organization; (2 digits), Check digit computation, The check digit is modular 97 computed on ABC as one number.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organization highest level, The Deutscher Industrie -und Handelstag will register at their, highest level. Organizations (legal persons, partnerships, sole proprietor-ships and their branch offices) registered in the business register or organizations (legal or natural persons) not registered in the business register.

Notes on Use of Code :

Alt. Names for Scheme : EDIRA recommendations for coding in EDIFACT and other EDI syntaxes.

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Nov 1995

Additional Comments : None

International Code Designator

0095

ICD : 0095

Name of Coding System : Hewlett - Packard Company Internal AM Network

Intended Purpose/App. Area

Issuing Organization : Hewlett - Packard Company, 3000 Hanover Street, Palo Alto CA 94304, USA, Phone +1 415 424 3600, Fax +1 415 424 3632

Structure of Code : 1) Format includes 2 fields: First field = ICD, 2) Second field = Domain specific part

Display Requirements : None, except that all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Hewlett - Packard site ATM networks. This encompasses Hewlett - Packard sites throughout the world.

Notes on Use of Code :

Alt. Names for Scheme : The ICD will also form part of the Initial Domain part of the OSI network addressing and naming tree as specified in Addendum 2 to ISO 8348

Sponsoring Authority : American National Standards Institute (ANSI) - USA

Date of Issue of ICD : Dec 1995

Additional Comments : None

International Code Designator:

0096

ICD :	0096
Name of Coding System :	The Danish Business Authority - P-number (DK:P)
Intended Purpose/App. Area :	The P-number (DK:P) that represents a physical production unit of a Danish company
Issuing Organization :	The Danish Business Authority Langelinie Alle 17 DK-2100 Copenhagen Ø Denmark Att. Nemhandel Tel: +45 35 29 10 00 E-mail: erst@erst.dk
Structure of Code :	10 digits eg. 1234567890
number of characters and their significance, if any: 1)	N/A
identification of the check digit characters, if any: 2)	N/A
Display Requirements :	10 digits, no space or other separator
Character Repertoire :	Digits 0,1,2,3,4,5,6,7,8,9
Language(s) Used :	Only digits
Supports Org. Parts? :	No
Org. Identifier Reuse :	N/A
Orgs Covered By System :	The P-number is registered in the Danish Business Registry (CVR), which are managed by the Danish Business Authority
Notes on Use of Code :	The scheme with ICD code + P-number will be used to identify Danish companies that are parties to or referenced in electronic transactions such as electronic invoicing or other B2B exchanges.
Alt. Names of Scheme :	The P-number is registered in the Danish Business Registry (CVR), which are managed by the Danish Business Authority
Sponsoring Authority :	Dansk Standard (DS) (Danish Standards Foundation) Göteborg Plads 1 DK-2150 Nordhavn Denmark
Date of Issue of ICD :	1995-11
Additional Comments :	
Record Last Updated :	2024-07-01 07:14:30 UTC

International Code Designator

0097

ICD : 0097

Name of Coding System : FTI - Ediforum Italia, (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : FTI - Ediforum Italia, Viale Lazio, 21, 20135 Milano - ITALY, Contact person: Mr Giorgio PACIFICI, Tel: + 39 2 545 61 20, Fax: + 39 2 551 35 44, E-mail: FTI@mbox.cosi.it

Structure of Code : Structure of EDI identifier, Character repertoire, The EDI identifier consists of digits only. The identifier has a fixed length. No separators are required. Structure: [1234567] [123] [1] [12345], min 11- max 16, < >, A B C D, A: numerical value (7 digits) assigned by Ufficio Provinciale IVA (local branch of Ministry of Finance); B: numerical value a (3 digits) identifying the County; C: numerical check digit (1 digit); D: optional numerical value (up to 5 digits) used by the registered organization (free part). Check digit computation, The check digit algorithm is the one published in the Gazzetta Ufficiale no 345 of December 29 1976.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : FTI - Ediforum Italia will register at their highest level.

Notes on Use of Code :

Alt. Names for Scheme : EDIRA recommendations for coding in EDIFACT and other EDI syntaxes.

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Feb 1996

Additional Comments : None

International Code Designator

0098

ICD : 0098

Name of Coding System : CHAMBER OF COMMERCE TEL AVIV-JAFFA Scheme (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : Chamber of Commerce Tel Aviv-Jaffa, 84 Hahashmonaim Street, Tel Aviv 67011, ISRAEL, Contact person: Mr Zvi AMIT, General Manager, Tel: +972 3 563 1010, Fax: +972 3 561 9025

Structure of Code : Character repertoire, The EDI identifier consists of digits only. The identifier has a fixed length. No separators are required. Structure: [123] [123456] [123456] [12], 17, < >, A B C D, A: numerical value allocated by the RA to the regional sub-authority, (3 digits), B: numerical value allocated by the sub-authority to the registered, organization (mandatory part of the identifier; 6 digits), C: numerical value used by the registered organization (free part; 6 digits), D: numerical check digit calculated by the registered organization; (2 digits), Check digit computation, The check digit is modular 97 computed on ABC as one number.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organization highest level, The Chamber of Commerce Tel Aviv-Jaffa will register at the highest level: Organizations (legal persons, partnerships, sole proprietor-ships and their branch offices) registered in the business register or organizations (legal or natural persons) not registered in the business register.

Notes on Use of Code :

Alt. Names for Scheme : EDIRA recommendations for coding in EDIFACT and other EDI syntaxes.

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Feb 1996

Additional Comments : None

International Code Designator

0099

ICD : 0099

Name of Coding System : Siemens Supervisory Systems Network

Intended Purpose/App. Area

Issuing Organization : Siemens AG, ON S, Ruppert-Mayer-Str. 44, D-81359 Munchen, Germany, Tel: +49 89 722 23555, Fax: +49 89 722 26473

Structure of Code : 1) cccc (ICD), 2) No check digits as in general the whole message has a checking mechanism

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any company or organization using Siemens Supervisory Systems and willing to accept Siemens ON Service as their registration authority for the Supervisory Systems Network. This network encompasses companies and organizations around

Notes on Use of Code :

Alt. Names for Scheme : The ICD code will form the initial part of OSI Network addressing and naming tree as depicted in Addendum 2 to ISO 8348 (Network layer addressing). These addresses will uniquely identify systems with Siemens Supervisory Systems Network and to the outside world.

Sponsoring Authority : Deutsches Institut fur Normung e.V (DIN)

Date of Issue of ICD : Jul 1996

Additional Comments : None

International Code Designator

0100

ICD : 0100

Name of Coding System : PNG_ICD Scheme

Intended Purpose/App. Area

Issuing Organization : GPT Limited, Public Networks Group, New Century Park, P O Box 53, Coventry, CV3 1HJ, Tel. 01203-562-000. (Contact - 'Strategy/Customer Network Services').

Structure of Code : 1) ICD (4 characters), 2) Organization Code comprising 4 fields with a total of 10 characters. No check digits are used in the code.

Display Requirements : None.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Telecommunications organizations worldwide using the PNG_ICD scheme and requiring a globally unique organization code.

Notes on Use of Code :

Alt. Names for Scheme : As per annex A & B of ISO 8348.

Sponsoring Authority : DIN (Deutsches Institut für Normung) NI, Burggrafen Strasse 6, Berlin.

Date of Issue of ICD : Sep 1996

Additional Comments : None

International Code Designator

0 1 0 1

ICD : 0101

Name of Coding System : South African Code Allocation

Intended Purpose/App. Area

Issuing Organization : Thawte Consulting, 33 Protea Way, Durbanville 7550, South Africa

Structure of Code : 1) Sequence of digits, 2)

Display Requirements : No special formatting, plain text digits

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : South African companies, close corporations, State entities and other organizations.

Notes on Use of Code :

Alt. Names for Scheme : None

Sponsoring Authority : South African Bureau of Standards (SABS)

Date of Issue of ICD : Oct 1996

Additional Comments : None

International Code Designator

0 1 0 2

ICD : 0102

Name of Coding System : HEAG

Intended Purpose/App. Area

Issuing Organization : Hessische Elektrizitäts-AG, Jagertorstrasse 207, 64289 Darmstadt, Germany,
Technical Contact : Peter Giesendorf Tel 049 6151 709 2528, Gerd schmidt Tel 049
6151 709 2547, Andreas Prels Tel 049 6151 709 2529, Fax 049 6151 709 2420

Structure of Code : 1) cccc(ICD), 2) no check digits

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any company or organization that is part of the HEAG Holding group and all customers.

Notes on Use of Code :

Alt. Names for Scheme : None

Sponsoring Authority : Deutsches Institut für Normung e.V. (DIN)

Date of Issue of ICD : Oct 1996

Additional Comments : None

International Code Designator

0103

ICD : 0103

Name of Coding System : (Not Assigned)

Intended Purpose/App. Area (Reserved for later allocation)

Issuing Organization :

Structure of Code : 1), 2)

Display Requirements :

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System :

Notes on Use of Code :

Alt. Names for Scheme :

Sponsoring Authority :

Date of Issue of ICD :

Additional Comments : None

International Code Designator

0 1 0 4

ICD : 0104

Name of Coding System : BT - ICD Coding System

Intended Purpose/App. Area

Issuing Organization : Tony Holmes, pp 9.4, 207 Old Street, London, EC1V 9NR, Tel: +44 171 250 6981

Structure of Code : 1) Format includes 2 fields: First field = ICD (4 decimal digits), Second field = Domain specific part, 2) None

Display Requirements : None - all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : The coding system will be used to provide ATM End System Addresses (AESAs) based on ICD format NSAP addresses. These addresses will be used to identify User Network Interfaces to ATM networks as specified by the ATM Forum UNI specifications. BT will use these addresses internally and to provide customers with non- geographic private AESAs.

Notes on Use of Code :

Alt. Names for Scheme : The ICD code will also form part of the Initial Domain Part of OSI Network Addresses as specified in Annex A of ISO/IEC 8348: 1993

Sponsoring Authority : BSI

Date of Issue of ICD : Dec 96

Additional Comments : None

ICD : 0105

Name of Coding System : Portuguese Chamber of Commerce and Industry Scheme (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : Portuguese Chamber of Commerce and Industry, Rua das Portas de Santo Antao, 89, PT 1194 Lisboa Codex, Contact person: Mr Antonio REGUENGOS, Tel: +351 1 342 4111, Fax: +351 1 342 4304, E-mail (X.400) c=pt;a=marconi-sva;p=email400;0=acl-ccip;s=drc; 0u=drc

Structure of Code : Character repertoire, The EDI identifier consists of digits only. The identifier has a fixed length. No separators are required. Structure: [123] [123456] [123456] [12], 17, < >, A B C D, A: numerical value allocated by the RA to the regional sub-authority, (3 digits), B: numerical value allocated by the sub-authority to the registered, organization (mandatory part of the identifier; 6 digits), C: numerical value used by the registered organization (free part; 6 digits), D: numerical check digit calculated by the registered organization; (2 digits), Check digit computation, The check digit is modular 97 computed on ABC as one number.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organization highest level, The Portuguese Chamber of Commerce and Industry will register at the highest level: Organizations (legal persons, partnerships, sole proprietor-ships and their branch offices) registered in the appropriate business registers (state's Secretary of State or equivalent) or organizations (legal or natural persons) not registered in the business registers.

Notes on Use of Code :

Alt. Names for Scheme : EDIRA recommendations for coding in EDIFACT and other EDI syntaxes.

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Jan 1997

Additional Comments : None

International Code Designator

0106

ICD : 0106

Name of Coding System : Vereniging van Kamers van Koophandel en Fabrieken in Nederland (Association of Chambers of Commerce and Industry in the Netherlands), Scheme (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : Vereniging van Kamers van Koophandel en Fabrieken in Nederland Watermolenlaan, 1, NL 3447 GT Woeden, Contact person: Drs. G. C. KNOOP, Tel: +31 348 42 69 11, Fax: +31 348 42 12 31

Structure of Code : Character repertoire, The EDI identifier consists of digits only. The identifier has a fixed length. No separators are required. Structure: [123] [123456] [123456] [12], 17, < >, A B C D, A: numerical value allocated by the RA to the regional sub-authority, (3 digits), B: numerical value allocated by the sub-authority to the registered, organization (mandatory part of the identifier; 6 digits), C: numerical value used by the registered organization (free part; 6 digits), D: numerical check digit calculated by the registered organization; (2 digits), Check digit computation, The check digit is modular 97 computed on ABC as one number.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organization highest level, Vereniging van Kamers van Koophandel en Fabrieken in Nederland will register at the highest level: Organizations (legal persons, partnerships, sole proprietor-ships and their branch offices) registered in the appropriate business registers (state's Secretary of State or equivalent) or organizations (legal or natural persons) not registered in the business registers.

Notes on Use of Code :

Alt. Names for Scheme : EDIRA recommendations for coding in EDIFACT and other EDI syntaxes.

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Jan 1997

Additional Comments : None

International Code Designator

0107

ICD : 0107

Name of Coding System : Association of Swedish Chambers of Commerce and Industry Scheme (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : Association of Swedish Chambers of Commerce and Industry, P O Box 16050, SE 10321 Stockholm, Sweden, Contact person: Mr Tell HERMANSON, Tel: +46 8 613 1800, Fax: +46 8 411 2432, E-mail: stock@chamber.se

Structure of Code : Character repertoire, The EDI identifier consists of digits only. The identifier has a fixed length. No separators are required. Structure: [123] [123456] [123456] [12], 17, < >, A B C D, A: numerical value allocated by the RA to the regional sub-authority, (3 digits), B: numerical value allocated by the sub-authority to the registered, organization (mandatory part of the identifier; 6 digits), C: numerical value used by the registered organization (free part; 6 digits), D: numerical check digit calculated by the registered organization; (2 digits), Check digit computation, The check digit is modular 97 computed on ABC as one number.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organization highest level, Association of Swedish Chambers of Commerce and Industry will register at the highest level: Organizations (legal persons, partnerships, sole proprietor-ships and their branch offices) registered in the appropriate business registers (state's Secretary of State or equivalent) or organizations (legal or natural persons) not registered in the business registers.

Notes on Use of Code :

Alt. Names for Scheme : EDIRA recommendations for coding in EDIFACT and other EDI syntaxes.

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Jan 1997

Additional Comments : None

International Code Designator

0108

ICD : 0108

Name of Coding System : Australian Chambers of Commerce and Industry Scheme (EDIRA compliant)

Intended Purpose/App. Area

Issuing Organization : Australian Chambers of Commerce and Industry, P O Box E 14, Queen Victoria Terrace, AU Canberra ACT 2600, Australia, Contact person: Mr Brent DAVIS, Tel: +61 6 273 23 11, Fax: +61 6 273 31 96

Structure of Code : Character repertoire, The EDI identifier consists of digits only. The identifier has a fixed length. No separators are required. Structure: [123] [123456] [123456] [12], 17, < >, A B C D, A: numerical value allocated by the RA to the regional sub-authority, (3 digits), B: numerical value allocated by the sub-authority to the registered, organization (mandatory part of the identifier; 6 digits), C: numerical value used by the registered organization (free part; 6 digits), D: numerical check digit calculated by the registered organization; (2 digits), Check digit computation, The check digit is modular 97 computed on ABC as one number.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organization highest level, Australian Chambers of Commerce and Industry will register at the highest level: Organizations (legal persons, partnerships, sole proprietor-ships and their branch offices) registered in the appropriate business registers (state's Secretary of State or equivalent) or organizations (legal or natural persons) not registered in the business registers.

Notes on Use of Code :

Alt. Names for Scheme : EDIRA recommendations for coding in EDIFACT and other EDI syntaxes.

Sponsoring Authority : Association Francaise de Normalisation: AFNOR

Date of Issue of ICD : Jan 1997

Additional Comments : None

International Code Designator

0109

ICD : 0109

Name of Coding System : BellSouth ICD AESA (ATM End System Address)

Intended Purpose/App. Area

Issuing Organization : BellSouth Corporation, 1155 Peachtree Street NE, Atlanta, GA 30309, Contact: Robert V. Epley, Tel: + 404-332-2216, Fax: + 404-420-8477

Structure of Code : Field, #bytes, Name, Notes: 1, 1, Authority and Format Identifier, =0x47; 2, 2, ICD; 3, 10, Higher Order Domain Specific Part, BellSouth administered; 4, 6, End System Identifier, End user field; 5, 1, Selector, End user field; This structure conforms to the ICD AESA specified in User-Network (UNI), Specification Version 3.1 and ATM User-Network Interface (UNI) Signalling, Specification Version 4.0 (af-sig-0061.000). Both by the ATM Forum.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any BellSouth customer (individual or company) needing an ATM address, or block of ATM addresses, initially in the southern USA, but possibly worldwide. These addresses should be reachable by non-BellSouth ATM users via interconnecting ATM carriers.

Notes on Use of Code :

Alt. Names for Scheme : Use to form globally unique BellSouth ICD ATM End System Addresses (AESAs)

Sponsoring Authority : American National Standards Institute (ANSI) - USA

Date of Issue of ICD : Jan 1997

Additional Comments : None

International Code Designator

0 1 1 0

ICD : 0110

Name of Coding System : Bell Atlantic

Intended Purpose/App. Area

Issuing Organization : Bell Atlantic, 1310 N. Courthouse Rd. 3rd Floor, Arlington, VA 22201, Tel: +703-974-1510, Fax: +703-974-0616

Structure of Code : Format includes 2 fields : First field = ICD, Second field = Domain Specific Part

Display Requirements : None, except that all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization or company that utilizes Bell Atlantic's ATM-based services (e.g. Cell Relay Service). As a service provider Bell Atlantic wishes to assign globally unique addresses to its customers.

Notes on Use of Code :

Alt. Names for Scheme : The ICD Code will also form part of the Initial Domain Part of the OSI network addressing as specified in Addendum 2 to ISO 8348.

Sponsoring Authority : American National Standards Institute (ANSI) - USA

Date of Issue of ICD : Jan 1997

Additional Comments : None

International Code Designator

0 1 1 1

ICD : 0111

Name of Coding System : Object Identifiers

Intended Purpose/App. Area

Issuing Organization : Institute of Electrical and Electronics Engineers, PO Box 1331, 445 Hoes Lane, Piscataway, NJ 08855, USA

Structure of Code : SMPTE 298M Universal Labels for Unique Identification, of Digital Data an ISO/ITU based identifier hierarchy registration system.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : IEEE, including RAC (registration authority committee) and other sub-entities

Notes on Use of Code :

Alt. Names for Scheme : Primary application is SMPTE 298M Universal Labels. Other applications may also be supported.

Sponsoring Authority : American National Standards Institute (ANSI)

Date of Issue of ICD : May 1997

Additional Comments : None

International Code Designator

0 1 1 2

ICD : 0112

Name of Coding System : ISO register for Standards producing Organizations

Intended Purpose/App. Area

Issuing Organization : International Organization for Standardization (ISO), 1 rue de Varembe, Case Postale 56, CH 1211 Geneve 20, SWITZERLAND

Structure of Code : 1) Numeric sequential, 2)

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization, at its highest level, producing standards that need to be referenced by a Technical Committee or other body of ISO or of another international organization working in the area of standardization.

Notes on Use of Code :

Alt. Names for Scheme : None

Sponsoring Authority : Association Francaise de Normalisation (AFNOR)

Date of Issue of ICD : May 1997/Amended May 1999

Additional Comments : This system is intended to be used among others by TC 184 for referencing standard producing bodies within the components library standards.

International Code Designator

0 1 1 3

ICD : 0113

Name of Coding System : OriginNet

Intended Purpose/App. Area

Issuing Organization : Origin BV, Groenewoudse weg 1, 5621 BA Eindhoven, The Netherlands, Tel: +31 4027 87295, Fax: +31 4027 89081

Structure of Code : Format includes 2 fields, First field: ICD, Second field: Domain Specific Part

Display Requirements : None, except all fields left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization or company that utilizes Origin's ATM based services. As a service provider Origin wishes to be able to assign unique addresses to its customers.

Notes on Use of Code :

Alt. Names for Scheme : The ICD code will also form part of the Initial Domain Part of the OSI network addressing as specified in addendum 2 to ISO 8348.

Sponsoring Authority : NNI (Nederlands Normalisatie Instituut)

Date of Issue of ICD : May 1997

Additional Comments : None

International Code Designator

0 1 1 4

ICD : 0114

Name of Coding System : Check Point Software Technologies

Intended Purpose/App. Area

Issuing Organization : Check Point Software Technologies Ltd, 3A Jabotinski st. Diamond Tower, Ramat-Gan 52520, ISRAEL, Tel: +972 3613 1833, Fax: +972 3575 9256

Structure of Code : 1) Format includes 3 fields: First field: ICD, 4 decimal digits, Second field: Organization Code, 1-14 characters, Third field: Organization Name, up to 150 characters, 2) No check digits

Display Requirements : None, except that all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Check Point Software Technologies subdivisions and customers

Notes on Use of Code :

Alt. Names for Scheme : The ICD will also form part of the Initial Domain part of the OSI network addressing and naming tree as specified in Addendum 2 to ISO 8349

Sponsoring Authority : Standards Institution of Israel (SII)

Date of Issue of ICD : Jun 97

Additional Comments : None

International Code Designator

0 1 1 5

ICD : 0115

Name of Coding System : Pacific Bell Data Communications Network

Intended Purpose/App. Area

Issuing Organization : Pacific Bell, Broadband Strategy and Engineering, 2600 Camino Ramon, Room 1S200BB, San Ramon, CA 94583, USA, Phone: +510-823-3578, Fax: +520-867-

Structure of Code : An OSI network address, which consists of the IDP, with subfields AFI and ICD, followed by the Domain Specific Part. No check digits are used.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization or company that participates in the Pacific Bell Data Communications Network.

Notes on Use of Code :

Alt. Names for Scheme : The ICD code will also form the Initial Domain Part of the OSI network addressing and naming tree as specified in ISO 8348.

Sponsoring Authority : American National Standards Institute (ANSI)- USA

Date of Issue of ICD : Jun 97

Additional Comments : None

International Code Designator

0 1 1 6

ICD : 0116

Name of Coding System : PSS Object Identifiers

Intended Purpose/App. Area

Issuing Organization : PSS (Postal Security Services), c/o Finland Post Ltd, Products, Electronic Messaging, P.O. Box 702, FIN-00100 POSTI, FINLAND Tel: +358 204 511, Fax:

Structure of Code : 1) As defined in ISO 6523, clause 3.1, 2) Check digits, none

Display Requirements : As defined in ISO 6523, clause 4.2

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : All member organizations of PSS. Currently Finland Post Ltd., Norway Post, Post Denmark, Sweden Post Ltd., PostGEM and their associated companies.

Notes on Use of Code :

Alt. Names for Scheme : A) In the SIO the organization name will normally be omitted, B) The code is primarily intended for the registration of Object Identifiers according to ISO/IEC 8824: Level 1: iso (1), Level 2: identified organization (3), Level 3: PSS (xxxx), Level 4 and higher: defined by PSS conventions

Sponsoring Authority : Finish Standards Association, SFS

Date of Issue of ICD : Jul 1997

Additional Comments : PSS (Postal Security Services) is a grouping of Postal companies offering security services in telecommunication. Finland Post Ltd. Acts as a co-ordinator of registration of common OIDs.

International Code Designator

0 1 1 7

ICD : 0117

Name of Coding System : STENTOR-ICD CODING SYSTEM

Intended Purpose/App. Area

Issuing Organization : B. Sambasivan, Stentor Resource Centre Inc. Room 480, 160 Elgin St. Ottawa, Ontario K1G 3JA, Canada, Tel.# + 1 613 781 7458 Fax.# + 1 613 781 6454

Structure of Code : 1) Format includes 2 fields. First field - ICD (4 decimal digital), Second field - Domain Specific Part, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : The coding system will be used within Stentor's ATM network to identify ICD NSAP end points.

Notes on Use of Code :

Alt. Names for Scheme : The ICD code will be used to form the Initial Domain part of the OSI Network Address as specified in Annex A of ISO/IEC 8348:1993

Sponsoring Authority : Standards Council of Canada (SCC)

Date of Issue of ICD : Aug 97

Additional Comments : None

International Code Designator

0 1 1 8

ICD : 0118

Name of Coding System : ATM-Network ZN'96

Intended Purpose/App. Area

Issuing Organization : Deutsche Telekom AG, AM Kavalleriesand 3, 64295 Darmstadt

Structure of Code : ICD Format, (4 characters)

Display Requirements : --none--

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : --none at present time--

Notes on Use of Code :

Alt. Names for Scheme : --none--

Sponsoring Authority : DIN-NI

Date of Issue of ICD : Aug 97

Additional Comments : --none--

ICD : 0119

Name of Coding System : MCI / OSI Network

Intended Purpose/App. Area

Issuing Organization : MCI Telecommunications Corporation, Technical Standards Management, Dept. 1225/107, 2400 N. Glenville Dr. Richardson, TX 75082, USA, Phone +1.972.918.5630, Fax +1.972.918.6038

Structure of Code : 1) Three fields, First Field = ICD, Second Field = Organization Code, 1-14 digits, Third Field = Organization Name, up to 250 digits

Display Requirements : None, except that all fields are left justified.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization in a MCI / OSI networking environment. This program encompasses organizations throughout the world.

Notes on Use of Code :

Alt. Names for Scheme : The ICD code will also form the Initial Domain Part of the OSI network addressing and naming tree as specified in Addendum 2 to ISO 8348.

Sponsoring Authority : American National Standards Institute (ANSI) - USA

Date of Issue of ICD : Aug 1997

Additional Comments :

International Code Designator

0 1 2 0

ICD : 0120

Name of Coding System : Advantis

Intended Purpose/App. Area

Issuing Organization : Advantis, Charles M. Reiss, 231 N. Martingdale Rd, Schaumbur, Ill, USA, 60173-2254, Phone: 847-240-8504, Fax: 847-240-3864

Structure of Code : The format includes three fields: First field: ICD, 4 digits, Second field: Organization code, 1-14 digits, Third field: Organizational name up to 250 digits

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : This ICD structure will be used for ATM customers of Advantis. This would also be used for all managed devices provided by Advantis around the world in the LAN, Campus and WAN.

Notes on Use of Code :

Alt. Names for Scheme : None

Sponsoring Authority : American National Standards Institute (ANSI) - USA

Date of Issue of ICD : Oct 97

Additional Comments : This ICD number will be used to identify ATM devices that are attached to our ATM service. Typically this world wide ATM service would be offered to Fortune 100 customers, like Sears, who want a managed ATM solution or who require full ATM campus to campus, outsourcing. The addressing components would include Host or other device, LAN, Campus, and global WAN nodes.

International Code Designator

0 1 2 1

ICD : 0121

Name of Coding System : Affable Software Data Interchange Codes

Intended Purpose/App. Area

Issuing Organization : Affable Software Corporation, 6239 Thome Avenue, Burnaby, British Columbia, Canada- V3N 2V2, Contact: Eric Kolotyluk Tel: +1-604 522-1201

Structure of Code : 1) format: XXXX/AFC, example: 0000/AFC, 2) none

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Organizations using Affable Software applications and data standards

Notes on Use of Code :

Alt. Names for Scheme : The ICD code will form the initial part of the naming tree for applications and data standards supported by Affable Software, forming the initial part of the OBJECT IDENTIFIER tree.

Sponsoring Authority : Standards Council of Canada, 45 O'Connor Street- Suite 1200, Ottawa, Ontario K1P 6N7, Canada, Tel + 1-613-238-3222 Fax: +1-613-395-4564

Date of Issue of ICD : Feb 1998

Additional Comments : None

International Code Designator

0 1 2 2

ICD : 0122

Name of Coding System : BB-DATA GmbH

Intended Purpose/App. Area

Issuing Organization : BB-DATA GmbH, Brunnenstrasse 11, 13355 Berlin, Germany, Contact: Dirk Haegerbarth, Tel: +49 30 2455 4353, Fax; +49 30 2455 7201

Structure of Code : cccc(ICD)

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : The BB-Data is a Service Provider for the Bankgesellschaft Berlin and subsidiary companies

Notes on Use of Code :

Alt. Names for Scheme : None

Sponsoring Authority : DIN-NI

Date of Issue of ICD : Feb 98

Additional Comments : None

International Code Designator

0 1 2 3

ICD : 0123

Name of Coding System : BASF Company ATM-Network

Intended Purpose/App. Area

Issuing Organization : BASF Computer Services GmbH, Carl-Bosch-Str. 38, 67056 Ludwigshafen, Germany, (Contact: BCS/NET Tel. + 49621 60 49323)

Structure of Code : 1) ICD (International Code Designator), 2) Organization code, comprising 4 fields with a total of, 10 characters

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization part of the BASF Company requiring a unique organization code

Notes on Use of Code :

Alt. Names for Scheme : As specified in ISO 8348

Sponsoring Authority : DIN (Deutsches Institut für Normung e.V.), Burggrafenstr. 6, D 10787 Berlin

Date of Issue of ICD : Feb 98

Additional Comments : None

International Code Designator

0 1 2 4

ICD : 0124

Name of Coding System : IOTA Identifiers for Organizations for Telecommunications Addressing using the ICD system format defined in ISO/IEC 8348

Intended Purpose/App. Area

Issuing Organization : DISC, British Standards Institution, 389 Chiswick High Road, London W4 4AL, UK

Structure of Code : 1) The four digit fixed length, 2) A fixed length six digit number in the range 000001 to 999999. Values will be allocated sequentially by the Issuing Organization, starting at 001001. The range 000001 to 001000 is reserved in case it is required for special purposes.

Display Requirements : The organization identifier is intended for use as a fixed length six digit number padded to length where necessary with non significant zeros. However, it may be used as appropriate for the particular application. In particular it may be used as a binary value omitting numerically non significant zeros.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization requiring an identifier for use in constructing telecommunications addresses, e.g. ATM addresses, in accordance with the ISO 6523 ICD Format as specified in ISO/IEC 8348. Identifiers may also be used for other purposes including the creation of object identifier component values using the identified-organization as specified in ISO/IEC 8824-1.

Notes on Use of Code :

Alt. Names for Scheme : The identifiers issued under this scheme are specifically intended for use as a component in the construction of telecommunications addresses using the ISO 6523 Format as specified in ISO/IEC 8348. However, at the discretion of the user they may be employed for other purposes including the formation of other types of telecommunications addresses and OSI object identifiers.

Sponsoring Authority : DIN (Deutsches Institut für Normung) NI, Burggrafenstrasse 6, Berlin

Date of Issue of ICD : Apr 98

Additional Comments : None

International Code Designator

0 1 2 5

ICD : 0125

Name of Coding System : Henkel Corporate Network (H-Net)

Intended Purpose/App. Area

Issuing Organization : Henkel KgaA, Dep: SIS/BC-Networks, 40191 Dusseldorf, Germany, Contact: Christopher Heidler Uwe Wirtz, Tel: + 49 211 797 9400 Tel: +49 211 797 5500, Fax: + 49 211 798 19400 Fax: +49 211 798 1110

Structure of Code : 1) ICD (4 characters), 2) Organization code, comprising 4 fields with a total of 10 characters, No check digits are used in the code

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : World-wide Henkel affiliated companies using the Henkel Corporate Network (H-Net) and requiring a globally unique organization code

Notes on Use of Code :

Alt. Names for Scheme : As specified in ISO 8348

Sponsoring Authority : DIN (Deutsches Institut fur Normung) NI, Buggrafenstrasse 6, Berlin, Germany

Date of Issue of ICD : Mar 98

Additional Comments : None

International Code Designator

0 1 2 6

ICD : 0126

Name of Coding System : GTE/OSI Network

Intended Purpose/App. Area

Issuing Organization : GTE, Industry Standards, HQW02J85, 700 Hidden Ridge, Irving, TX 75038, USA,
Phone: + 972 718 6291, Fax: + 972 718 4393

Structure of Code : 1) ICD, 2) Organization Code, 1-14 characters, 3) Organization name, up to 250 characters

Display Requirements : None, except all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organizations in a GTE/OSI networking environment. This program encompasses organizations throughout the world.

Notes on Use of Code :

Alt. Names for Scheme : The ICD will also form the Initial Domain part of the OSI network addressing and naming tree as specified in Addendum 2 to ISO 8348.

Sponsoring Authority : American National Standards Institute (ANSI)- USA

Date of Issue of ICD : May 1998

Additional Comments : None

International Code Designator

0 1 2 7

ICD : 0127

Name of Coding System : Dresdner Bank Corporate Network

Intended Purpose/App. Area

Issuing Organization : Dresdner Bank AG, IT-Kommunikationssysteme, Windmuehlstr. 14, 60329 Frankfurt am Main, Germany, Contact: Peter Radig, Tel: + 49 69 263 7243, Fax: + 49 69 263 5510, Email: Peter.Radig@Dresdner-Bank.com

Structure of Code : ICD (4 characters)

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : 1. All national and international offices, branches and subsidiaries of the Dresdner Bank Group. 2. All customers of the Dresdner Bank Corporate Network

Notes on Use of Code :

Alt. Names for Scheme : None

Sponsoring Authority : Deutsches Institut fur Normung e.V. (DIN)

Date of Issue of ICD : Jul 1998

Additional Comments : None

International Code Designator

0 1 2 8

ICD : 0128

Name of Coding System : BCNR (Swiss Clearing Bank Number)

Intended Purpose/App. Area

Issuing Organization : Telekurs AG, Hardturmstrasse 201, CH - 8021 Zurich, Switzerland Tel +41.1.279.2111

Structure of Code : 1) n..6, 2) Minimum of 4 numeric characters

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Swiss banking institutions

Notes on Use of Code :

Alt. Names for Scheme : Code for the identification of a Swiss clearing bank as a sender and/or receiver of an electronic message.

Sponsoring Authority : S.W.I.F.T. sc (Society for Worldwide Interbank Financial Telecommunication sc)

Date of Issue of ICD : Jul 98/Amended Sep 2000

Additional Comments : Change to ICD name and notes on use of code. Sept 2000.

ICD : 0129

Name of Coding System : BPI (Swiss Business Partner Identification) code

Intended Purpose/App. Area

Issuing Organization : Telekurs AG, Hardturmstrasse 201, CH - 8021 Zurich, Switzerland Tel +41.1.279.2111

Structure of Code : 1) an..6, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Swiss non-clearing banking institutions or corporates

Notes on Use of Code :

Alt. Names for Scheme : Code for the identification of a corporate or a Swiss non-clearing bank as a sender and/or receiver of an electronic message.

Sponsoring Authority : S.W.I.F.T. sc (Society for Worldwide Interbank, Financial Telecommunication sc)

Date of Issue of ICD : Jul 1998/ Amended Sep 2000

Additional Comments : Change to ICD name description of organisations covered by the code and notes on use of code. Sept 2000.

International Code Designator

0130

ICD : 0130

Name of Coding System : Directorates of the European Commission

Intended Purpose/App. Area

Issuing Organization : European Commission, Information Directorate, Data Transmission Service, Rue de la Loi, 200, B-1049 Brussels, Belgium

Structure of Code : 1) ICD 4 digits, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : General Directorates of the European Commission

Notes on Use of Code :

Alt. Names for Scheme : The code will be used for the generation of ATM network addresses in the context of EC's private ATM network, interconnecting all of EC's directorates across Europe

Sponsoring Authority : IBN - Belgium

Date of Issue of ICD : Aug 98

Additional Comments : None

International Code Designator

0 1 3 1

ICD : 0131

Name of Coding System : Code for the Identification of National Organizations

Intended Purpose/App. Area

Issuing Organization : China National Organization Code Registration Authority, Center (CNRAC), No 46. East Door, Dewai Yu Zhong Xi Li, Xicheng District, Beijing, P.R. of China, 100029, Tel. + 86 10 6202 4549, Fax. + 86 10 6202 4513

Structure of Code : 1) ICD (International Code Designator), 2) Organization Code, comprising 2 fields with a total of 9 characters. 8 number or character body code and 1 number or character check code.

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organization requiring an identifier for use in informationized management of Nation.

Notes on Use of Code :

Alt. Names for Scheme : None

Sponsoring Authority : China State Bureau of Quality & Technical Supervision (CSBTS), 4 Zhicun Road, Haidian District, P.O. Box 8010, Beijing, China, 100088, ISO/IEC China National Committee, Fax. +8610 6203 3737

Date of Issue of ICD : Sept 98

Additional Comments : None

International Code Designator

0 1 3 2

ICD : 0132

Name of Coding System : Certicom Object Identifiers

Intended Purpose/App. Area

Issuing Organization : Certicom Corp, Suite 1050, 1400 Fashion Island Blvd, San Mateo, CA 94404, U.S.A.
Tel: 650 312 7960, Fax: 650 312 7969

Structure of Code : Two fields : First field - ICD, Second field - Sequence of digits

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Certicom, its subdivisions, its customers, and any organization using Certicom's cryptographic services and products. Such customers and organizations include; domestic and foreign companies, state entities, and standards groups.

Notes on Use of Code :

Alt. Names for Scheme : The ICD is primarily intended for registration of Object Identifiers in accordance with ISO/IEC 8824 (ASN.1) to be used for the registration of the following: a) Application layer protocols, b) Cryptographic protocols, c) Data formats of keying information, d) Information objects pertaining to data exchange, The OID structure and the inclusion therein of the ICD is as follows: Level 1: iso (1), Level 2: identified-organization (3), Level 3: certicom (xxxx), Level 4 and higher: Defined by Certicom

Sponsoring Authority : American National Standards Institute (ANSI) - USA

Date of Issue of ICD : Nov 1998

Additional Comments : The Issuing Organization within Certicom shall be Certicom, Research. The contact is John O. Goyo (jgoyo@certicom.com), who may be reached at 905-501-3850

ICD : 0133

Name of Coding System : TC68 OID

Intended Purpose/App. Area

Issuing Organization : ISO TC68, Banking and Related Financial Services, c/o American Bankers' Association, 1120 Connecticut Ave, N.W. Washington, DC 20036, USA, Tel: 1-(202) 663 5284, Fax: 1- (202) 828 4540

Structure of Code : 1) Three fields, First field = ICD, Second field = Member Country Code, 1-14 characters, Third field = Number of Standard

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : ISO Technical Committee 68 and member bodies

Notes on Use of Code :

Alt. Names for Scheme : The ICD code will form the Initial Domain Part of the OSI network addressing and naming tree as specified in Addendum 2 to ISO 8348.

Sponsoring Authority : American National Standards Institute (ANSI)

Date of Issue of ICD : Dec 1998

Additional Comments : None

International Code Designator

0 1 3 4

ICD : 0134

Name of Coding System : Infonet Services Corporation

Intended Purpose/App. Area

Issuing Organization : Infonet NV/SA, Av. Louise 350 Box 3, 1050 Brussels, Belgium, Attn: Mr Mircea Pisica - Senior System Engineer, E-mail: Mircia_Pisica@infonet.com, Tel: +322 627 3900, Fax: +322 646 1308

Structure of Code : 1) ICD Code- 4 digits, Organization code - up to 14 characters, Organization name - up to 250 characters, 2) No check digits needed

Display Requirements : None- all fields are left justified

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : The coding system will be used to provide ATM End System Addresses (AESAs) based on ICD format NSAP addresses. These addresses will be used to identify User Network Interfaces to ATM networks as specified by the ATM forum UNI specifications. Infonet will use these addresses internally and to provide customers with non-geographic private AESAs.

Notes on Use of Code :

Alt. Names for Scheme : The ICD code forms the initial part of the OSI network addressing and tree as depicted in Addendum 2 of ISO 8348 (Network Layer, Addressing). Infonet intends to use these addresses to uniquely identify systems within INFONET and to the outside world.

Sponsoring Authority : Institut Belge de Normalisation (IBN)- Belgium

Date of Issue of ICD : Jan 1999

Additional Comments : None

International Code Designator

0 1 3 5

ICD : 0135

Name of Coding System : SIA Object Identifiers

Intended Purpose/App. Area

Issuing Organization : SIA-Società Interbancaria per l'Automazione S.p.A. Viale Certosa, 218, I-20156 Milano, ITALIA, Tel. +39-02-3005.1, Fax: +39-02-38003333

Structure of Code : First field: ICD: 4 digits, Second field: sequence of digits

Display Requirements : None.

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : SIA is a company owned (as of Feb 99) by Bank of Italy (Italy's Central Bank) and the Association of Italian Bankers (ABI), plus a number of other banks. SIA's mission is that of delivering infrastructural data transportation security and processing services to the whole community of Italian banks and financial companies. SIA runs the Italian national interbank network and the gateway to the SWIFT international network; SIA develops and manages the applications and systems supporting electronic financial markets for the negotiation of government bonds and derivatives. SIA, also runs the Root CA (ISO 9594-8 certification authority) within the Italian bankers' public key infrastructure (PKI). For more information please visit SIA's web site at <http://www.sia.it>

Notes on Use of Code :

Alt. Names for Scheme : The code is primarily intended for the registration of Object Identifiers according to ISO 8824/8825: Level 1: iso (1), Level 2: identified-organization (3), Level 3: SIA SpA (0135), Level 4: and higher: (defined by SIA conventions), The contact person is Ing. Adriano Santoni (email: santoni@sia.it)

Sponsoring Authority : UNI, Ente Nazionale Italiano di Unificazione, Via Battistotti Sassi 11/B, Milan I-20133, Italy, Tel: +39-02-70024-1, Fax: +39-02-70106149, Contact person: Mr. Mike Ganoza (e-mail: mike.ganoza@uni.unicei.it)

Date of Issue of ICD : Mar 1999

Additional Comments : None

International Code Designator

0 1 3 6

ICD : 0136

Name of Coding System : Cable & Wireless Global ATM End-System Address Plan

Intended Purpose/App. Area

Issuing Organization : Cable & Wireless Global Business Inc. 8230 Boon Boulevard, Vienna, Virginia 22182, USA

Structure of Code : 1) ICD 4 digits, 2)

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Cable & Wireless global group of companies (including but not limited to: CWC in the UK, CWUSA in the USA, Hong Kong Telecom in Hong Kong, CW OPTUS in

Notes on Use of Code :

Alt. Names for Scheme : The code will be used in the provision of a consistent global plan for the generation of ATM AESA addresses across the Cable & Wireless group of companies. The plan will be utilised internal to Cable & Wireless and to provide customers with non-geographic addresses.

Sponsoring Authority : ANSI

Date of Issue of ICD : Jun 1999

Additional Comments : None

International Code Designator

0 1 3 7

ICD : 0137

Name of Coding System : Global AESA scheme

Intended Purpose/App. Area Construct and Administer AESAs, Routing of ATM switched connections

Issuing Organization : Global One, Park Atrium, Rue des Colonies, 11, B-1000 Brussels, Belgium, Tel + 322 545 2000 Fax + 322 545 2005

Structure of Code : 1) Field, 1 Authority and Format Identifier, 2 ICD, 3 Higher Order Domain Specific Part Assigned by Global One

Display Requirements : As specified by ATM Forum User Specification Version 4.0 & 3.1

Character Repertoire : As specified by ATM Forum User Specification Version 4.0 & 3.1

Language(s) Used : English

Supports Org. Parts? : Upon agreement or per request of the specific organisation

Org. Identifier Reuse : The minimum period elapsed will depend on the terms of agreement with the specific organisation and will be determined, taking into account the technical, administrative and regulatory issues. It is expected to vary from an hour up to six months.

Orgs Covered by System : Any organisation or company that utilises Global One's ATM Services worldwide
Global one national and international switching equipment

Notes on Use of Code : Use to from globally unique Global One ICD AESAs

Alt. Names for Scheme :

Sponsoring Authority : Association Frances de Normalisation (AFNOR) - FRANCE

Date of Issue of ICD : Dec 1999

Additional Comments : None

ICD : 0138

Name of Coding System : France Telecom ATM End System Address Plan

Intended Purpose/App. Area The coding system will be used to provide ATM End System Addresses based on ICD format NSAP addresses. These addresses will be used to uniquely identify User Network Interfaces to ATM networks as specified by the ATM Forum UNI specifications. France telecom will also use these addresses Internally and to provide worldwide customers with non- Geographic private AESAs. These global addresses should be Reachable by non-France Telecom ATM users via Interconnecting ATM carriers.

Issuing Organization : France Telecom, BRX/DAP/AFC, 6 place d'Alleray, 75505 Paris Cedex 15, France, Tel + 331 4444 2775 Fax + 331 4444 2437, e-mail: alain.bidron@francetelecom.fr

Structure of Code : Field, #bytes, Name; 1, 1, Authority and Format Identifier (0x47); 2, 2, ICD; 3, 10, Higher Order Domain Specific Part (administered by France Telecom; 4, 6, End System Identifier (End user field); 5, 1, Selector (End user field)

Display Requirements : None- all fields are left justified

Character Repertoire : Fields are binary encoded. For a field of length N, the range will be from 0 to 2^N-1

Language(s) Used : English

Supports Org. Parts? : No

Org. Identifier Reuse : Technically one hour; administratively three weeks ageing period

Orgs Covered by System : These addresses will be used to uniquely identify User Network Interfaces to ATM networks as specified by ATM ForumUNI specifications. France Telecom will also use these addresses internally and to provide worldwide customers with non-geographic private AESAs.

Notes on Use of Code : The ICD Code will also form part of the Initial Domain Part of the OSI network addressing as specified in Addendum 2 to ISO 8348

Alt. Names for Scheme :

Sponsoring Authority : Association Frances de Normalisation (AFNOR) - FRANCE

Date of Issue of ICD : Dec 1999

Additional Comments : None

International Code Designator

0 1 3 9

ICD : 0139

Name of Coding System : Savvis Communications AESA:.

Intended Purpose/App. Area Global Addressing of Savvis ATM Switches and any direct customer ATM networks for implementation of PNNI

Issuing Organization : Savvis Communications, Contact: Gary Rubel, 717 Office Parkway, St Louis, MO 63141-7115, Tel: - +314-468-4104 (Direct), +314-468-7030 (Main), Fax: - +314-468-7050

Structure of Code : First Field = ICD (0x47), Second Field = Domain Specific Part (0x124), Third Field = Organisation ID (3 bytes), Fourth Field = Domain Specific Part (7 bytes), The Domain Specific will be used to for assigning ATM, Addresses according to ATM Forum UNI3.1/4.0 and PNNI 1.0, Specifications

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any Savvis ATM network element needing ATM addresses as well as customer devices requiring AESAs. Savvis has network POPs in the US and Europe and will be expanding to Asia.

Notes on Use of Code : Used to form a globally unique Savvis ICD ATM End System Address

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute (ANSI) - USA

Date of Issue of ICD : Jan 2000

Additional Comments : None

International Code Designator

0 1 4 0

ICD : 0140

Name of Coding System : Toshiba Organizations, Partners, And Suppliers' (TOPAS) Code

Intended Purpose/App. Area The purpose of this coding system is to identify organizations world-wide that have business or technical transactions with Toshiba Corporation in terms of ISO 13584 Parts Library standard based electronic catalogue interchange service. The interchange is not limited to those between a member organization and Toshiba Corporation. Interchanges between member organizations based on the organization identifier of this coding system are also in scope. Reference to this organization identification code in other business transactions is also allowed

Issuing Organization : Toshiba Corporation, 1-1 Shibaura, 1-Chome, Minato-Ku, Tokyo, 105-8001, Japan. Request for a TOPAS Code, Attention to: TOPAS Administration, Technology Planning, Division, Person Responsible: Dr. Akinobu Kasami, Corporate Executive Vice President and Director, Contact Person for this application and technical issues: Mr. Hiroshi Murayama, Human Interface Laboratory, Toshiba Corporate Research and Development Centre, Address: 1, Komukai Toshiba-cho, Saiwai-ku, Kawasaki-shi, 212-8582, Japan, Email: hiroshi.murayama@toshiba.co.jp, TEL :(+81) 44-549-2397 FAX: (+81) 44-520-1308

Structure of Code : 1. ICD 4 digits, Organization Identifier, Organization Part Identifier, 4. OPIS -----1 character, 1) Up to 35 characters. 2) No check character required

Display Requirements : No display requirement

Character Repertoire : ISO10646: cells 00 to 7F of row 00 of plane 00 of group 00 i.e. identical to "EXPRESS characters set" defined in ISO-10303 -11 "The EXPRESS Language Reference Manual", section 7.1

Language(s) Used : English, Japanese, French

Supports Org. Parts? : It supports organization parts

Org. Identifier Reuse : 1 day after the withdrawal

Orgs Covered by System : 1) Organizations in the world that have business or technical transactions with Toshiba Corporation and registered as member organizations of the coding system for ISO 13584 Parts Library standard based electronic data interchange, 2) Toshiba Corporation and its affiliates world-wide

Notes on Use of Code : Reference to this organization identifier in other business transactions is also possible provided the organizations concerned are registered as members of the

Alt. Names for Scheme : TOPAS may be construed as "Toshiba Organizations, Partners, and Suppliers", preferred to be pronounced as "topaz [topa:z]"

Sponsoring Authority : ISO TC184/SC4 Secretariat is at: National Institute Of Standards and Technology, 100 Bureau Drive, Gaithersburg, MD 20899-0001,USA. For this application contact to: SC4 Chair: Mr. Richard Wandmacher, adr: General Motors, Mail Code: 483-616-705, 16 East Judson Street, Pontiac, MI 48232-2205,USA, dick.wandmacher@gm.com <dick.wandmacher@gm.com>

Date of Issue of ICD : Jan 2000

Additional Comments : None

International Code Designator

0 1 4 1

ICD : 0141

Name of Coding System : NATO Commercial and Government Entity system

Intended Purpose/App. Area : To identify all Commercial and Governmental entities that provide material and/or services to the Armed Forces of the NATO nations and several non-NATO nations (Sponsored) around the world. This information is used by NATO and Sponsored nations' Logisticians to identify Commercial and Government Entities they deal with. This Information is used by all functions of Logistics support such as Acquisition, Sourcing, EDI, Re-Provisioning, Material Management, etc.

Issuing Organization : NATO Group of National Director on Codification (AC/135), NATO Maintenance and Supply Agency, 11 Rue de la Gare, L-8302 Capellen, G. D. Luxembourg, Attn: Secretary to AC/145, LZ-C Programme

Structure of Code : 1) This code consists of: Three alpha and/or numeric characters prefixed and suffixed by a numeral, for Canada and the United States, or: Three alpha and/or numeric characters either prefixed by one significant alpha character and suffixed by one numeral or suffixed by one significant alpha character and prefixed by one numeral for the other user countries/organizations. 2) None

Display Requirements : None

Character Repertoire : The NCAGE Code is limited to alphabetic (A-Z) and numeric (0-9) characters. The NCAGE Code is of fixed length.

Language(s) Used : Usually English or French but could be the language of any of the user nations.

Supports Org. Parts? : The NCAGE system does not support identification of organization parts.

Org. Identifier Reuse : NCAGE codes are not reused once assigned.

Orgs Covered by System : The following types of organizations/functions are eligible for NCAGE Code assignment; however a NCAGE Code should not be assigned unless it is required: Manufacturing organizations that are obtained. Government or commercial organizations that control the design of items but not necessarily manufacture nor sell them directly. Manufacturing organizations that produce items of industrial production equipment and whose items are published in industrial plant equipment handbooks. Distributors who are sources of supply in their own country for items produced by manufacturers located in their own or in any foreign country. Government agencies that manufacture items entering the supply system of an individual NATO country or control the design of such items without actually manufacturing them. Manufacturers who supply materials for incorporation into the products of manufacturers who provide drawings of these products. Organizations connected with the development of national or international standards / specifications or related documents. NATO Production or Logistics Organizations- NPLO- or NATO Agencies who act as design activities and provide standards, specifications or drawings containing information qualified for item identification purpose. Providers of service working in the field of logistics (repair shops, carriers...) but not providing items of production they referenced in their system.

Notes on Use of Code : Determination of the real source for an item of supply is one of the most important prerequisites for proper application of the Uniform System of Item Identification within NATO. It is the source where documentation will be obtained from and its location normally gives advice for codification responsibility. Within the NATO Codification System the term Manufacturer covers the whole range of possible sources of technical data for items entering the supply chains or participating, countries. The primary use of manufacturers coding is in ADP operations related to support management programs such as material management codification, standardization, etc.

Alt. Names for Scheme : - NCAGE; - NATO Code of Manufacturers

Sponsoring Authority : ISO/TC 184/SC 4

Date of Issue of ICD : Mar 2000

Additional Comments : None

International Code Designator

0 1 4 2

ICD : 0142

Name of Coding System : SECETI Object Identifiers

Intended Purpose/App. Area The function as the 'Application Centre' for the Italian National Interbank Network, having been authorized by the Bank of Italy, and the Italian Banking Association to operate in that capacity. The scheme is intended for the registration of object identifiers according to ISO 8824 and ISO 8825

Issuing Organization : Servizi Centralizzati SECETI S.p.A. Via Zurigo, 3-20147 Milano, ITALY, Tel: +39-02-48310.1, Fax: +39-02-48310206

Structure of Code : 1) First field: ICD: 4 digits, Second field: sequence of digits

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : SECETI S.p.A.- 100% owned by the Central Institute of Italian Popular Banks - is a leading company fully entitled by the Bank of Italy and the Italian Banking Association to operate as 'Application Centre' of the National Interbank Network. As such, SECETI provides a very extensive range of specialized services to the Italian banks running, for about 200 of them, direct connections to the bank system procedures (payments, check truncation, debit/credit cards processing,...). These services include outsourcing services and, for most of their corporate customers, high security centralized links to the whole bank system. SECETI is the Italian leading supplier of specialized software Products which allow banks full accomplishment of both Bank of Italy and European Central Bank norms and regulations, monitoring and surveillance. Web site at <http://www.seceti.it>

Notes on Use of Code : The code is primarily intended for the registration of Object Identifiers according to ISO 8824/8825, Level 1: ISO (), Level 2: identified -organization (), Level 3: SECETI S.p.A. (), Level 4: and higher: (defined by SECETI conventions), The contact person is Dr. Elvezio Montesarchio, e-mail: elvezio.montesarchio@seceti.it

Alt. Names for Scheme :

Sponsoring Authority : UNI, Ente Nazionale Italiano di Unificazione, Via Battistotti Sassi 11/B, Milan I-20133, Italy, Tel: +39-02-70024 399, Fax: +39-02-70106149, Contact person: Mr. Mike Ganoza, (e-mail: mike.ganoza@uni.unicei.it)

Date of Issue of ICD : Mar 2000

Additional Comments : None

International Code Designator

0 1 4 3

ICD : 0143

Name of Coding System : EINESTEINet AG

Intended Purpose/App. Area Initially the Network covers the geographical area of Germany with the intention of expanding into all the European countries

Issuing Organization : EINSTEINet AG, Ramskamt 71-75, 25337 Elmshorn, Germany, Contact: Jörg Peeck or Michael Wiesmann, Tel: + 49 4121 403 000, Email: j.peeck@einstenet.de / m.wiesmeann@einstenet.de

Structure of Code : 2 digit authority and format identifier X'47', 2 digit authority and format identifier, 4 digit international code designator (ICD), 20 digit domain definition based upon geographic location, No check characters

Display Requirements : No display requirements

Character Repertoire : The letters a to z, the digits 0 to 9

Language(s) Used : English

Supports Org. Parts? : None

Org. Identifier Reuse : The minimum period elapsed will depend on the terms of of agreement with the specific organization and will be determined by the technical and administrative issues. It is expected to vary from one week to six months.

Orgs Covered by System : EINSTEINet's objective is to become the first Application Service Provider serving the middle size companies in Germany and then expand throughout Europe.

Notes on Use of Code : EINSTEINet's goal is to provide Application Services using an ATM network to customers located throughout Europe. The need for the international ATM address structure is to serve EINSTEINet's customers with consistent ATM addresses from end-to-end.

Alt. Names for Scheme :

Sponsoring Authority : Deutsches Institut Für Normung e.V. (DIN)

Date of Issue of ICD : Aug 2000

Additional Comments : None

International Code Designator

0 1 4 4

ICD : 0144

Name of Coding System : DoDAAC (Department of Defense Activity Address Code)

Intended Purpose/App. Area A code assigned to uniquely identify all military units in the United States Department of Defense.

Issuing Organization : DoD (United States Department of Defense), Defense Logistics Management Standards Office, DLMSO (J-763), Suite 1834, 8725 John J. Kingman Road, Fort Belvoir, VA 22060-6217, USA, Contact: Mr Jackie Carter, Tel: +1 703 767 0684 fax: +1 703 767 0161, e-mail: jackie_carter@dlimso.hq.dla.mil

Structure of Code : 1) 6 alphanumeric character string. No significance is applied to any character in the string, 2) None

Display Requirements : Single group of six characters

Character Repertoire :

Language(s) Used : English

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : All military units in the United States Department of Defense

Notes on Use of Code : None

Alt. Names for Scheme :

Sponsoring Authority : Logistics Management Institute, 2000 Corporate Ridge, McLean, VA 22102-78025, USA, Contact: Paul Jensen, Tel: +1 703 917 7164, Fax: +1 703 917 7518, E-mail: pjensen@lmi.org

Date of Issue of ICD : Sep 2000

Additional Comments : None

International Code Designator

0 1 4 5

ICD : 0145

Name of Coding System : DGCP (Direction Générale de la Comptabilité Publique)administrative accounting identification scheme

Intended Purpose/App. Area Code assigned by the French public accounting office

Issuing Organization : DGCP (Direction Générale de la Comptabilité Publique), 139 Rue de Bercy, 75572 Paris Cedex 12, France

Structure of Code : 1) 10 characters, first 4 characters are 'DCGP' following by 6 digits to identify an administrative accounting unit, 2) None

Display Requirements : Single group of ten characters

Character Repertoire :

Language(s) Used : French

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Covers all administrative units of the Direction Générale de la Comptabilité Publique

Notes on Use of Code : None

Alt. Names for Scheme :

Sponsoring Authority : Sema Group/EDIFRANCE, 16 rue Barbés, 92126 Montrouge Cedex, France, Contact: Mr Mike Conroy, Tel: +331 6987 7699, Fax: +331 6987 9642, E-mail: michael.convoy@wanadoo.fr

Date of Issue of ICD : Sep 2000

Additional Comments : None

International Code Designator

0 1 4 6

ICD : 0146

Name of Coding System : DGI (Direction Générale des Impôts) code

Intended Purpose/App. Area French taxation authority

Issuing Organization : DGI (Direction Générale des Impôts), Bureau G2, Teledoc 971, 92 Allee de Bercy, 75574 Paris Cedex 12, France

Structure of Code : Various structures, 1) Dependant on structure, 2) None

Display Requirements : Dependant on structure

Character Repertoire :

Language(s) Used : French

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any taxpayer in France

Notes on Use of Code : None

Alt. Names for Scheme :

Sponsoring Authority : EDIFICAS, 153 rue de Courcelles, F 75017 Paris, France, Contact: Mr Michel Lesourd, Tel: +331 4415 6000, Fax: +331 4415 9005, E-mail: mlesourd@wanadoo.fr

Date of Issue of ICD : Sep 2000

Additional Comments : None

International Code Designator:

0147

ICD :	0147
Name of Coding System :	Standard Company Code
Intended Purpose/App. Area :	Partner identification code which is registered with JIPDEC.
Issuing Organization :	JIPDEC Roppongi First Building, 9-9 Roppongi 1-chome, Minato-ku Tokyo, 106-0032 Japan Phone: +81-3-5860-7551 Facsimile: +81-3-5573-0560 e-mail: kcode@jipdec.or.jp
Structure of Code :	
number of characters and their significance, if any: 1)	12 characters (fixed length), First 6 characters identify an organization, Last 6 characters identify an organization part
identification of the check digit characters, if any: 2)	None.
Display Requirements :	12 characters preceded with 4 digit ICD code
Character Repertoire :	Numeric characters (0,1,2,3,4,5,6,7,8,9) and/or upper-case, alphabetic characters
Language(s) Used :	Japanese
Supports Org. Parts? :	Standard Company Code includes provisions for organization part (department, division, branch, etc.)
Org. Identifier Reuse :	6 years
Orgs Covered By System :	Joint stock corporation (Company), Incorporated company (Limited), Limited partnership, Unlimited partnership, Juridical foundation, Corporate body, Medical corporation, Educational, institution, Religious body, Co-operative, Local public body, Governmental organization
Notes on Use of Code :	None
Alt. Names of Scheme :	JIPDEC code
Sponsoring Authority :	JIPDEC Roppongi First Building, 9-9 Roppongi 1-chome, Minato-ku Tokyo, 106-0032 Japan Phone: +81-3-5860-7551 Facsimile: +81-3-5573-0560 e-mail: kcode@jipdec.or.jp
Date of Issue of ICD :	2000-09
Additional Comments :	Updated issuing organization contact info
Record Last Updated :	2022-09-07 02:15:05 UTC

International Code Designator

0 1 4 8

ICD : 0148

Name of Coding System : ITU (International Telecommunications Union)Data Network Identification Codes (DNIC)

Intended Purpose/App. Area Data Network Identification Codes assigned by the ITU.

Issuing Organization : ITU (International Telecommunications Union), Telecommunication Standardization Bureau (TSB), Place des Nations, CH-1211 Geneva 20, Switzerland Tel: +4122 730 5222, Fax: +4122 730 5853, E-mail: geng-sheng.li@itu.int, Web: www.itu.int, www.itu.int/itudoc/itu-t/ob-lists

Structure of Code : 1) 4 numeric digits, First three digits represent the country, Fourth digit represents the actual data network within the Country (for countries with many public networks multiple country codes exist). Up to 10 additional characters can be appended by the individual data networks to specify a network address within their network. 2)

Display Requirements : Two groups, Group 1 = three digits, Group 2 = one digit

Character Repertoire :

Language(s) Used : English

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any organisation connected to a public data network (such as X.25 packet switching network).

Notes on Use of Code : None

Alt. Names for Scheme :

Sponsoring Authority : Logistics Management Institute, 2000 Corporate Ridge, McLean, VA 22102-78025, USA, Contact: Paul Jensen, Tel: +1 703 917 7164, Fax: +1 703 917 7518, E-mail: pjensen@lmi.org

Date of Issue of ICD : Sep 2000

Additional Comments : None

International Code Designator

0 1 4 9

ICD : 0149

Name of Coding System : Global Business Identifier

Intended Purpose/App. Area For a company's ability to obtain complete and accurate information about potential suppliers

Issuing Organization : ResolveNet (IOM) Ltd, Atlantic House, 2nd Floor, Circular Road, Douglas, Isle of Man IMI ISQ, UK, Laura J Jany, Tel: 001 610 625 4160 Fax; 001 610 625 4180

Structure of Code : 9999-9999-9999, 1) 12 Characters; no significance, 2) There are no check characters

Display Requirements : 9999-9999-999

Character Repertoire : 0-9 for all 12 characters

Language(s) Used : English

Supports Org. Parts? : No

Org. Identifier Reuse : 25 years

Orgs Covered by System : All organization of one or more individuals that sells goods or services

Notes on Use of Code : Used to identify and designate in electronic commerce

Alt. Names for Scheme : GBI

Sponsoring Authority : EDIRA Association, c/o Zurich Chamber of Commerce, Bleicherweg 5- Box 4031, CH-8022 Zurich, Tel: +41 1 217 4050 Fax: +41 1 217 4051, e-mail:

Date of Issue of ICD : Oct 2000

Additional Comments : None

International Code Designator

0150

ICD : 0150

Name of Coding System : Madge Networks Ltd- ICD ATM Addressing Scheme

Intended Purpose/App. Area The code will be used as part of an ATM NSAP addressing scheme for the establishment of PVC and SPVC connections

Issuing Organization : Madge Networks, Wexham Springs, Framewood Road, Wexham, Slough, SL3 6PJ, Tel: +44 1753 661 575 Fax: + 44 1753 661 114 e-mail: steve.irving@madge.co

Structure of Code : 40 digit ATM NSAP address, 1) Field Digits Purpose, 1 2 AFI (= 47), 2 4 ICD, 3 20 HO-DSP, 4 12 ESI, 5 2 Selector, 2) None

Display Requirements : None- fields are left justified

Character Repertoire :

Language(s) Used : English

Supports Org. Parts? : Yes

Org. Identifier Reuse : 10 years

Orgs Covered by System : The scheme will be used by Madge.web which is a part of Madge Networks providing global managed networking services

Notes on Use of Code : Addressing for Madge Networks global ATM network and the connections of any Madge Customers requiring the allocation of ATM addresses from Madge Networks.

Alt. Names for Scheme :

Sponsoring Authority : IST/6

Date of Issue of ICD : Oct 2000

Additional Comments : None

International Code Designator

0151

ICD : 0151

Name of Coding System : Australian Business Number (ABN) Scheme

Intended Purpose/App. Area : The ABN will be a unique identifier for a business to interact with Government (Commonwealth, State and Local) throughout, Australia and is the supporting number for the Goods and Service Tax (GST). The Legislation covering the use of ABN, (see notes on use) will have application throughout the Commonwealth of

Issuing Organization : Australian Taxation Office, 140 Creek Street, Brisbane Q 4000, AUSTRALIA. Postal Address: GPO Box 8022, Brisbane Q 4000, AUSTRALIA

Structure of Code : The ABN is an 11 digit numeric identifier. The first two digits are check digits calculated using a modulus 89 of the weighted digits. The first digit of the number is guaranteed to be non-zero by adding 10 to the modulus (so the first two digits range from 10 through to 99). For companies the last 9 digits are identical to their existing Australian Company Number (CAN) which includes a single trailing check digit. For other entities the digits are randomly allocated but are guaranteed to fail the CAN check. This allows the Australian Securities and Investment Commission (ASIC) to continue allocating CAN during a transition period. The valid characters are numeric digits 0-9.

Display Requirements : It is displayed as follows: -, XX XXX XXX XXX

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : The purpose of the ABN is to uniquely identify business entities in Australia. Business entities in the scheme include: Organisations incorporated under law including Companies. Coding Scheme: Unincorporated organisations including Trusts, Partnerships, Charities, Unincorporated Associations, Sole Traders and Government bodies, The ABN will only be allocated to entities who are carrying on an enterprise of some form. It will not be allocated to hobbyists for example. The primary application area will be both business to business and business to government interactions. The ABN is the identification number to be used for GST compliance of business to business interactions and is required to be quoted on invoices. The ABN will also become the single identifier for business to government interactions providing a one-stop-shop for changes to business identification details.

Notes on Use of Code : The ABN is established by: A New Tax System (Australian, Business Number) Act 1999, enacted by the Australian Parliament. The scheme is expected to last for at least 100 Years without reallocation of identification numbers. The ABN is specified in English.

Alt. Names for Scheme :

Sponsoring Authority : Standards Australia, (Standards Professional Services), GPO Box 5429, Sydney NSW 2135, AUSTRALIA

Date of Issue of ICD : Dec 2000

Additional Comments : None

ICD : 0152

Name of Coding System : Edira Scheme Identifier Code

Intended Purpose/App. Area : For the unambiguous identification of registration scheme used in e-commerce (not to be used for the identification of organizations)

Issuing Organization : EDIRA Association, c/o Zurich chamber of commerce, Bleicherweg 5, P. O. Box 4031, CH-8022 Zurich, Switzerland Otto Mueller OttoMueller-omueller@zurichcci.ch, Phone + 411 217 4050; Fax + 411 217 4051, Andre Mesropian, EDIRA Executive Director, Phone/Fax: +33 1 6023 0504, E-mail: amesropi@club-internet-fr

Structure of Code : 99999; greater than 10000, 5 characters; no significance, no check characters

Display Requirements : 99999; group of 5 digits

Character Repertoire : 0-9 for all 5 characters

Language(s) Used : English

Supports Org. Parts? : No

Org. Identifier Reuse : 25 years

Orgs Covered by System : Organizations which buy and sell goods or services

Notes on Use of Code : The code is used to designate unambiguously schemes used in e-commerce to specify any entity but organizations

Alt. Names for Scheme :

Sponsoring Authority : EDIRA Association, c/o Zurich chamber of commerce, Bleicherweg 5, P. O. Box 4031, 8022 Zurich - Tel: +411 217 4050 - Fax: +411 217 4051, Otto Mueller OttoMueller-omueller@zurichcci.ch, Andre Mesropian amesropi@club-internet-fr

Date of Issue of ICD : Dec 2000

Additional Comments : None

International Code Designator

0 1 5 3

ICD : 0153

Name of Coding System : Concert Global Network Services ICD AESA

Intended Purpose/App. Area : Global Addressing of the Concert ATM switches and any direct customer ATM networks for implementation of PNNI. It will also be used for any attached carrier ATM networks.

Issuing Organization : Concert Global Network Services Ltd, Sir John Swan Building, 26 Victoria Street, Hamilton, HM12 Bermuda, Contact: John Haynes, Tel: +44 (0) 20 7876 4225, Fax: +44 (0) 20 7876 4419, E-mail: john.haynes@concert.com

Structure of Code : Field, Name; 1, Authority and Format Identifier; 2, ICD; 3, Higher order domain specific part as assigned by Concert. This structure conforms to the ICD AESA specified in the User- Network (UNI) specification Version 3.1 and ATM User Network (UNI) Signalling Specification 4.0. It also conforms with PNNI 1.0 standard. All these standards are defined by ATM Forum.

Display Requirements : As specified by ATM Forum User Specification Version 4.0 & 3.1.

Character Repertoire : As specified by ATM Forum User Specification Version 4.0 & 3.1.

Language(s) Used : English

Supports Org. Parts? : Upon agreement or per request of the specific organization

Org. Identifier Reuse : The minimum period elapsed will depend on the terms of agreement with the specific organization and will be determined taking into account the technical administrative and regulatory issues.

Orgs Covered by System : Any Concert ATM network element needing ATM addresses as well as customer devices requiring AESA's. These addresses should be reachable by non-Concert ATM users via inter-connected carrier ATM networks.

Notes on Use of Code : Used to form globally unique Concert ICD ATM End System Addresses (AESAs)

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute (ANSI), 1819 L Street, NW, Washington D.C. 20036, USA, Tel: + 212 642 4975, Fax: + 212-730-1346, E-mail:

Date of Issue of ICD : Feb 2001

Additional Comments : None

International Code Designator

0 1 5 4

ICD : 0154

Name of Coding System : Identification number of economic subjects: (ICO)

Intended Purpose/App. Area Unique identification of economic subjects for all administrative purposes

Issuing Organization : Czech Statistical Office, Sokolovská 142, 186 04 Praha 8- Karlín, Czech Republic, Mr Staniv Palas, Tel: + 420 274 0525 75, Fax: + 420 268 326 80, e-mail: palas@qw.czso.cz

Structure of Code : Form of representation: nnnnnnn.n, nnnnnnn - serial number, - - - - - n code number, Permissible values: 00000001 to 99999994, 1) 8 characters (fixed length), 2) Check digit: 8th character

Display Requirements : ICO is written as one 8th digits number

Character Repertoire :

Language(s) Used : Czech

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : All legal persons and a natural person who is an entrepreneur according to a special Acts.

Notes on Use of Code : The identification number ICO is used in the Czech Republic mainly in all administrative acts (tax system, banking system, statistics. etc.)

Alt. Names for Scheme :

Sponsoring Authority : Czech Standards Institute, Director if International Relations Department, Biskupsky Dvur 5, 110 02 Praha 1 - Nove Mesto Mrs Buresova Zdenka, Tel: + 420 221 802 100, Fax + 420 221 802 311, e-mail: zdenka.buresova@csni.cz

Date of Issue of ICD : May 2001

Additional Comments : Assigning of identification numbers is organized by Czech Statistical office, Commercial courts, Trade offices and some ministries (cultural, interior)

International Code Designator

0 1 5 5

ICD : 0155

Name of Coding System : Global Crossing AESA (ATM End System Address)

Intended Purpose/App. Area Construction, administration and implementation of a scalable AESA schema for routing if ATM switched connections.

Issuing Organization : Global Crossing Ltd, Wessex House, 45 Reid Street, Hamilton HM-12, Bermuda, Contact: Joseph DeVita, Global Crossing Ltd, 1 Bausch & Lomb Place, Suite 400, Rochester, NY 14604 USA, Tel: + 1 716 777 1093, Fax: + 1 716 546 4387

Structure of Code : 1) AFI -Authority and Format Identifier, 2) ICD - International Code Designator, 3) HODSP - Higher Order Domain Specific Part. Structure conforms to ATM Forum UNI Signalling Specifications 3.1/4.0

Display Requirements : Fields will be presented left justified

Character Repertoire :

Language(s) Used : English

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Any company or organization participating in the Global Crossing network including Global Crossing Companies, affiliates and customers

Notes on Use of Code : ICD will be used as a component of the IDP (Initial Domain Part) for OSI addressing

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute (ANSI), 1819 L Street, NW, Washington D.C. 20036, USA, Tel: + 1 212 642 4975, Fax: + 1 212 730 1346, e-mail: mgonzale@ansi.org

Date of Issue of ICD : Sep 2001

Additional Comments : None

International Code Designator

0 1 5 6

ICD : 0156

Name of Coding System : AUNA

Intended Purpose/App. Area Telecommunication network of operators in the AUNA Group

Issuing Organization : AUNA, Dept: Dirección corporativa dr red, Responsibility: Ana Isabel Fernández Hernández, Paeso Castellana 83-85. 28046- Madrid (Spain). Tel: +34 91 202 5808, Fax: +34 91 202 5173

Structure of Code : 1) CCCC (ICD), 2) Organization Code

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : This would be AUNA and its associated Companies both nationally and internationally

Notes on Use of Code : This code shall be used as an element of NSAP addressing

Alt. Names for Scheme :

Sponsoring Authority : AENOR- Spain

Date of Issue of ICD : Sep 2001

Additional Comments : None

International Code Designator

0 1 5 7

ICD : 0157

Name of Coding System : ATM interconnection with the Dutch KPN Telecom

Intended Purpose/App. Area ITO Drager Net

Issuing Organization : Informatie en Communicatie Technologie Organisatie, Odijkerweg 25, 3972 NE Driebergen, Contact: A Knol - Head DCB, Tel: + 31 (0) 343 534 500, Fax: + 31 (0) 343 534 999

Structure of Code : 1) ICD Code- 4 digits, 2) None

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : Government departments using the ITO carrier network. The coding system will be used to provide ATM End System Addresses (AESAs) based on ICD format NSAP addresses.

Notes on Use of Code : The ICD code also form the initial part of the OSI network addressing scheme (Addendum 2 of ISO 8384)

Alt. Names for Scheme :

Sponsoring Authority : NEN, Postbus 5059, 2600 GB Delft, The Netherlands, Contact: Mr L M J Visser, Tel: +3115 269 0100 Fax: +3115 269 0242, E-mail: louis.visser@nen.nl

Date of Issue of ICD : Dec 2001

Additional Comments : None

ICD : 0158

Name of Coding System : Identification number of economic subject (ICO) Act on State Statistics of 29 November 2001, § 27

Intended Purpose/App. Area The unique identification of economic subjects (legal persons and natural persons-entrepreneurs) used for registration

Issuing Organization : Slovak Statistical Office, Mileticova 3, 824 67 Bratislava, Slovak Republic, Mr Ivan Lieskovský, tel.: + 421 2 502 36 250, Fax: + 421 2 5556 1541, email: ivan.lieskovsky@statistics.sk

Structure of Code : 1) 8 characters (fixed length), 2) Check character: 8th digit

Display Requirements : ICO is written as one 8-digits number

Character Repertoire :

Language(s) Used : Slovak

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : All legal persons and natural persons as entrepreneurs or perform other earning activities according to special acts

Notes on Use of Code : The identification number ICO is used in Slovakia in almost all administrative acts (tax system, banking system, statistics, etc.)

Alt. Names for Scheme :

Sponsoring Authority : Slovak Standards Institution, International Co-operation Department, Karloveská 63, P.O.Box 246, 840 00 Bratislava, Mrs Lubica Pernecka, tel.: + 421 2 602 94 589 Fax: + 421 2 654 11 888, e-mail: pernecka@sutn.gov.sk

Date of Issue of ICD : Feb 2002

Additional Comments : None

ICD : 0159

Name of Coding System : ACTALIS Object Identifiers

Intended Purpose/App. Area The code is primarily intended for the registration of Object Identifiers (OIDs) according to ISO 8824/8825: Level 1: iso (1), Level 2: identified-organization (3), Level 3: ACTALIS SpA (0159), Level 4 and higher: (defined by ACTALIS)

Issuing Organization : ACTALIS S.p.A. Via Taramelli, 26, 20124 Milano, ITALY, Tel: + 39 2 6084 1. The technical contact point is Ing. Adriano Santoni (email: adriano.santoni@sia.it; will be adriano.santoni@actalis.it after April 2002)

Structure of Code : First field: ICD: 4 digits, Second field: sequence of digits

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? :

Org. Identifier Reuse :

Orgs Covered by System : ACTALIS S.p.A. (www.actalis.it) is a company held by SIA S.p.A. (www.sia.it) and SSB (www.ssb.it), founded in December 2001, whose mission is to design, build, manage and market products, systems and services in the field of information security, with particular focus on PKI-based solutions (digital signatures, smartcards, time stamping). Professional services are also offered, for consultancy in the fields of infrastructural and organizational security (network security, intrusion detection, vulnerability assessment, security policies and plans, Information Security Management Systems, BS7799, etc). ACTALIS operates at both local and international level.

Notes on Use of Code : See "Intended purpose/application area"

Alt. Names for Scheme :

Sponsoring Authority : UNINFO, Corso Galileo Ferraris, 93, 10128 TORINO, Italy, Tel: +39-011 501027, Fax: +39-011 501837, Contact person: Carla Sirocchi (sirocchi@uninfo.polito.it)

Date of Issue of ICD : Feb 2002

Additional Comments : None

International Code Designator:

0160

ICD :	0160
Name of Coding System :	GTIN - Global Trade Item Number
Intended Purpose/App. Area :	The GTIN is a globally unique identifier of trade items. A trade item is any item (product or service) upon which there is a need to retrieve pre-defined information and that may be priced, ordered or invoiced at any point in any supply chain
Issuing Organization :	GS1 avenue Louise 326 B-1050 Brussels Belgium Tel: +32 495 52 9444 Fax : +32 2 788 7899 Contact: Henri Barthel Email: henri.barthel@gs1.org
Structure of Code : number of characters and their significance, if any: 1)	The GTIN has four different formats of respectively 8, 12, 13 and 14 digits. When stored in a computer file, right justified with leading zeroes, GTIN's are unique against each other, Up to 14 digits.
identification of the check digit characters, if any: 2)	Last digit = modulo 10 check digit
Display Requirements :	None
Character Repertoire :	
Language(s) Used :	
Supports Org. Parts? :	
Org. Identifier Reuse :	4 years
Orgs Covered By System :	Any organization that needs to identify uniquely its products or services can use the GTIN
Notes on Use of Code :	The GTIN identification scheme is used by millions of organizations in the world. It is widely in the consumer goods, health care and other industries to identify items and packages. The GTIN can be represented in a standard bar code or RFID data carrier.
Alt. Names of Scheme :	EAN article number, UPC Code
Sponsoring Authority :	GS1 avenue Louise 326 B-1050 Brussels Belgium Tel: +32 495 52 9444 Fax : +32 2 788 7899 Contact: Henri Barthel Email: henri.barthel@gs1.org
Date of Issue of ICD :	2002-05
Additional Comments :	Updated 2020-04-09: Change contact info.
Record Last Updated :	2020-04-09 05:18:09 UTC

International Code Designator

0 1 6 1

ICD : 0161

Name of Coding System : ECCMA Open Technical Directory

Intended Purpose/App. Area A centralized dictionary of names and definitions of trading concepts, essentially goods and services that are bought, sold or exchanged. This is a classification neutral dictionary of names and attributes (also referred to as characteristics or properties). The eOTD will help improve the speed and accuracy of Internet searches and can be imported into sourcing, procurement and ERP systems with minimal data transformation costs.

Issuing Organization : Electronic Commerce Code Management Association
2980 Linden Street Suite E218017 BethlehemUS
URL: <http://www.eccma.org>
responsible: Yvette Thomas
email: Yvette.Thomas@Eccma.org
phone: 001-610-861-5990
fax: 001-610-861-5992

Structure of Code : 9.999999
7 characters; 1st digit being the Table Identifier and 2nd set of digits designating the Sequence Identifier
no check characters

Display Requirements : 9.999999; group of 7 digits

Character Repertoire : 0 - 9 for all 7 characters

Language(s) Used : English

Supports Org. Parts? : no

Org. Identifier Reuse : 10 years

Orgs Covered by System : All trading organizations in both the public and private sector

Notes on Use of Code :

Alt. Names for Scheme : eOTD

Sponsoring Authority : EDIRA Association
c/o Zurich chamber of Commerce
Bleicherweg 5 - Box 30588022
Zurich - Tel: +41 1 217 40 50 - Fax: +41 1 217 40 51
Otto Mueller
omueller@zurichcci.ch
Andre Mesropian
amesropi@club-internet.fr

Date of Issue of ICD : 10-October-2002

Additional Comments :

ICD : 0162

Name of Coding System : CEN/ISSS Object Identifier Scheme

Intended Purpose/App. Area To allocate OIDs to objects defined in the standards and specifications developed in CEN's technical bodies (TCs, Workshops, etc)

Issuing Organization : Comité Européen de Normalization - CENRue de Stassart 36B-1050 Brussels

Structure of Code : First field: ICD: 4 digitsSecond field: sequence of digits

Display Requirements : Not Applicable

Character Repertoire : Not Applicable

Language(s) Used : Not Applicable

Supports Org. Parts? : Not Applicable

Org. Identifier Reuse : An OID once issued will never be reallocated for other purposes

Orgs Covered by System : CEN is a European Standardisation Body

Notes on Use of Code : The code is primarily intended for the registration ofObject Identifiers according to ISO 8824-1 Annex BLevel 1: iso (1)Level 2: identified-organization (3)Level 3: CEN (nnnn –the ICD allocated)Level 4: and higher: (defined by CEN conventions)

Alt. Names for Scheme : None

Sponsoring Authority : Comité Européen de Normalization - CENRue de Stassart 36B-1050 BrusselsLuc Van den Berghe CEN/ISSS - Information Society Standardization System Rue de Stassart 36, B-1050 Brussels Tel (direct): + 32 2 550 09 57 Tel (secretariat): + 32 2 550 08 13 Fax: + 32 2 550 09 66 E-mail: luc.vandenbergh@cenorm.be URL: <http://www.cenorm.be/iss>

Date of Issue of ICD : 27-06-03

Additional Comments :

International Code Designator

0163

ICD : 0163

Name of Coding System : US-EPA Facility Identifier

Intended Purpose/App. Area To provide for the unique identification of facilities regulated or monitored by the United States Environmental Protection Agency (EPA). A facility is a distinct real property entity (i.e., a man-made object and its surrounding real estate). Facilities incorporate the characteristics of being: (1) objects, established at (2) specific places, for (3) specific purposes. A facility can include monitoring stations, waste sites, and other entities of environmental interest that cannot be classified as single facilities. This is maintained within the U.S. Environmental Protection Agency Facility Registration System (FRS)

Issuing Organization : U.S. Environmental Protection Agency
Mail Code 2832T1200 Pennsylvania Avenue
NWWashington, DCUSA
Attn: Patrick Garvey
Tel: +1 202 566 1687
Fax: +1 202 566 1684
Email: garvey.pat@epa.gov
Web: www.epa.gov/enviro/html/facility.html

Structure of Code : Alphanumeric (12)
12 characters (fixed length)

Display Requirements : FRS-nnnnnnnnnnnn

Character Repertoire : 0-9

Language(s) Used : English

Supports Org. Parts? : no

Org. Identifier Reuse : none

Orgs Covered by System : Facilities regulated, monitored, or of environmental interest by the United States Environmental Protection Agency (EPA).

Notes on Use of Code :

Alt. Names for Scheme : FRSID, FACID, Facility ID

Sponsoring Authority : ISO/IEC JTC 1/SC 32 Secretariat
13600 Angelica Court
Chantilly, Virginia 20151-5530
USADouglas Mann – Secretary
Tel: +1 202 566-2126
Fax: +1 202 566 1639
Email: mannd@battelle.org

Date of Issue of ICD : 5-Sep-03

Additional Comments :

International Code Designator

0164

ICD : 0164

Name of Coding System : TELUS Corporation

Intended Purpose/App. Area AESA Addressing Scheme for ATM PNNI Implementation

Issuing Organization : TELUS Corporation, Floor 24, TELUS Plaza South Tower10020 - 100 Street
N.W.Edmonton, Alberta, CanadaT5J 0N5. Gregory Rees, greg.rees@telus.com, Tel:
(780) 493-3921 Fax: (780) 421-8085

Structure of Code : All 10 characters of HODSP required
Not applicable to PNNI

Display Requirements : None - no special display requirements

Character Repertoire : 0 through 9 of Hexadecimal values (Binary Coded Decimal Scheme)

Language(s) Used : English

Supports Org. Parts? : Yes

Org. Identifier Reuse : 5 Years

Orgs Covered by System : Telecommunications Carrier providing data services over ATM/IP network across
Canada and the US

Notes on Use of Code : ICD is required for PNNI implementation on TELUS' ATM network in order to
establish an addressing scheme for SPVC connections within and between regions

Alt. Names for Scheme : none

Sponsoring Authority : Jacqui Cole, GoC Registrar, PWGSC/ITS, 11 Laurier St, Gatineau QC, K1A 0S5,
819-956-1746, NCR.COSIRA@PWGSC.GC.CA

Date of Issue of ICD : 13-Nov-03

Additional Comments :

International Code Designator

0165

ICD : 0165

Name of Coding System : FIEIE Object identifiers

Intended Purpose/App. Area To provide identifiers for international enterprises and organizations operating in fields of business served by the Jaakko Poyry Group. On the date of the application, these fields include Forest industry, Energy, Infrastructure and Environment. To provide an internationally unambiguous framework for existing coding practices in this

Issuing Organization : Jaakko Poyry Group Oyj
PL4, Jaakonkatu 3
FIN-01621 Vantaa
Finland
Tel: +358 9 894 71
Fax: +358 9 878 1818
Email: general.jp@poyry.fi
URL: <http://www.poyry.com>
Contact: Mr Risto Ryyppo

Structure of Code : The identifier consists of a sequence of digits
1) Variable-length sequence of decimal digits
2) No checksum

Display Requirements : None

Character Repertoire : Integers 0 to 9

Language(s) Used : English

Supports Org. Parts? : Later nodes in the OID tree may support organization parts

Org. Identifier Reuse : Identifiers are not reused once assigned

Orgs Covered by System : International organizations operating in fields of business served by the Jaakko Poyry Group. These include, but are not limited to, the Jaakko Poyry Group's business units worldwide, clients, vendors and parties providing services for Forest Industry, Energy, Infrastructure and Environment, both private and public sector.

Notes on Use of Code : The code is primarily intended for the registration of Object Identifiers according to ISO/IEC 8824, 8825 and 11179:
Level 1: iso (1)
Level 2: identified organization (3)
Level 3: fieie code (nnnn, the ICD allocated)
Level 4 and higher: (defined by FIEIE conventions)

Alt. Names for Scheme : FIEIE-OID

Sponsoring Authority : Finnish Standards Association SFS
Maistraatinportti 2
FIN-00240 Helsinki
Finland
Tel: +358 9 149 9331
Fax: + 358 9 146 4925
Email: sfs@sfs.fi

Date of Issue of ICD : 12-Dec-03

Additional Comments :

International Code Designator

0 1 6 6

ICD : 0166

Name of Coding System : Swissguide Identifier Scheme

Intended Purpose/App. Area To uniquely identify objects, esp. companies and professionals in directories/databases

Issuing Organization : Swissguide AG
Lindenstrasse 1, 8302 Kloten
Switzerland
Attn: Juerg Dangel
Tel: +41 1 444 39 39
Fax: +41 1 444 39 85
Email: juerg.dangel@swissguide.ch
Web: www.swissguide.ch

Structure of Code : 999999
Organization ID (OI, mandatory): 6 digits (0-9)
No check characters

Display Requirements : 999999

Character Repertoire : numerical characters (0-9)

Language(s) Used : German, French, Italian, English

Supports Org. Parts? : No

Org. Identifier Reuse : No reuse

Orgs Covered by System : All companies, professionals, products, services and brands in Switzerland

Notes on Use of Code : The code is used to uniquely identify the objects in the Swissguide directory.

Alt. Names for Scheme : N/A

Sponsoring Authority : EDIRA Association
c/o Zurich chamber of commerce
Bleicherweg 5, P. O. Box 4031
8022 Zurich –
Tel: +411 217 4050 –
Fax: +411 217 4051 -
E-mail: info@edira.org
Otto Mueller@omueller@zurichcci.ch

Date of Issue of ICD : 12-Feb-04

Additional Comments :

International Code Designator

0167

ICD : 0167

Name of Coding System : Priority Telecom ATM End System Address Plan

Intended Purpose/App. Area The coding system will be used to provide ATM End System Address based on IDC format NSAP addresses required for Priority Telecom ATM PNNI implementation. These addresses will be used to uniquely identify User Network interfaces to Priority Telecom ATM Networks as specified by the ATM Forum UNI specifications. PT plans to use these addresses to connect to other public ATM networks in the countries PT is operating (The Netherlands, Norway and Austria)

Issuing Organization : Priority Telecom Netherlands B.V.
Beech Avenue 100
1119 PW, Schiphol-Rijk
The Netherlands
Contact: Roger Schobben
+31 20 778 2520 / Fax: +31 20 778 2600
Email: rschobben@prioritytelecom.com

Structure of Code : Field 1 = AFI = 47 (1 byte)
Field 2 = ICD (2 bytes)
Field 3 = Higher Order Domain Specific Part (6 bytes)
Field 4 = End System Identifier (6 bytes)
Field 5 = Selector (1 byte)
1) See above for length, all fields left justified

Display Requirements : As specified by ATM Forum User Specification 4.0 & 3.1

Character Repertoire : As specified by ATM Forum User Specification 4.0 & 3.1

Language(s) Used : English

Supports Org. Parts? : Yes

Org. Identifier Reuse : Between 6 months and 10 years (as interconnects / customer connections are built and removed)

Orgs Covered by System : Priority Telecom, national and international carrier, CLEC

Notes on Use of Code : Used to form a globally unique Priority Telecom ATM End System Address. PT customers and interconnect with public ATM networks requires the use of unique AESA

Alt. Names for Scheme : Priority Telecom EASE
Priority Telecom ATM

Sponsoring Authority : NEN
Postbus 5059
2600 GB Delft
The Netherlands
Contact: Mr L M J Visser
Tel: + 31 15 269 0100
Fax: +31 15 269 0242
Email: louis.visser@nen.nl

Date of Issue of ICD : 12-Aug-04

Additional Comments :

International Code Designator

0 1 6 8

ICD : 0168

Name of Coding System : Vodafone Ireland OSI Addressing

Intended Purpose/App. Area Implementation of an ATM network in connection with 3G rollout.

Issuing Organization : Vodafone Ireland Limited,
3rd Floor, Block B,
MountainView,
Sandyford,
Dublin 18,
Ireland
Contact:Colm Fleming, Core Network Planning Manager,
Ph. +353 87 2352155 Fax +353 1 2037611
colm.fleming@vodafone.com

Structure of Code : 1) AFI-Authority and Format Identifier
2) ICD- International Code Designator
3) HODSP- Higher Order Domain Specific Part
Structure conforms to ATM Forum UNI Signalling Specifications 3.1/4.0

1. ICD (2 Bytes)2. Higher Order Domain Specific Part (9 Bytes)3. 00 (1 Byte)4. End Sytem Identifier (6 Bytes)

Display Requirements : None

Character Repertoire : Digits 0-9

Language(s) Used : English

Supports Org. Parts? : ATM Network elements and SPVCs

Org. Identifier Reuse : One year

Orgs Covered by System : Vodafone Ireland

Notes on Use of Code : The code will be used for ATM network related addressing purposes, and for CLNS network.

Alt. Names for Scheme : None

Sponsoring Authority : BSI

Date of Issue of ICD : 17-Dec-04

Additional Comments :

ICD : 0169

Name of Coding System : Swiss Federal Business Identification Number.
Central Business names Index (zefix) Identification Number

Intended Purpose/App. Area To uniquely identify all companies/organizations registered in the Swiss Register of Commerce and the Swiss Central Business Names Index

Issuing Organization : Swiss Federal Office of Justice, Bundesrain 20, CH-3003 Bern (Switzerland)
Tel: +41 31 322 36 32 Fax: +41 31 323 51 52

Structure of Code : CH-RRR.X.XXX.XXX-P
1) 13 characters
CH: Swiss Country Code
RRR: number of the register office which first registered the business name or which used the number
X.XXX.XXX: the number itself
P: check digit
2) XX-XXX.X.XXX.XXX-P, the last digit

Display Requirements : CH-RRR.X.XXX.XXX-P minus-character ('-') after 'CH' and before the check digit as separator dot-character ('.') after 5th, 6th and 9th character

Character Repertoire : Country code: String "CH". Numerical characters '0'-'9' for the number and the check digit minus-character '-' and dot-character '.' for separators

Language(s) Used : German, French, Italian, English

Supports Org. Parts? : No

Org. Identifier Reuse : No reuse

Orgs Covered by System : Companies/organizations registered in the Swiss Register of Commerce and in corresponding Swiss Central Business names Index (zefix.admin.ch)

Notes on Use of Code : To uniquely identify entries in Swiss Central Business Names Index (zefix). The principle purpose of the zefix on internet is to provide a swisswide search function, and thus provide the public with a service to determine the legal domicile, the cantonal office for the register of commerce in charge, and the latter's address.

Alt. Names for Scheme : CH-Nummer, numero CH, numero Ch, CH-number

Sponsoring Authority : BAKOM/OFCOM - Swiss Federal Office for Communications, Postfach, 2501
Biel/Bienne
Telefon: +41 32 327 55 11
Fax: +41 32 327 55 49
Web: <http://www.bakom.ch/>
Responsible: Laurent Scheggia, Laurent.scheggia@bakom.admin.ch

Date of Issue of ICD : 24-Jun-05

Additional Comments :

International Code Designator

0170

ICD : 0170

Name of Coding System : Teikoku Company Code

Intended Purpose/App. Area Teikoku Company Code is allocated to all incorporations, business owners, government organizations and other public offices in Japan. TDB (Teikoku Databank Ltd.) retains company codes of approximately 1.7 million companies within Japan.

Teikoku Company Code, a unique company ID, has already been adopted by many companies both as a standard company code in customer data managements and as an identification code for online electronic commerce transactions. Since every company trades with companies abroad, they need to use it in their international business transaction. Therefore, it is desired to register TDB as an ICD to RA of the ISO/IEC 6523.

Issuing Organization : TEIKOKU DATABANK LTD.
Corporate Planning Department
2-5-20 MINAMI-AOYAMA, MINATO-KU, TOKYO, JAPAN
TEL: 03-5775-3132
FAX: 03-5775-3127
Email: spinfo@mail.tdb.co.jp

Structure of Code : 1) Eight identification digits and a check digit
2) One check digit is based on TDB original computation

Display Requirements : None

Character Repertoire : decimal numeration, 9digits

Language(s) Used : Japanese and English

Supports Org. Parts? : None

Org. Identifier Reuse : Never reallocated

Orgs Covered by System : Teikoku Company Code covers all incorporations, business owners, government and other public offices within Japan through 1.4 million credit researches per a year. TDB retains company codes of approximately 1.7 million companies in Japan

Notes on Use of Code : None

Alt. Names for Scheme : None

Sponsoring Authority : JISC (Japan Industrial Standards Committee)
1-3-1 Kasumigaseki, Chiyoda-ku, Tokyo 100-8901
JAPAN industrial Science and Technology Police and Environment Bureau Technical regulation, Standards and Conformity Assessment policy Unit Ministry of Economy, trade and Industry
tel: 03-35019287 fax: 03-3580 8625

Date of Issue of ICD : 16-Nov-05

Additional Comments :

International Code Designator

0 1 7 1

ICD : 0171

Name of Coding System : Luxembourg CP & CPS (Certification Policy and Certification Practice Statement) Index

Intended Purpose/App. Area Index of the Certification Policies and Certification Practice Statement issued by Luxembourg PKI

Issuing Organization : Ministry of The Economy and Foreign Trade
19-21 Boulevard Royal
L-2914 Luxembourg
e-mail: Francois.Thill@eco.etat.lu
Fax: +352 478 4311

Structure of Code : xxx.yyy.zzz.nnnn
xxx; PKI-code: numeric
yyy: Root-code
xxx: CP/CPS-code
nnnn: doc-codeNumeric

Display Requirements :

Character Repertoire : 0-9

Language(s) Used : EN / FR

Supports Org. Parts? : Yes

Org. Identifier Reuse : No reallocation possible

Orgs Covered by System : Only the CP and CPS of Luxembourg PKI are covered

Notes on Use of Code :

Alt. Names for Scheme : PKI... Public Key Infrastructure
CP... Certification Policy (RFC 2527, RF C3647,...)
CPS... Certification Practice Statement (RFC 2527, RF C3647,...)

Sponsoring Authority : SEE – Organisme Luxembourgeois de Normalisation
Jean-Paul Hoffman
Jean-paul.hoffmann@eg.etat.lu
34, avenue de la Porte Neuve
B.P. 10
L-2010 Luxembourg

Date of Issue of ICD : 7-Apr-06

Additional Comments :

ICD : 0172

Name of Coding System : Project Group "Lists of Properties" (PROLIST®)

Intended Purpose/App. Area To uniquely identify properties, blocks and lists of properties (LOP) for products and services in the process industry. The products are electrical and process control devices.

Issuing Organization : Project Group "Lists of Properties" (PROLIST®)
c/o Bayer Technology Services GmbH
Geb. K 9
51368 Leverkusen
Germany

E-Mail: Prolist@NAMUR.de
Tel: +49 - 214 - 30 57852
Fax: +49 - 214 - 30 72774

Structure of Code : This code consists of:
1. ICD 4 digits
2. Organisation Identifier
No check character required
3. Organisation Part Identifier
4. OPIS

Display Requirements : none

Character Repertoire :

Language(s) Used : Usually English or German but also other languages could be possible

Supports Org. Parts? : No

Org. Identifier Reuse : Not reused after assigned once

Orgs Covered by System : PROLIST is an element of the NAMUR organisation. Members of PROLIST are organisations, universities and companies which are active in electrical and process control area. They are going to exchange data with each other and with other companies or organisations.

Notes on Use of Code : The code is used to uniquely identify the objects in the PROLIST online dictionary.

Alt. Names for Scheme : PROLIST

Sponsoring Authority : DIN - Deutsches Institut für Normung e.V.
Attn: Mr. Cord Wischhöfer
Burggrafenstrasse 6
10787 Berlin, Germany
E-Mail: cord.wischhoefer@din.de
Tel: +49 (30) 2601 - 2535

Date of Issue of ICD : 8-May-06

Additional Comments :

International Code Designator

0173

ICD : 0173

Name of Coding System : eCI@ss

Intended Purpose/App. Area To uniquely identify properties, classes and list of characteristics (LoC) for products and services available in the eCI@ss classification system

Issuing Organization : eCI@ss,
Mr. Thorsten Hohnle
Gustav-Heinemann-Ufer 84-88,
50968 Cologne
Germany

Email: hoehnle@eclass-office.com
Tel: +49 (221) 4981-831
Fax: +49 (221) 4981-856

Structure of Code : This code consists of:
1) ICD 4 digits
2) Organization identifier
3) Organization Part identifier
4) OPIS
No check character required

Display Requirements : None

Character Repertoire :

Language(s) Used :

Supports Org. Parts? : No

Org. Identifier Reuse : Not reused after assigned once

Orgs Covered by System : eCI@ss, members of eCI@ss organization and companies or organizations exchanging data with eCI@ss, its members and other companies based on the eCI@ss classification system.

Notes on Use of Code : The code is used to uniquely identify objects in the eCI@ss classification system.

Alt. Names for Scheme :

Sponsoring Authority : DIN – Deutsches Institut für Normung e.v.
Attn: Mr. Cord Wischhofer
Burggrafenstrasse 6
10787 Berlin, Germany
Email: cord.wischhofer@din.de
Tel: +49 (30) 2601-2535

Date of Issue of ICD : 28-Nov-06

Additional Comments :

ICD : 0174

Name of Coding System : StepNexus

Intended Purpose/App. Area To provide identifiers within StepNexus loader objects. These addresses will be used to uniquely identify StepNexu key usage fields within X509 certificates for use in the StepNexus loader scheme.

Issuing Organization : StepNexus,
St Andrews House,
The Links,
Kelvin Close,
Birchwood,
Warrington,
Cheshire
WA3 7PB

Structure of Code :

Display Requirements : StepNexus Loader

Character Repertoire :

Language(s) Used :

Supports Org. Parts? : No

Org. Identifier Reuse :

Orgs Covered by System : StepNexus

Notes on Use of Code : Used to define unique certificate attributes within X509 certificates

Alt. Names for Scheme :

Sponsoring Authority : BSI

Date of Issue of ICD : 12-Jul-07

Additional Comments :

International Code Designator:

0175

ICD :	0175
Name of Coding System :	Siemens OrgID
Intended Purpose/App. Area :	The Code unambiguously identifies Siemens Organizational Elements with a so-called Organizational Identifier (OrgID) within Electronic Data Interchange (EDI) and Identification in related networks such as PEPPOL.
Issuing Organization :	Siemens AG, Otto-Hahn-Ring 6, 81739 Munich, Germany
Structure of Code :	This code consists of: <ol style="list-style-type: none"> 1. ICD 4 digits 2. up to 10-digit alphanumeric code 3. --- 4. ---
number of characters and their significance, if any: 1)	
identification of the check digit characters, if any: 2)	
Display Requirements :	None
Character Repertoire :	A - Z, 0 - 9
Language(s) Used :	Usually English or German
Supports Org. Parts? :	No
Org. Identifier Reuse :	Unique identifier, no reuse in case of deactivation of a OrgID
Orgs Covered By System :	Siemens AG, Germany
Notes on Use of Code :	The Code unambiguously identifies Siemens Organizational Elements with a so-called Organizational Identifier (OrgID) within Electronic Data Interchange (EDI) and Identification in related networks such as PEPPOL.
Alt. Names of Scheme :	
Sponsoring Authority :	DIN – Deutsches Institut für Normung e.V. Attn: Eva Zeitz Burggrafenstr. 6; 10787 Berlin Email: eva.zeitz@din.de Tel: +49 30 2601-2729
Date of Issue of ICD :	2007-11-29
Additional Comments :	Updated on 2023-12-31: updated intended purpose, scheme name
Record Last Updated :	2023-12-31 03:11:40 UTC

ICD : 0176

Name of Coding System : Paradine GmbH

Intended Purpose/App. Area To uniquely identify properties, classes, and list of properties (LoP) for products and services available in Paradine Reference Dictionary Systems

Issuing Organization : Paradine GmbH, Prinz Eugen Strasse 70, 1040 Vienna, Austria

Structure of Code : This code consists of:
1. ICD 4 digits
2. Organisation Identifier
3. Organisation Part Identifier
4. OPIS
No check character required

Display Requirements : None

Character Repertoire :

Language(s) Used : English, German and others

Supports Org. Parts? : Yes

Org. Identifier Reuse : Not reused after assigned once

Orgs Covered by System : Paradine, customers of Paradine and companies or organizations exchanging data with Paradine, its members and other companies based on the Paradine Reference Dictionary Systems

Notes on Use of Code : The code is used to uniquely identify objects in Paradine Reference Dictionary Systems

Alt. Names for Scheme :

Sponsoring Authority : DIN – Deutsches Institut für Normung e.v.
Attn: Mr. Cord Wischhofer
Burggrafenstrasse 6
10787 Berlin, Germany
Email: cord.wischhofer@din.de
Tel: +49 (30) 2601-2535

Date of Issue of ICD : 31-Jan-08

Additional Comments :

International Code Designator

0177

ICD : 0177

Name of Coding System : Odette International Limited

Intended Purpose/App. Area For use in EDI and other B2B exchanges in the European automotive industry to identify business entities (organisations).

Issuing Organization : Odette International Limited, Forbes House, Halkin Street, London SW1X 7DS

Structure of Code : This code consists of:
1. ICD 4 digits

Display Requirements : None

Character Repertoire : A to Z (upper case) and 0 to 9

Language(s) Used : English

Supports Org. Parts? : Yes

Org. Identifier Reuse : No re-allocation of withdrawn OIs is planned

Orgs Covered by System : Vehicle manufacturers, suppliers and service providers in the European automotive industry

Notes on Use of Code : The scheme is used to identify organisations, and parts of organisations which are parties to or are referenced in automotive supply chain transactions such as EDI messaging and other B2B exchanges.

Alt. Names for Scheme : None

Sponsoring Authority : BSI Committee IST/40
Attn: Mr Phil Brown (Chair of IST/40)
BSI Group Headquarters, 389 Chiswick High Road, London, W4 4AL, UK
T: +44 (0)20 8996 7789
F: +44 (0)20 8996 7198
E: telecoms@bsigroup.co

Date of Issue of ICD : 07-Apr-08

Additional Comments :

International Code Designator

0178

ICD : 0178

Name of Coding System : Route1 MobiNET

Intended Purpose/App. Area For rooting OIDs defined by Route1 Security Corporation for Route1 MobiNET. Intended to cover MobiNET connected organizations, Route1 Security Corporation, its subdivisions, customers and any organization using MobiNET or Route1's services and products

Issuing Organization : Route1 Security Corporation
Attn Yamian Quintero
1920-155 University Avenue
Toronto
Ontario M5H 3B7
Canada
Tel +1 416.848.8391 x2232
Fax +1 416.848.8394

Structure of Code : 6 Fields:
1. ICD (International Code Designator): integer, variable length, up to 4 digits - range: 0-9999
2. AFI (Authority and Format Identifier): integer, 1 byte fixed length, range: 0-99
3. PCI (Purpose Class Identifier): integer, 2 bytes fixed length, range: 0-9999
4. Org_ID (Organization Identifier): variable length, up to 35 characters
5. OPI (organizational Part Identifier): variable length, up to 35 characters
6. MC (MobiNET Code): integer, 2 bytes fixed length, range: 0-9999

Display Requirements : None

Character Repertoire : Alphanumeric (0-9 and upper and lower case a-z)

Language(s) Used : English

Supports Org. Parts? : Yes

Org. Identifier Reuse : Reuse prohibited

Orgs Covered by System : MobiNET connected organizations or other Route1 PKI entities

Notes on Use of Code : For rooting OIDs defined by Route1 Security Corporation for Route1 MobiNET. Intended to cover MobiNET connected organizations, Route1 Security Corporation, its subdivisions, customers and any organization using MobiNET or Route1's services and products.
The OID structure and the inclusion therein of the ICS is as follows: ISO.Identified-organization.ICD(Route1 MobiNET).AFI.PCI.Org_ID.OPI.MC

Alt. Names for Scheme : Route1 Security, ROI, MobiNET

Sponsoring Authority : Standards Council of Canada
Attn M Bourassa
270 Albert Street, Suite 200
Ottawa
Ontario K1P 6N7
Canada
Tel + 1-613-238-3222
Fax: +1-613-395-4564
mmbourassa@scc.ca

Date of Issue of ICD : 02-May-08

Additional Comments :

ICD : 0179

Name of Coding System : Penango Object Identifiers

Intended Purpose/App. Area To identify objects, policies, and data related to Penango's products and services.

Issuing Organization : Penango, Inc.
1215 K Street
17th Floor
Sacramento, CA 95814 USA
Tel: +1 (888) 273-6264
Fax: +1 (888) 273-6264
oid+icd@penango.com

Structure of Code : The OID structure and the inclusion therein of the ICD is as follows: Level 1: iso(1)
Level 2: identified-organization (3) Level 3: Penango(xxxx) Level 4 and higher: Defined by Penango

Display Requirements : None

Character Repertoire : The minimum character repertoire required to express the full range of organization identifiers is the set of digits 0-9 for the numeric values of ASN.1 object identifiers. A separator between numbers, such as a dot (period), may be used.

Language(s) Used : English

Supports Org. Parts? : Yes

Org. Identifier Reuse : The minimum period depends on the terms under which the organization identifier is issued, taking into account technical, administrative, and regulatory issues. It is expected to vary from an hour up to six months.

Orgs Covered by System : Penango, its subdivisions, its customers, and any organization using Penango's cryptographic products and services. Such customers and organizations include individuals, groups, companies, governments, and standards bodies.

Notes on Use of Code : The ICD is primarily intended for registration of Object Identifiers in accordance with ISO/IEC 8824 (ASN.1).

Alt. Names for Scheme :

Sponsoring Authority : American National Standards Institute (ANSI) - USA

Date of Issue of ICD : 15-May-2009

Additional Comments :

International Code Designator

0180

ICD : 0180

Name of Coding System : Lithuanian military PKI

Intended Purpose/App. Area Index of the Certification Policies and Certification Practices Statements issued by Lithuanian military PKI

Issuing Organization : The Ministry of National Defence of the Republic of Lithuania,
Totoriu Str. 25/3,
LT-01121 Vilnius
Lithuania
ATTN: Cpt. Aurelijus Andrijauskas
E-mail: ssc@kam.lt
Tel: +370 5 2785225
Fax: +370 5 2735555

Structure of Code : 3 fields: 1) PKI code; 2) CP/CPS code; 3) doc-code
1) PKI code: length up to 3 digits;
2) CP/CPS code: length up to 4 digits;
3) doc-code: length up to 4 digits

Display Requirements : None

Character Repertoire : Alphanumeric (0-9 and upper and lower case a-z)

Language(s) Used : English, Lithuanian

Supports Org. Parts? : Yes

Org. Identifier Reuse : Reuse is prohibited

Orgs Covered by System : Lithuanian defence bodies using Lithuanian military PKI

Notes on Use of Code : The code is used to uniquely identify Certification Policies and Certification Practice Statements in Lithuanian military PKI

Alt. Names for Scheme : None

Sponsoring Authority : The Lithuanian Standards Board under The Ministry of Environment,
T. Kosciuskos Str. 30,
LT-01100 Vilnius
Lithuania
ATTN: Valteris Muzas
Tel: +350 5 2709360
Fax: +370 5 2126252
E-mail: lstboard@lsd.lt

Date of Issue of ICD : 28-Sep-2009

Additional Comments :

International Code Designator:

0181

ICD :	0181
Name of Coding System :	(Not Assigned)
Intended Purpose/App. Area :	
Issuing Organization :	
Structure of Code :	
number of characters and their significance, if any: 1)	
identification of the check digit characters, if any: 2)	
Display Requirements :	
Character Repertoire :	
Language(s) Used :	
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	
Notes on Use of Code :	
Alt. Names of Scheme :	
Sponsoring Authority :	
Date of Issue of ICD :	
Additional Comments :	
Record Last Updated :	

International Code Designator:

0182

ICD :	0182
Name of Coding System :	Luxembourgish Healthcare Object Identifiers
Intended Purpose/App. Area :	To provide object identifiers for the Luxembourgish healthcare sector. This includes identifiers for healthcare providing institutions as well as identifiers which are required for semantical interoperability issues (e.g. templateIds, code-set identifiers, etc.)
Issuing Organization :	Agence eSanté 125, route d'Esch L-1471 Luxembourg Tel.: +352 27 12 50 18 1 Fax: +352 27 12 52 30 1 Email: oid-management@agence-esante.lu http://www.agence-esante.lu Contact: Mr. Krippes / Mr. Zimmermann
Structure of Code :	The identifier consists of sequence of digits, which may be separated. 1) Variable-length sequence of decimal digits. 2) No checksum.
Display Requirements :	None
Character Repertoire :	0-9 is the minimum character repertoire
Language(s) Used :	English
Supports Org. Parts? :	Later nodes in the OID tree may support organization parts
Org. Identifier Reuse :	Identifiers must not be reused
Orgs Covered By System :	Institutions of the healthcare sector of Luxembourg
Notes on Use of Code :	The code is primarily intended for registration of Object Identifiers according to ISO/IEC 8824 (ASN.1) Level 1: iso(1) Level 2: identified organization (3) Level 3: <the ICD code allocated> Level 4 and higher: <defined by agence-estante>
Alt. Names of Scheme :	LUXHEALTH-OID
Sponsoring Authority :	ILNAS Luxembourg Centre 34-40, avenue de la Porte-Neuve L-2227 Luxembourg (Lëtzebuerg) Tél: (+352) 46 97 46-1 Fax: (+352) 22 25 24 e-mail: info@ilnas.public.lu B.P.: 10 L-2010 Luxembourg
Date of Issue of ICD :	2013-04-08
Additional Comments :	
Record Last Updated :	2013-04-10 09:56:39 UTC

International Code Designator:

0183

ICD :	0183
Name of Coding System :	Numéro d'identification suisse des entreprises (IDE), Swiss Unique Business Identification Number (UIDB)
Intended Purpose/App. Area :	To uniquely identify all companies/organizations registered in Switzerland in all official register (Swiss Register of Commerce, VAT register, Canton register, etc)
Issuing Organization :	Swiss Federal Statistical Office (FSO), Espace de l'Europe 10 CH-2010 Neuchâtel (Switzerland) Tel.: +41 32 713 85 94 Fax: +41 31 323 62 63
Structure of Code :	CHEXXXXXXXXP UID number, is composed by 9 digits and is random generated and has no internal means. 1) 12 characters CHE: Swiss Country Code following ISO 3166-1. XXXXXXXX: 8 digits for the number itself P: check digit 2) CHEXXXXXXXXP, the last digit
Display Requirements :	There is no requirements. As suggested in the standards eCH-0097 (http://www.ech.ch) the transmission of the UID is without any separator. For display reason is suggested to use this format CHE-XXX.XXX.XXP minus-character ('-') after 'CHE' and separator dot-character ('.') after 6th and 9th character
Character Repertoire :	Country code ISO 3166-1: String "CHE". Numerical characters '0'-'9' for the number and the check.
Language(s) Used :	German, French, Italian
Supports Org. Parts? :	no
Org. Identifier Reuse :	No reuse
Orgs Covered By System :	All Companies/organizations registered in the public Swiss Registers such as the Swiss Register of Commerce, the VAT register, the Social security agencies Registers, Cantons registers, etc., and publish in the UID Register (http://www.uid.admin.ch)
Notes on Use of Code :	The UIDB shall make It possible to identify an enterprise quickly, unambiguously and on a permanent basis. The UIDB and the other identification characteristics associated with it shall be managed via a specific UIDB register. The main identification characteristics (status, address, etc.) shall be accessible to the public.
Alt. Names of Scheme :	Schweizer Unternehmens-Identifikationsnummer (UID), Numéro d'identification suisse des entreprises (IDE), Numero d'identificazione svizzero delle imprese (IDI), Swiss Unique Business Identification Number (UIDB)

Sponsoring Authority :	BAKOM/OFCOM Swiss Federal Office for Communications Postfach, 2501 Biel/Bienne Tel: +41 32 327 55 1 1 Fax: +41 32 327 55 49 Web: http://www.bakom.ch/ Responsible: Laurent Scheggia, Laurent.scheggia@bakom.admin.ch
Date of Issue of ICD :	2013-04-30
Additional Comments :	
Record Last Updated :	2013-04-30 14:41:42 UTC

International Code Designator:

0184

ICD :	0184
Name of Coding System :	DIGSTORG
Intended Purpose/App. Area :	To be used for identifying Danish companies included juridical persons and associations in international trade
Issuing Organization :	The Danish Agency for Digitisation Landgreven 4 Postboks 2193 DK-1017 Copenhagen K Denmark Tel: +45 33 92 52 00 E-mail: digst@digst.dk
Structure of Code :	8 or 10 digits
Display Requirements :	Group of 10 digits
Character Repertoire :	
Language(s) Used :	English
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	Danish companies included juridical persons and associations
Notes on Use of Code :	It is possible to add 0-4 characters set to the code for more detailed use of one organization. Characters are digits or capital letter.
Alt. Names of Scheme :	
Sponsoring Authority :	Dansk Standard (DS) (Danish Standards Foundation) Kollegievej 6 DK-2920 Charlottenlund Denmark
Date of Issue of ICD :	2013-05-08
Additional Comments :	
Record Last Updated :	2013-05-08 19:30:16 UTC

International Code Designator:

0185

ICD :	0185
Name of Coding System :	Perceval Object Code
Intended Purpose/App. Area :	Intended to uniquely identify in an international context any physical and or abstract entities related to Perceval products and services using Abstract Syntax Notation One in accordance with ISO/IEC 8824
Issuing Organization :	Perceval SA, Tenbosch 9, 1000 Brussels, Belgium Mr Henri-Jean Pollet, E-mail hjp@perceval.net Tel +32 2 640 9194, Fax +32 2 640 3154
Structure of Code :	The code is primarily intended for the registration of object identifiers in the International Object Identifier tree in accordance with ISO/IEC 8824 under the top arcs iso(1) identified-organization(3) perceval(International Code Designator value). The lower levels are defined by Perceval. Variable length encoding using dotted notation. No check characters.
Display Requirements :	None.
Character Repertoire :	Digit zero to digit nine.
Language(s) Used :	English primarily but could be any language expressed in UTF-8 Unicode character set
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	Identifiers are not planned to be reused once allocated.
Orgs Covered By System :	Any domestic or foreign party using Perceval products and services
Notes on Use of Code :	The ICD is primarily intended for registration and resolution of Object Identifiers in accordance with ISO/IEC 8824 with reduced encoding size and non-geographic context
Alt. Names of Scheme :	The abbreviation used to refer to the Perceval Object Code is POC
Sponsoring Authority :	NBN (Bureau voor Normalisatie - Bureau de Normalisation) Joseph II-straat 40 bus 6, Rue Jozef II boite 6 1000 Brussels Belgium
Date of Issue of ICD :	2013-12-04
Additional Comments :	
Record Last Updated :	2013-12-04 13:48:49 UTC

International Code Designator:

0186

ICD :	0186
Name of Coding System :	TrustPoint Object Identifiers
Intended Purpose/App. Area :	To uniquely identify objects and mechanisms globally throughout communications networks using TrustPoint security products and services
Issuing Organization :	TrustPoint Innovation Technologies, Attn: Sherry Shannon-Vanstone, 816 Hideaway Circle East, Unit 244 Marco Island, FL 34145 USA http://www.trustpointinnovation.com Tel: +1 905 302 6929 Email: sviconsulting@aol.com
Structure of Code :	1) ICD, 2) Object class, 3) Object number(s) Number of characters and their significance: Object class 1 or 2 digits, Object number(s) multiple levels of 1 or more digits
Display Requirements :	None.
Character Repertoire :	
Language(s) Used :	
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	
Notes on Use of Code :	
Alt. Names of Scheme :	
Sponsoring Authority :	ANSI 25 W. 43rd Street, Floor 4 New York, NY 10036 USA
Date of Issue of ICD :	2013-12-31
Additional Comments :	
Record Last Updated :	2013-12-31 23:54:49 UTC

International Code Designator:

0187

ICD :	0187
Name of Coding System :	Amazon Unique Identification Scheme
Intended Purpose/App. Area :	To provide identifiers for properties, classes, groups, or lists of data and objects specified by or used by Amazon.com, Inc. and its Affiliates
Issuing Organization :	Amazon Technologies, Inc. Post Office Box 8102 Reno, Nevada 89507-8102 United States Contact: Peter Bowen Tel: +1 206 266 1000 E-mail: auis-info@amazon.com
Structure of Code :	Each identifier may have a textual description assigned to describe the identifier. The identifier shall not begin with a zero nor shall the character immediately after a full stop character be a zero unless the zero is the last character in the identifier. 1) Between one and 35 characters each of which is a digit (0 to 9) or a full stop character (.) 2) There is no check character.
Display Requirements :	The textual description may optionally be displayed with the identifier.
Character Repertoire :	The digits zero to nine and the full-stop character (Unicode U+0030 to U+0039 and U+002E)
Language(s) Used :	English
Supports Org. Parts? :	Organization identifiers may optionally have Organization Part Identifiers of up to 35 characters from the same character repertoire as the Organization Identifier.
Org. Identifier Reuse :	Between one hour and one year, depending on the organization identified and reason for reassignment, taking into account technical and administrative issues.
Orgs Covered By System :	Amazon, customers and suppliers of Amazon, organizations and individuals exchanging data with Amazon, and organizations and individuals using Amazon defined identification schemes.
Notes on Use of Code :	Identifiers assigned under this scheme may be usable as Object Identifiers in accordance with ISO/IEC 8824, usable with Directories in accordance with ISO/IEC 9594, usable in accordance with ISO/IEC 8348, or usable in other contexts as defined by Amazon.
Alt. Names of Scheme :	Amazon UIS, AUIS
Sponsoring Authority :	ANSI 25 W. 43rd Street, Floor 4 New York, NY 10036 USA
Date of Issue of ICD :	2015-03-12
Additional Comments :	
Record Last Updated :	2015-03-12 12:01:30 UTC

International Code Designator:

0188

ICD :	0188
Name of Coding System :	Corporate Number of The Social Security and Tax Number System
Intended Purpose/App. Area :	The number system of Japan is a social infrastructure to improve efficiency and the transparency of the social security and the tax system, and to achieve a highly convenient, impartial, and fair society. Additionally, the profit of the number system can be free usage for various purposes, so we want to use the Corporate Number as identifiers in various fields, like in electronic commerce, transportation, etc.
Issuing Organization :	National Tax Agency Japan 3-1-1 Kasumigaseki, Chiyoda-ku, Tokyo 100-8978, JAPAN Telephone: +81 3 3581 5451 E-mail: kokuzei-houjinbangou@nta.go.jp Point of Contact: Tadahisa Kodaira
Structure of Code :	12-digit fundamental numbers, and a one-digit check numeral put ahead of them 1) Figure of 13 digits 2) Figures from 1 to 9 (Formula to calculate the test number) Formula 9- $((n = 1 (\Sigma)_{12} (P_n * Q_n)) \text{ remainder obtained by dividing the } 9)$ P _n : the numeral of the n-th digit of a fundamental number, when counted from the bottom digit. Q _n : one when the "n" is an odd number, two when the "n" is an even one
Display Requirements :	None
Character Repertoire :	Figure of 1,2,3,4,5,6,7,8,9,0
Language(s) Used :	Japanese
Supports Org. Parts? :	None
Org. Identifier Reuse :	It is not recycled
Orgs Covered By System :	national organizations, local governments, juridical entities that have registered their establishment pursuant to the provisions of laws and regulations, such as the Companies Act (Act No. 86 of 2005), and juridical entities other than those mentioned and associations without juridical personality, which are required to submit a written notice pursuant to the provisions of Article 230 of the Income Tax Act, Articles 148, 149, or 150 of the Corporation Tax Act (Act No. 34 of 1965), or Article 57 of the Consumption Tax Act (Act No. 108 of 1988))
Notes on Use of Code :	The preliminary work, numbering the identifiers for the beginning of usage in January 2016, is being done.
Alt. Names of Scheme :	Houjinbango, Corporate Number (CN)
Sponsoring Authority :	Name: JISC(Japanese Industrial Standards Committee) Address: 1-3-1 Kasumigaseki, Chiyoda-ku, Tokyo 100-8901, JAPAN Telephone: +81-3-3501-9287 Facsimile: +81-3-3580-8631 Industrial Science and Technology Policy and Environment Bureau Ministry of Economy, Trade and Industry
Date of Issue of ICD :	2015-10-16
Additional Comments :	
cord Last Updated :	2015-10-16 12:42:38 UTC

International Code Designator:

0189

ICD :	0189
Name of Coding System :	European Business Identifier (EBID)
Intended Purpose/App. Area :	For use in EDI or other B2B exchanges to identify business entities (organizations).
Issuing Organization :	EBID Service AG CAS-Weg 1-5 76131 Karlsruhe Germany E-mail: kontakt@unternehmensverzeichnis.org Phone: +49 721-9638-300
Structure of Code :	XXXXXXXXXXXXC 1) XXXXXXXXXXXXX: Twelve identification digits C: Check digit 2) 13th digit
Display Requirements :	No Requirements
Character Repertoire :	Digits 0-9 Unicode code-points U+0030 through U+0039
Language(s) Used :	German, English
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	Not reused after assigned once
Orgs Covered By System :	The EBID number is used to be allocated to all businesses and institutions engaged in a business activity.
Notes on Use of Code :	The scheme is used to identify organisations, and parts of organisations which are parties to or are referenced in electronic transactions such as EDI messaging or other B2B exchanges.
Alt. Names of Scheme :	
Sponsoring Authority :	DIN Deutsches Institut für Normung e. V. Roman Grahle Burggrafenstr. 6 10787 Berlin Germany roman.grahle@din.de
Date of Issue of ICD :	2016-03-09
Additional Comments :	
cord Last Updated :	2016-03-09 16:54:47 UTC

International Code Designator:

0190

ICD :	0190
Name of Coding System :	Organisatie Identificatie Nummer (OIN)
Intended Purpose/App. Area :	The OIN is part of the Dutch standard 'Digikoppeling' and is used for identifying the organisations that take part in electronic message exchange with the Dutch Government. The OIN must also be included in the PKI certificate.
Issuing Organization :	Logius Postbus 96810 2509 JE Den Haag Netherlands Tel: +31 900 555 4555 Att. Paul van Gent E-mail: paul.van.gent@logius.nl
Structure of Code :	20 digits 1) Structure: prefix(8)- identification number(8 or 9)- suffix(3 or 4) - The first 8 digits prefix designates the origin of the identification number - The following 8 or 9 digits designates a unique identification number - The last 3 or 4 (depending on the length of the identification number are filled with "0" digit [note: Up until 2017 numbers are issued where this position contains a serial number.] 2) No check digit
Display Requirements :	In one group of 20 digits
Character Repertoire :	Digits 0-9 Unicode code-points U+0030 through U+0039
Language(s) Used :	Dutch
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	Reuse of withdrawn OIN's is not allowed
Orgs Covered By System :	The Organization Identification Number (OIN) identifies legal persons for the purpose of electronic message exchange with the Dutch government. The OIN is based on identification of the applicant through the Netherlands Business Register or another affiliated government registrations.
Notes on Use of Code :	The OIN is part of the Dutch standard 'Digikoppeling' and is used for identifying the organisations that take part in electronic message exchange with the Dutch Government. The OIN must also be included in the PKI certificate.
Alt. Names of Scheme :	
Sponsoring Authority :	NEN Vlinderweg 6, Delft P.O. Box 5059 2600 GB Delft Netherlands Att. Jaap van der Marel, Jaap.vanderMarel@nen.nl
Date of Issue of ICD :	2017-11-22
Additional Comments :	
ICD Last Updated :	2017-11-22 18:24:41 UTC

International Code Designator:

0191

ICD :	0191
Name of Coding System :	Company code
Intended Purpose/App. Area :	For use in EDI or other B2B (B2C) exchanges to identify private and public organisations.
Issuing Organization :	Centre of Registers and Information Systems of the Ministry of Justice Lökke 4 19081 Tallinn Estonia E-mail: rik@just.ee Phone +372 663 6300 Fax: +372 646 0165 Web: https://ariregister.rik.ee/index?lang=eng
Structure of Code :	Always 8-digit number 1) First number in code: 1 – Commercial organisations 7 -- State agencies and local government institutions 8 -- Non-profit associations 9 -- Foundations 2)
Display Requirements :	No Requirements
Character Repertoire :	Digits 0,1,2,3,4,5,6,7,8,9 Unicode code-points U+0030 through U+0039
Language(s) Used :	Estonian, English
Supports Org. Parts? :	None.
Org. Identifier Reuse :	It is not reused.
Orgs Covered By System :	Commercial organisations, state agencies, local government institutions, non-profit associations, foundations
Notes on Use of Code :	Company code is major and only unique identifier of all institutions and organisations in Estonia. This code is widely used for various purposes, including electronic commerce. Usage of company code is required in communication between institutions and also in communication between private and public organisations.
Alt. Names of Scheme :	reg. code, company code, commercial register code; in Estonian: registrikood, äriregistri kood
Sponsoring Authority :	Estonian Centre for Standardization Akadeemia tee 21/6 12618 Tallinn Estonia Phone: +372 605 5050 Fax: +372 605 5070 E-mail: info@evs.ee Point of Contact: Martin Merimaa
Date of Issue of ICD :	2018-01-31
Additional Comments :	
cord Last Updated :	2018-01-31 13:28:55 UTC

International Code Designator:

0192

ICD :	0192
Name of Coding System :	Organisasjonsnummer
Intended Purpose/App. Area :	Identify entities registered in the Central Coordinating Register for Legal Entities in Norway
Issuing Organization :	The Brønnøysund Register Centre, Havnegata 48, NO-8900 Brønnøysund Phone: +47 7500 7500 E-mail: firmapost@brreg.no Att: Trine Blix, trbl@brreg.no
Structure of Code : number of characters and their significance, if any: 1) identification of the check digit characters, if any: 2)	9 digits 9 The organization number consists of 9 digits where the last digit is a control digit calculated with standard weights, modulus 11. After this, weights 3, 2, 7, 6, 5, 4, 3 and 2 are calculated from the first digit.
Display Requirements :	None.
Character Repertoire :	Digits 0,1,2,3,4,5,6,7,8,9 Unicode code-points U+0030 through U+0039
Language(s) Used :	Only digits.
Supports Org. Parts? :	No.
Org. Identifier Reuse :	No reuse of identifier.
Orgs Covered By System :	All businesses, associations and other entities registered in the Central Coordinating Register for Legal Entities in Norway.
Notes on Use of Code :	The scheme with ICD code + organization number will be used to identify organisations that are parties to or referenced in electronic transactions such as electronic invoicing or other B2B exchanges.
Alt. Names of Scheme :	Org.nr.
Sponsoring Authority :	Standards Norway, P.O. Box 242, NO-1326 Lysaker, Norway Phone: +47 67 83 86 00 E-mail: info@standard.no Att: Kari S. Borgos, ksb@standard.no
Date of Issue of ICD :	2018-04-03
Additional Comments :	
cord Last Updated :	2018-04-03 19:28:57 UTC

International Code Designator:

0193

ICD :	0193
Name of Coding System :	UBL.BE Party Identifier
Intended Purpose/App. Area :	Identification and addressing of different parties involved in invoicing
Issuing Organization :	UBL.BE 161, Drève Richelle, boîte 71 B-1410 Waterloo Belgium Phone: +32 475345713 E-mail: info@ubl.be Attn: Simons Paul
Structure of Code : number of characters and their significance, if any: 1) identification of the check digit characters, if any: 2)	Maximum 50 characters 4 Characters fixed length identifying the type Maximum 46 characters for the identifier itself
Display Requirements :	None.
Character Repertoire :	UTF-8 character set
Language(s) Used :	None
Supports Org. Parts? :	No.
Org. Identifier Reuse :	N.A.
Orgs Covered By System :	Any entity that can be addressed in an invoice.
Notes on Use of Code :	The UBL.BE Party Identifier is used to identify the different parties that appear in an invoice.
Alt. Names of Scheme :	N.A.
Sponsoring Authority :	NBN Rue Joseph II 40, PO Box 6 B-1000 Brussels Belgium
Date of Issue of ICD :	2018-06-05
Additional Comments :	
cord Last Updated :	2018-06-05 13:27:37 UTC

International Code Designator:

0194

ICD :	0194
Name of Coding System :	KOIOS Open Technical Dictionary
Intended Purpose/App. Area :	The KOIOS OTD is a collection of terminology defined by and obtained from consensus bodies such as ISO, IEC, and other groups that have a consensus process for developing terminology. The KOIOS OTD contains terms, definitions, and images of concepts used to describe individuals, organizations, locations, goods and services. The KOIOS OTD conforms to ISO 22745 (all parts) and is designed to enable the exchange of characteristic data in all stages of the life-cycle of an item, and to ensure that the resulting specifications conform to ISO 8000-110.
Issuing Organization :	KOIOS Master Data Limited Fareham Innovation Centre 4 Meteor Way Lee-on-the-Solent, Hampshire PO13 9FU UK Person Responsible: Simon Towner Mail: simon.towner@koiosmasterdata.com Phone: +44 2393 877 599 URL: https://www.koiosmasterdata.com
Structure of Code :	Internal: 99999999 External: AAAAAA (alpha-numeric)
number of characters and their significance, if any: 1)	Internal: Minimum 8 characters starting with 10000000 unique per table, where the set of digits designate the Sequence Identifier External: 6 characters, alpha-numeric (base-36 version of the internal number)
identification of the check digit characters, if any: 2)	None
Display Requirements :	Internal: 99999999; group of 8+ digits External: 6 alpha numeric characters.
Character Repertoire :	Internal: 1 - 9 for starting character(s) and 0 - 9 for trailing 7 characters External: A-Z, 0-9 for all characters
Language(s) Used :	English
Supports Org. Parts? :	No.
Org. Identifier Reuse :	99 years
Orgs Covered By System :	All organisations who have the need to create, and/or, exchange characteristic data to that conforms to the requirements set out in the standard ISO 8000-110
Notes on Use of Code :	No further notes
Alt. Names of Scheme :	KOIOS OTD; KOIOS Concept Dictionary
Sponsoring Authority :	ISO/TC 184/SC 4 Kenneth Swope - chair ISO/TC 184/SC 4 kenneth.a.swope@boeing.com
Date of Issue of ICD :	2018-07-23
Additional Comments :	
Record Last Updated :	2018-07-23 13:07:34 UTC

International Code Designator:

0195

ICD :	0195
Name of Coding System :	Singapore Nationwide E-Invoice Framework
Intended Purpose/App. Area :	Identifier of organization
Issuing Organization :	Infocomm Media Development Authority 10 Pasir Panjang Road #03-01 Mapletree Business City Singapore 117438
Structure of Code :	
number of characters and their significance, if any: 1)	The code comprises of 3 fields, 1st field = ICD 2nd field = Special identifier (e.g. country identifier, test identifier, etc) 3rd field = Organisation identifier
identification of the check digit characters, if any: 2)	No check value
Display Requirements :	None, except all fields are left justified
Character Repertoire :	Alphanumeric (0-9 and upper and lower case a-z)
Language(s) Used :	English
Supports Org. Parts? :	No
Org. Identifier Reuse :	Reuse is prohibited
Orgs Covered By System :	Any organization in need of a unique organisation Identifier to participate in Singapore nationwide e-invoice framework
Notes on Use of Code :	For use in electronic messages in accordance to the Singapore nationwide e-invoice framework on Identification of organization
Alt. Names of Scheme :	None
Sponsoring Authority :	Enterprise Singapore 1 Fusionopolis Walk #01-02 South Tower, Solaris Singapore 138628 Tel: +65 68981800 Email: standards@enterprisesg.gov.sg
Date of Issue of ICD :	2018-08-12
Additional Comments :	
Record Last Updated :	2018-08-12 16:49:27 UTC

International Code Designator:

0196

ICD :	0196
Name of Coding System :	Íslensk kennitala Icelandic identifier
Intended Purpose/App. Area :	Identification of Icelandic individuals and legal entities
Issuing Organization :	For individual, identifiers starting with 0 to 3 Icelandic National Registry, www.skra.is Tel: +354 515 5300 For legal entities, identifiers starting with 4 to 9 Directorate of Internal Revenue, www.rsk.is Tel: +354 442 1000
Structure of Code :	10 digit string using numerical characters from 0 to 9
number of characters and their significance, if any: 1)	Based on individuals birthdate or legal entities registration date D ₁ D ₂ M ₁ M ₂ Y ₁ Y ₂ R ₁ R ₂ CM D = day, M = month, Y = year, R = random. C = checksum, M = century.
identification of the check digit characters, if any: 2)	Ninth character "C": $C = 11 - ((3xD_1 + 2xD_2 + 7xM_1 + 6xM_2 + 5xY_1 + 4xY_2 + 3xR_1 + 2xR_2) \bmod 11)$
Display Requirements :	Whole string: nnnnnnnnnn Commonly displayed with hyphen between Y ₂ and R ₁ , e.g. nnnnnn-nnnn
Character Repertoire :	Numerical characters from 0 to 9
Language(s) Used :	Not relevant
Supports Org. Parts? :	No
Org. Identifier Reuse :	None
Orgs Covered By System :	Individuals and legal entities with a legal presence in Iceland.
Notes on Use of Code :	The identifiers are publicly published and shared without secrecy.
Alt. Names of Scheme :	
Sponsoring Authority :	Icelandic Standards Thorunnartuni 2 105 Reykjavik Iceland Tel: +354 520 7150
Date of Issue of ICD :	2018-10-26
Additional Comments :	
Record Last Updated :	2018-10-26 14:18:07 UTC

International Code Designator:

0197

ICD :	0197
Name of Coding System :	APPLiA PI Standard
Intended Purpose/App. Area :	Through their European industry association APPLiA (Home Appliance Europe), manufacturers of home appliances have launched the Product Information (PI) initiative. The initiative introduces a standard structure for product information. PI Standard helps retailers to take full advantage of electronic communication and data processing, as the Internet and ICT are fundamentally changing how products and services are offered, bought, and sold.
Issuing Organization :	APPLiA Home Appliance Europe Boulevard Brand Whitlock, 114 Brussels, 1200 Belgium Contact person: Eoin Kelly E-mail: eoin.kelly@applia-europe.eu
Structure of Code :	Defined in line with ISO/IEC 6523 specification - Format: [ICD]-[OID]#[CSI]-[IID]#[VI]
number of characters and their significance, if any: 1)	ICD: International Code Designator (4-digit) OID: Organisation Identifier (2-character) CSI: Code Space Identifier (2-character) IID: Item code Identifier (6-character) VI: Version identifier (4-digit)
identification of the check digit characters, if any: 2)	N/A
Display Requirements :	The identifier should contain the defined octothorpe. Example representing a product group: 1108-01#01-000001#1601
Character Repertoire :	
Language(s) Used :	EN
Supports Org. Parts? :	No
Org. Identifier Reuse :	N/A
Orgs Covered By System :	Manufacturers, suppliers, and Trade Partners in the Home Appliances sector.
Notes on Use of Code :	The code identifies all elements of the APPLiA PI standard.
Alt. Names of Scheme :	
Sponsoring Authority :	Bureau de Normalisation Rue Joseph II, 40 B-1000 Bruxelles Belgium Tel: +32 2 738 01 11 Fax: +32 2 733 42 64 E-mail: tech@nbn.be Contact: Andre Madarasz
Date of Issue of ICD :	2018-12-12
Additional Comments :	
Record Last Updated :	2018-12-12 12:14:58 UTC

International Code Designator:

0198

ICD :	0198
Name of Coding System :	ERSTORG
Intended Purpose/App. Area :	To be used for identifying Danish companies based on VAT numbers included juridical
Issuing Organization :	The Danish Business Authority Langelinie Alie 17 DK-2100 Copenhagen Ø Denmark Att. Ole Madsen Tel: +45 35 29 10 00 E-mail: erst@erst.dk
Structure of Code :	DKXXXXXXXX
number of characters and their significance, if any: 1)	Two characters (DK) followed by 8 digits eg. DK12345678
identification of the check digit characters, if any: 2)	
Display Requirements :	10 characters, no space or other separator
Character Repertoire :	
Language(s) Used :	EN
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	Danish company VAT-number ("SE-number")
Notes on Use of Code :	Used to identify Danish VAT companies detailed use of one organization. Characters are digits or capital letter.
Alt. Names of Scheme :	
Sponsoring Authority :	Dansk Standard (DS) (Danish Standards Foundation) Kollegievej 6 DK-2920 Charlottenlund Denmark
Date of Issue of ICD :	2018-12-12
Additional Comments :	
Record Last Updated :	2018-12-12 12:38:37 UTC

International Code Designator:

0199

ICD :	0199
Name of Coding System :	Legal Entity Identifier (LEI)
Intended Purpose/App. Area :	<p>The LEI is the global, open identifier established at the urging of the Financial Stability Board and the recommendation of the G20. The LEI is established as the ISO 17442 standard, is governed by the LEI Regulatory Oversight Committee (LEI-ROC) and has been implemented by the Global Legal Entity Identifier Foundation (GLEIF).</p> <p>The LEI code connects to key reference information that enables clear and unique identification of legal entities participating in financial transactions. Each LEI contains information about an entity's ownership structure and thus answers the questions of 'who is who' and 'who owns whom'.</p> <p>Simply put, the publicly available LEI data pool can be regarded as a global directory, which greatly enhances transparency in the global marketplace.</p> <p>Already applied very broadly within financial regulation and rapidly being adopted for KYC and a number of other purposes in financial markets, the LEI is set to spread into a range of other fields, including trade facilitation, business reporting and supply chain management.</p>
Issuing Organization :	<p>As of December 2018, there are 33 LEI issuing organizations in the world. Please refer to the below web page to find individual organization:</p> <p>https://www.gleif.org/en/about-lei/get-an-lei-find-lei-issuing-organizations</p> <p>Those LEI issuers are accredited and managed by GLEIF, a central operating unit of the global LEI system.</p>
Structure of Code :	<p>The ISO 17442 standard specifies the minimum reference data, which must the format of the organization identifiers, be Supplied for each LEI:</p> <ul style="list-style-type: none">• The official name of the legal entity as recorded in the official registers.• The registered address of that legal entity.• The country of formation.• The codes for the representation of names of countries and their subdivisions.• The date of the first LEI assignment; the date of last update of the• LEI information; and the date of expiry, if applicable. <p>Additional information may be registered as agreed between the legal entity and its LEI issuing organization.</p> <p>The number allocation scheme was further specified in Annex 2 of</p>

<p>number of characters and their significance, if any: 1)</p>	<p>the Financial Stability Board's third progress note on the Global LEI Initiative on 24 October 2012:</p> <ul style="list-style-type: none"> • Characters 1 -4: A four character prefix allocated uniquely to each LEI issuer. • Characters 5-6: Two reserved characters set to zero. • Characters 7-18: Entity-specific part of the code generated and assigned by LOUs according to transparent, sound and robust allocation policies. • Characters 19-20: Two check digits as described in the ISO 17442 standards. The check digit scheme follows ISO/IEC 7064 (MOD 97-10) and contributes to avoiding typing errors. <p>See http://www.fsb.org/wp-content/uploads/r_121024.pdf?page_moved=1</p> <p>1:)</p> <p>1. a) Character representations:</p> <ul style="list-style-type: none"> • n: digits (numeric characters 0 to 9 only); • a: uppercase letters (alpha character, A-Z only, without "special" characters such as blanks, separators or punctuation). <p>2. b) Length indications:</p> <ul style="list-style-type: none"> • nn!: fixed length; • nn: maximum length. <p>The format of the LEI shall be -18!an2!n.</p> <p>The LEI consists of 20 characters decomposed as follows: characters (18!an) without separators or "special" characters; the 19th and 20th characters (2!n) shall be the check digit or digits, as calculated from the scheme defined in this International Standard.</p>
<p>identification of the check digit characters, if any: 2)</p>	<p>2:)</p> <p>The check digits shall be calculated based on the scheme defined in ISO/IEC 7064 (MOD 97-10). See Annex A. The check digits are used to verify the LEI.</p> <p>1. Convert letters to digits in accordance with the following:</p> <p>A=10 B=11 C=12 D=13 E=14 F=15 G=16 H=17 I=18 J=19 K=20 L = 21 M =22 N =23 O =24 P =25 Q = 26 R = 27 S = 28 T = 29 U = 30 V = 31 W = 32 X = 33 Y = 34 Z = 35</p> <p>2. Apply the check character system, MOD 97-10, in accordance with ISO/IEC 7064.</p> <p>3. If the remainder is 1 (one), the number is valid.</p> <p>Generating the check digits</p>

	<p>4. Add "00" to the right-hand end of the LEI.</p> <p>5. Convert alpha characters into numeric characters in accordance with letters in #1.</p> <p>6. Apply the check character system, MOD 97-10, in accordance with ISO/IEC 7064.</p>
Display Requirements :	The entire 20 character code (including the check digits)
Character Repertoire :	The LEI standard comes in "20 characters, alphanumeric, no special characters".
Language(s) Used :	English and any local languages.
Supports Org. Parts? :	Subdivisions or parts of a legal entity are not provided. However, the LEI reference data collection does include relationships between legal entities. Specifically, legal entities that have or acquire an LEI report their 'direct accounting consolidating parent' as well as their 'ultimate accounting consolidating parent'.
Org. Identifier Reuse :	Reallocation is not permitted. The LEI code is unique to a legal entity, persistent throughout the life of the legal entity, and never reused.
Orgs Covered By System :	Legal entities in the world. The term "legal entities" includes, but is not limited to, unique parties that are legally or financially responsible for the performance of financial transactions or have the legal right in their jurisdiction to enter independently into legal contracts, regardless of whether they are incorporated or constituted in some other way (e.g. trust, partnership, contractual). It excludes natural persons, but includes governmental organizations and supranationals.
Notes on Use of Code :	The LEI is a global standard, designed to be non-proprietary data that is freely accessible to all.
Alt. Names of Scheme :	LEI
Sponsoring Authority :	Global Legal Entity Identifier Foundation, Alban-Vorstadt 5, PO Box, 4002 Basel, Switzerland Tel. +4969907499951
Date of Issue of ICD :	2019-01-09
Additional Comments :	
Record Last Updated :	2010-01-09 13:33:23 UTC

International Code Designator:

0200

ICD :	0200
Name of Coding System :	Legal entity code
Intended Purpose/App. Area :	For use in EDI (electronic data interchange) for C2B and others exchanges to identify legal entities
Issuing Organization :	State Enterprise Centre of Registers Vinco Kudirkos 18-3 LT- 03219, Vilnius Lithuania Phone: +3702688202 e-mail: info@reksitrucentras.lt
Structure of Code :	
number of characters and their significance, if any: 1)	9 (nine) digits
identification of the check digit characters, if any: 2)	Each legal entity's code number is multiplied by 1, 2, 3, 4, 5, 6, 7, 8 (weighting) starting from the left-hand side of the code. Calculates the sum of the product, divided by 11. The remainder of the division, which must be less than 10, is the 9th, control, number of the legal entity's code.
Display Requirements :	No Requirements
Character Repertoire :	digits 0-9
Language(s) Used :	Lithuanian, English
Supports Org. Parts? :	No
Org. Identifier Reuse :	No reuse after assignment
Orgs Covered By System :	All private and public entities, organizations, companies, communities and others legal units, their branches and representatives registered in Register of Legal Entities
Notes on Use of Code :	
Alt. Names of Scheme :	
Sponsoring Authority :	Lithuanian Standards Board Algirdo g. 31, 03219 Vilnius, Lithuania Telephone +370 5 270 9360, E-mail: lstboard@lsd.lt, www.lsd.lt
Date of Issue of ICD :	2019-02-06
Additional Comments :	
Record Last Updated :	2019-02-06 13:01:57 UTC

International Code Designator:

0201

ICD :	0201
Name of Coding System :	Codice Univoco Unità Organizzativa iPA
Intended Purpose/App. Area :	Used to identify uniquely all organizational units of public bodies, authorities and public services in Italy
Issuing Organization :	Agenzia per l'Italia digitale Via Liszt 21 00144 Roma Italy Tel: +39 06852641 Email: protocollo@pec.agid.gov.it
Structure of Code :	
number of characters and their significance, if any: 1)	String of 6 alphanumeric characters
identification of the check digit characters, if any: 2)	
Display Requirements :	None
Character Repertoire :	Alphanumeric characters
Language(s) Used :	
Supports Org. Parts? :	No
Org. Identifier Reuse :	No
Orgs Covered By System :	All organizational units of public bodies, authorities and public services in Italy
Notes on Use of Code :	
Alt. Names of Scheme :	
Sponsoring Authority :	UNINFO Via Sanfront 1 10138 Torino Italy Tel. +39 011501027 Email: uninfo@uninfo.it
Date of Issue of ICD :	2019-04-10
Additional Comments :	
Record Last Updated :	2019-04-10 15:07:07 UTC

International Code Designator:

0202

ICD :	0202
Name of Coding System :	Indirizzo di Posta Elettronica Certificata
Intended Purpose/App. Area :	Used to identify senders and receivers of certified electronic mail as defined by Italian law
Issuing Organization :	Agenzia per l'Italia digitale Via Liszt 21 00144 Roma Italy Tel: +39 06852641 Email: protocollo@pec.agid.gov.it
Structure of Code :	Email address as defined by RFC 5322, § 3.4 ("Address Specification"); the PEC infrastructure is defined by RFC 6109 and subsequent RFCs
number of characters and their significance, if any: 1)	
identification of the check digit characters, if any: 2)	
Display Requirements :	None
Character Repertoire :	Printable ASCII characters
Language(s) Used :	English, Italian
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	No
Orgs Covered By System :	Individuals, legal entities and organizational units thereof
Notes on Use of Code :	
Alt. Names of Scheme :	Certified Electronic Mail, PEC
Sponsoring Authority :	UNINFO Via Sanfront 1 10138 Torino Italy Tel. +39 011501027 Email: uninfo@uninfo.it
Date of Issue of ICD :	2019-04-10
Additional Comments :	
Record Last Updated :	2019-04-10 15:17:08 UTC

International Code Designator:

0203

ICD :	0203
Name of Coding System :	eDelivery Network Participant identifier
Intended Purpose/App. Area :	Used as an electronic address identifier for participants within a secure data communication network.
Issuing Organization :	Name of IO: Agency for Digital Government Address: Storgatan 37 852 30 Sundsvall Contact: Martin.volcker@digg.se +46708252424
Structure of Code : number of characters and their significance, if any: 1) identification of the check digit characters, if any: 2)	Structured as a domain name with top domain and one or more subdomain with hierarchy from right to left. Each level is separated with a period sign.
Display Requirements :	
Character Repertoire :	Letters, numbers, period sign and dashes/hyphens.
Language(s) Used :	English
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	
Orgs Covered By System :	Any organisation which participates in the secure data network.
Notes on Use of Code :	
Alt. Names of Scheme :	
Sponsoring Authority :	Swedish Institute for Standards Box 45443 104 31 Stockholm info@sis.se or kundservice@sis.se +46 8 555 520 00 or +46 555 523 10
Date of Issue of ICD :	2019-09-19
Additional Comments :	
Record Last Updated :	2019-09-19 16:30:06 UTC

International Code Designator:

0204

ICD :	0204
Name of Coding System :	Leitweg-ID
Intended Purpose/App. Area :	Identification of Public Authorities
Issuing Organization :	Koordinierungsstelle für IT-Standards (KoSIT) Freie Hansestadt Bremen Die Senatorin für Finanzen Referat 44 Mr. Lars Rölker-Denker Rudolf-Hilferding-Platz 1 28195 Bremen Germany E-mail: xrechnung@finanzen.bremen.de Tel: +4942136190422
Structure of Code :	Up to 44 alphanumeric characters Format: "Up to 12 numeric characters – up to 30 alphanumeric characters – 2 numeric characters"
number of characters and their significance, if any: 1)	Up to 12 numeric characters – up to 30 alphanumeric characters -
identification of the check digit characters, if any: 2)	2 numeric characters
Display Requirements :	Whole string
Character Repertoire :	alphanumeric characters
Language(s) Used :	Not relevant
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	None
Orgs Covered By System :	Identification of Public Authorities
Notes on Use of Code :	The identifiers are made public by the public authorities itself.
Alt. Names of Scheme :	
Sponsoring Authority :	DIN Deutsches Institut für Normung e. V. Saatwinkler Damm 42/43 13627 Berlin Germany Tel.: + 49 30 2601- 2796 Fax: + 49 30 2601- 42796 Contact Name: Samarkhel-Khan Yahya E-Mail: Samarkhel-Khan.Yahya@din.de
Date of Issue of ICD :	2019-09-30
Additional Comments :	
Record Last Updated :	2019-09-30 23:56:04 UTC

International Code Designator:

0205

ICD :	0205
Name of Coding System :	CODDEST
Intended Purpose/App. Area :	Electronic Invoicing through SdI, the Exchange System used in Italy where the electronic invoices are transmitted to the Public Administration (Article 1, paragraph 211, of Italian Law no. 244 of 24 December 2007) or to private entities (Article 1, paragraph 2, of Legislative Decree 127/2015)
Issuing Organization :	<p>Agenzia delle Entrate Via Giorgione 106 00147 ROMA Italy</p> <p>E-mail: dc.ti.sisd@agenziaentrate.it Tel: +39 06 50543735</p>
Structure of Code :	The code is 7 alphanumeric characters
number of characters and their significance, if any: 1)	Random, no specific significance
identification of the check digit characters, if any: 2)	
Display Requirements :	
Character Repertoire :	A to Z (upper case) and 0 to 9
Language(s) Used :	Italian
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	All business organisations
Notes on Use of Code :	For invoices to private parties it contains the 7-digit alphanumeric code, generated by the Exchange System (SdI) in a randomised mode and assigned by it to subjects who have required a transmission channel. For example, if the recipient has not required a channel the item must be valued with all zeros ('0000000')
Alt. Names of Scheme :	1.1.4 <CodiceDestinatario>
Sponsoring Authority :	<p>UNINFO Via Sanfront, 1/C 10138 Torino Italy</p> <p>E-mail: uninfo@uninfo.it Tel: +39 011 501027</p>
Date of Issue of ICD :	2019-10-14
Additional Comments :	
Record Last Updated :	2019-10-14 14:27:05 UTC

International Code Designator:

0206

ICD :	0206
Name of Coding System :	Registre du Commerce et de l'Industrie : RCI
Intended Purpose/App. Area :	To provide identifiers for organizations at national level in Monaco
Issuing Organization :	Agence Monégasque de Sécurité Numérique (AMSN) Direction de l'expansion économique 24 rue du Gabian 98000 MONACO Tel: +377-98982493
Structure of Code :	Number of characters : from 8 to 9 characters (RCI)
number of characters and their significance, if any: 1)	The number format is described below : - 2 digits (year of creation) - 1 or 2 letters (A, P, S, MT, C...) - 5 digits (registration number of the organization)
identification of the check digit characters, if any: 2)	There is no check character
Display Requirements :	The identification number is a concatenated string of the characters, without spaces and left justified For instance : "98P00421" or "19MT04331"
Character Repertoire :	00-99 for the first segment of digits (2 digits) A-Z and AA-ZZ for the segment of letters (1 or 2) 00001-99999 for the second segment of digits (5 digits)
Language(s) Used :	French
Supports Org. Parts? :	
Org. Identifier Reuse :	Not reused after assigned once
Orgs Covered By System :	Enterprises (individual enterprises or companies) in the field of agriculture, industry, trade, services, associations, authorities, public entities, active in Monaco. Number of units covered: approximately 7000
Notes on Use of Code :	The RCI number is used in Monaco mainly for the official registration in the Trade and Industry Register and as the only number used between authorities and organizations, and between authorities when dealing with data interchange on organizations.
Alt. Names of Scheme :	
Sponsoring Authority :	Association Française de Normalisation: AFNOR 11 rue Francis de Pressensé 93571 La Plaine Saint-Denis Cedex France Tel: + 33 1 41 61 80 00
Date of Issue of ICD :	2020-01-20
Additional Comments :	
Record Last Updated :	2020-01-20 18:50:04 UTC

International Code Designator:

0207

ICD :	0207
Name of Coding System :	PiLog Ontology Codification Identifier (POCI)
Intended Purpose/App. Area :	A repository of concepts pertaining to any entity such as products, services, business partners, assets, organizations, locations, persons, addresses, languages, records etc along with the terminologies to describe each entity using class, characteristics, values, JoMs, QoMs, groups, definitions, guidelines, images, drawings, pictures. codes and any classification thereof. The codification will help exchange/integrate the data between operational, ERP, CRM, SRM or any other systems without any human interpretation and interaction without losing the meaning of the information in multiple languages, this will help organizations achieve their digital transformation goals more precisely in order to assess the real value-proposition of the underlying data that is driving their businesses.
Issuing Organization :	PiLog Group Centurion Gate Corner of PiLog Blvd & Akkerboom Street Centurion South Africa 0157
Structure of Code :	The format of codification schema is 1) ICD - 4 digits 2) Organization Identifier - 4 di ~it (Optional) 3) Concept Type - 2 digits 4) Concept Unique Identifier - 8 digits 5) Concept Version Identifier - 1 digit 6) No check digit is required Format: nnnn - xxxx # nn - nnnnnnnn # n
number of characters and their significance, if any: 1)	
identification of the check digit characters, if any: 2)	
Display Requirements :	99-99999999
Character Repertoire :	0-9 for all characters
Language(s) Used :	English & others
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	10 years
Orgs Covered By System :	These codes have been widely used by OTD customers and intended to be used by all the users or organizations that utilizes the PiLog repositories to be compliant with ISO 8000, ISO 22745, ISO 29002, ISO 11179, ISO 15926
Notes on Use of Code :	
Alt. Names of Scheme :	PiLog's Open Technical Data Repositories & Ontology
Sponsoring Authority :	SABS 1 Dr Lategan Rd Groenkloof, Pretoria 0027, South Africa Tel: +27 12 428 7911
Date of Issue of ICD :	2020-04-01
Additional Comments :	
Record Last Updated :	2020-04-01 13:36:33 UTC

International Code Designator:

0208

ICD :	0208
Name of Coding System :	Numero d'entreprise / ondernemingsnummer / Unternehmensnummer
Intended Purpose/App. Area :	Identification number attributed by the BCE/KBO/ZDU (the Belgian register) to identify entities and establishment units operating in Belgium
Issuing Organization :	Banque-Carrefour des Entreprises (BCE) / Kruispuntbank van Ondernemingen (KBO) / Zentrale Datenbank der Unternehmen (ZOU) Service public fédéral Economie, P.M.E. Classes moyennes et Energie City Atrium C Rue du Progrés 50 1210 Bruxelles Tel: +32 800 120 33 Fax: +32 2 277 50 82 E-mail: helpdesk.kbo-bce@economie.fgov.be
Structure of Code : number of characters and their significance, if any: 1)	10 numeric characters. 1. Enterprise identification number (FR: "numéro d'entreprise" / NL: "ondernemingsnummer" / DE: "Unternehmensnummer"): the first digit has to be "0" or "1" 2. Establishment unit identification number (FR: "numéro d'unité d'établissement" / NL: "vestigingseenheidsnummer"/ DE: "Nummer der Niederlassungseinheit"): the first digit has to be "2".
identification of the check digit characters, if any: 2)	The two last characters are check digits. They are the result of the following computation: $97 - ((8 \text{ first digits}) \text{ modulo } 97)$.
Display Requirements :	The identification number can be displayed in the following ways: For enterprise numbers: - a group of four digits, then two groups of three digits, each group separated by a dot. Example: 1234.456.789 - one digit, then three groups of three digits, each separated by a dot. Example: 1.234.456. 789 For establishment unit numbers: - one digit, then three groups of three digits, each separated by a dot. Example: 2.123.456. 789
Character Repertoire :	numeric
Language(s) Used :	Dutch, French, German
Supports Org. Parts? :	Yes. When the first digit is "2", the number identifies an establishment unit, which is a part of an entity
Org. Identifier Reuse :	Not applicable
Orgs Covered By System :	Must register in the BCE/KBO/ZDU and are considered to be - legal persons under Belgian law; - any natural person who pursues a professional activity in Belgium independently, except for the natural persons referred to in Article III.49, § 2, 6° and 9° of the Code of Economic Law, namely natural persons whose professional activity in a self-employed capacity consists in the exercise of one or more administrative mandates as well as natural persons who pursue an activity in Belgium in the collaborative economy;

	<ul style="list-style-type: none"> - legal persons under foreign or international law having a registered seat in Belgium; - any organization without legal personality which, in Belgium, is either a company, or is subject to social security as an employer, or is subject to value added tax; - establishments, bodies and services under Belgian law that carry out activities for the public benefit or associated with public order and that have financial and accounting autonomy which is separate from that of the legal persons under Belgian law on which they depend; - any natural person, legal person under foreign or international law or any other organization without legal personality required to register under Belgian specific legislation.
Notes on Use of Code :	
Alt. Names of Scheme :	NL: KBO-nummer FR: numéro BCE DE: ZOU nummer
Sponsoring Authority :	<p>Bureau de Normalisation</p> <p>Rue Joseph II 40, boîte 6 1000 Bruxelles Belgium</p> <p>Tel: +32 2 738 01 11 Fax: +32 2 733 42 64 E-mail: tech@nbn.be</p> <p>André Madarasz</p>
Date of Issue of ICD :	2020-04-01
Additional Comments :	
Record Last Updated :	2020-04-01 14:46:58 UTC

International Code Designator:

0209

ICD :	0209
Name of Coding System :	GS1 identification keys
Intended Purpose/App. Area :	GS1 identification keys and key qualifiers may be used by an information system to refer unambiguously to an entity such as a trade item, logistics unit, physical location, document, or service relationship.
Issuing Organization :	GS1 Avenue Louise 326 1050 Brussels BELGIUM Tel: +32 495 52 9444 Fax: +32 2 788 78 99 Contact: Henri Barthel Email: henri.barthel@gs1.org
Structure of Code :	The code will include an application identifier indicating the type of GS1 identification key used for an object, followed by the value of the key. The string can be completed by other application identifiers indicating attributes related to the GS1 ID key and the value of these attributes related to the identified object.
number of characters and their significance, if any: 1)	Variable length, depending on the type of GS1 ID key and attributes being encoded
identification of the check digit characters, if any: 2)	
Display Requirements :	None
Character Repertoire :	The character set is a subset of ISO/IEC 646, specified in the GS1 General Specifications, available at https://www.gs1.org/standards .
Language(s) Used :	English
Supports Org. Parts? :	GS1 Identification keys include a prefix assigned by a GS1 organisation to a licensee.
Org. Identifier Reuse :	The re-use of identifiers depends on the nature of the GS1 identification key. The key management and re-use rules are specified in the general GS1 specifications.
Orgs Covered By System :	Any organization that needs to identify uniquely trade items, logistics units, physical locations, documents, or service relationships.
Notes on Use of Code :	GS1 identification keys are used by millions of organizations in the world. They are widely adopted by the consumer goods, health care and other industries.
Alt. Names of Scheme :	GS1 ID keys
Sponsoring Authority :	GS1 AISBL avenue Louise 326 B-1050 Brussels BELGIUM Contact: Henri Barthel, henri.barthel@gs1.org, +32 495 52 9444
Date of Issue of ICD :	2020-07-07
Additional Comments :	
Record Last Updated :	2020-07-07 21:26:34 UTC

International Code Designator:

0210

ICD :	0210
Name of Coding System :	CODICE FISCALE
Intended Purpose/App. Area :	Electronic Invoicing and e-procurement
Issuing Organization :	Agenzia delle Entrate Via Giorgione 106 00147 ROMA Italy dc.ti.sisd@agenziaentrate.it Tel. +39 06 50543735
Structure of Code :	The code is 16 alphanumeric digits for natural persons or 11 numeric digits for legal persons.
number of characters and their significance, if any: 1)	The code is 16 alphanumeric digits for natural persons, with this structure: 3 digits - Surname according to specific rules 3 digits - Name according to specific rules 2 digits - Last two digits of year of birth 1 digit - Month of birth according to a specific conversion table 2 digits - Day of birth and gender 4 digits - Place of birth in a "Belfiore" code 1 digit - CIN – Control Internal Number
identification of the check digit characters, if any: 2)	The code is 11 numeric digits for legal persons, with this structure: 7 digits - Progressive number 3 digits - Revenue Office ID 1 digit - check Last digit for natural persons - CIN - Control Internal Number Last digit for legal persons - Check
Display Requirements :	
Character Repertoire :	A to Z (upper case) and 0 to 9
Language(s) Used :	Italian
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	Individuals or subjects other than natural persons residing in Italy
Notes on Use of Code :	Codice fiscale is the Italian tax identification number and is the code that serves to unambiguously identify individuals or subjects other than natural persons residing in Italy. Designed by and for the Italian tax Agency, it is now used for several other purposes, e.g. uniquely identifying individuals in the health system, or subjects who act as parties in public or private contracts. The code is issued by the Italian tax Agency
Alt. Names of Scheme :	1.2.1.2 <CodiceFiscale> 1.3.1.2 <CodiceFiscale> 1.4.1.2 <CodiceFiscale>
Sponsoring Authority :	UNINFO Via Sanfront, 1/C 10138 Torino Italy unnfo@uninfo.it Tel. +39 011 501027
Date of Issue of ICD :	2020-12-18
Additional Comments :	
Record Last Updated :	2020-12-18 16:22:55 UTC

International Code Designator:

0211

ICD :	0211
Name of Coding System :	PARTITA IVA
Intended Purpose/App. Area :	Electronic Invoicing and e-procurement
Issuing Organization :	Agenzia delle Entrate Via Giorgione 106 00147 ROMA Italy dc.ti.sisd@agenziaentrate.it Tel. +39 06 50543735
Structure of Code :	The code is 11 numeric digits
number of characters and their significance, if any: 1)	First 7 digits is a progressive number The following 3 digits means the province of residence The last digit is a check number, calculated using Luhn's Algorithm
identification of the check digit characters, if any: 2)	The last digit is a check number, calculated using Luhn's Algorithm
Display Requirements :	
Character Repertoire :	0 to 9
Language(s) Used :	Italian
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	All business organisations
Notes on Use of Code :	VAT registration number is an identifier used for value added tax purposes
Alt. Names of Scheme :	<IdFiscaleIVA>
Sponsoring Authority :	UNINFO Via Sanfront, 1/C 10138 Torino Italy unnfo@uninfo.it Tel. +39 011 501027
Date of Issue of ICD :	2020-12-18
Additional Comments :	
Record Last Updated :	2020-12-18 16:43:57 UTC

International Code Designator:

0212

ICD :	0212
Name of Coding System :	Finnish Organization Identifier
Intended Purpose/App. Area :	Identification scheme will be used for electronic trade purposes in e-invoicing, purchasing, electronic receipts
Issuing Organization :	State Treasury of Finland / Valtiokonttori Sörnäisten rantatie 13 P.O.Box 14, 00054 Valtiokonttori, Finland tel: +358 295 50 2000 fax: +358 295 50 3333 email: kirjaamo@valtiokonttori.fi Keijo Kettunen
Structure of Code :	9999999-9
number of characters and their significance, if any: 1)	nine characters
identification of the check digit characters, if any: 2)	last digit after the hyphen is check character
Display Requirements :	Shall be presented as string so that leading zeros have to be present. Hyphen shall be present between last two digits.
Character Repertoire :	digits 0-9 and hyphen "-"
Language(s) Used :	Finnish/Swedish
Supports Org. Parts? :	No
Org. Identifier Reuse :	Organization identifier reallocation is not allowed
Orgs Covered By System :	Private companies, public companies, public organizations, associations
Notes on Use of Code :	Scheme will be used by organizations in
Alt. Names of Scheme :	Y-tunnus/FO-nummer
Sponsoring Authority :	Finnish Standards Organization - SFS Malminkatu 34, P.O. Box 130, Helsinki tel: +358 9 149 9331 fax: +358 9 146 4925 email: sfs@sfs.fi Mikko Huttunen
Date of Issue of ICD :	2021-02-22
Additional Comments :	
Record Last Updated :	2021-02-22 14:30:44 UTC

International Code Designator:

0213

ICD :	0213
Name of Coding System :	Finnish Organization Value Add Tax Identifier
Intended Purpose/App. Area :	Identification scheme will be used for electronic trade purposes in e-invoicing, purchasing, electronic receipts
Issuing Organization :	State Treasury of Finland / Valtiokonttori Sörnäisten rantatie 13 P.O.Box 14, 00054 Valtiokonttori, Finland tel: +358 295 50 2000 fax: +358 295 50 3333 email: kirjaamo@valtiokonttori.fi Keijo Kettunen
Structure of Code :	FI99999999
number of characters and their significance, if any: 1)	ten characters
identification of the check digit characters, if any: 2)	not used
Display Requirements :	Shall be presented as string so that leading zeros have to be present. Two first characters have always fixed value FI.
Character Repertoire :	digits 0-9 and FI
Language(s) Used :	Finnish/Swedish
Supports Org. Parts? :	No
Org. Identifier Reuse :	OrganizationValue Add Tax identifier reallocation is not allowed
Orgs Covered By System :	Private companies, public companies, public organizations, associations
Notes on Use of Code :	Scheme will be used by organizations in electronic trade. Scheme defines that given VAT identifier belongs to Finnish organization
Alt. Names of Scheme :	ALV-tunnus/MOMS-nummer
Sponsoring Authority :	Finnish Standards Organization - SFS Malminkatu 34, P.O. Box 130, Helsinki tel: +358 9 149 9331 fax: +358 9 146 4925 email: sfs@sfs.fi Mikko Huttunen
Date of Issue of ICD :	2021-02-22
Additional Comments :	
Record Last Updated :	2021-02-22 14:35:18 UTC

International Code Designator:

0214

ICD :	0214
Name of Coding System :	Tradeplace TradePI Standard
Intended Purpose/App. Area :	Tradeplace is an independent company, set up as a joint venture of several Home Appliance- and Consumer Electronics manufacturers. Tradeplace has launched their TradePI (Product Information) initiative for home appliances, consumer electronics, DIY and affiliated industries that are connected to Tradeplace. The initiative introduces an enhanced standard structure for product information. The TradePI Standard helps retailers to take full advantage of electronic communication and data processing, as the Internet and ICT are fundamentally changing how products and services are offered, bought, and sold.
Issuing Organization :	Tradeplace B.V. Herikerbergweg 238 1101 CM Amsterdam-Zuidoost The Netherlands Contact: Koen van der Post Email: admin@tradeplace.com Phone: +31-20-5788845 (landline) or +44-79-21268860 (mobile)
Structure of Code :	Defined in line with ISO/IEC 6523 specification - Format: [ICD]-[OID]#[CSI]-[IID]#[VI]
number of characters and their significance, if any: 1)	ICD: International Code Designator (4-digit) OID: Organisation Identifier (1-character) CSI: Code Space Identifier (2-character) IID: Item code Identifier (6-character) VI: Version identifier (3-digit)
identification of the check digit characters, if any: 2)	
Display Requirements :	The identifier should contain the defined segment separators hyphen and octothorpe. Example representing a product group: 1108-1#01-000001#001
Character Repertoire :	Not applicable
Language(s) Used :	English
Supports Org. Parts? :	No
Org. Identifier Reuse :	Not applicable
Orgs Covered By System :	Manufacturers, suppliers, and Trade Partners in the Home Appliances, Consumer Electronics, DIY and affiliated industries.
Notes on Use of Code :	The code identifies all elements of the Tradeplace TradePI standard.
Alt. Names of Scheme :	Not applicable
Sponsoring Authority :	NEN Postbus 5059 2600 GB Delft The Netherlands Contact: Mrs J. van Zetten Tel: + 31 15 269 0298 Email: jolien.vanzetten@nen.nl
Date of Issue of ICD :	2021-05-03
Additional Comments :	
Record Last Updated :	2021-05-03 13:44:45 UTC

International Code Designator:

0215

ICD :	0215
Name of Coding System :	Net service ID
Intended Purpose/App. Area :	Identification scheme will be used for electronic trade purposes in e-invoicing, purchasing, electronic receipts
Issuing Organization :	Tieto Finland Oy Keilalahdentie 2-4 02150 ESPOO FINLAND tel: +358 40 867 4580 email: harri.korhonen@tietoevry.com
Structure of Code :	xxnnnnnnnnnnnnxxxxx xx = operator prefix (example TE) nnnnnnnnnnnnxxxxx = the organisation identification number of the undertaking, which may be a VAT code, or a national organisation number supplemented by the organisation number with an ICD code in front of the organisation number and may be followed by a company-specific specification. An example of Net Service ID: TE003701011385TEST
number of characters and their significance, if any: 1)	max thirty-five (35) characters
identification of the check digit characters, if any: 2)	
Display Requirements :	The Net Service ID (NSI) is a code given to businesses and organizations by the e-invoicing Service Provider, example Tieto Finland Oy (TietoEVRY)
Character Repertoire :	Letters A-Z, digits 0-9
Language(s) Used :	Finnish, English
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	Net Service ID code reallocation is not allowed
Orgs Covered By System :	Private companies, public companies, public organizations, associations
Notes on Use of Code :	Scheme will be used by organizations
Alt. Names of Scheme :	Verkkopalvelutunnus / Net Service ID
Sponsoring Authority :	Finnish Standards Association SFS Malminkatu 34, P.O. Box 130, Helsinki Sirpa Sipola tel: +358 9 149 9331, fax: +358 9 146 4925 email: sirpa.sipola@sfs.fi
Date of Issue of ICD :	2021-12-16
Additional Comments :	
Record Last Updated :	2021-12-17 12:47:07 UTC

International Code Designator:

0216

ICD :	0216
Name of Coding System :	OVTcode
Intended Purpose/App. Area :	Identification scheme will be used for electronic trade purposes in e-invoicing, purchasing, electronic receipts
Issuing Organization :	TIEKE- Tietoyhteiskunnan kehittämiskeskus ry Pieni Roobertinkatu 9 00130 HELSINKI FINLAND tel: +358 40 674 9911 email: hanna.niemi-hugaerts@tieke.fi
Structure of Code :	0037NNNNNNNNXXXXX The code consists of three parts: Prefix 0037, the Business ID and an optional suffix. The 0037 in the beginning is a fixed value. The next eight characters are the organization's Finnish Business ID (Business Identity Code) without a hyphen. An optional suffix up to five characters in the end of OVT code can be used, for example, to refer to a department, profit center or location of an organization unit. The organization can choose the values of the suffix itself and the organization must take care of the uniqueness of each ID it uses. The length of the code is thus 12...17 characters. 0037 = fixed prefix NNNNNNNN = Finnish Business ID (numbers only with possible leading zeros) XXXXX = optional suffix for organizational part ID [A...Z 0...9] An example of OVT code: 003704944842TST01
number of characters and their significance, if any: 1)	The length of the code is 12 ... 17 characters
identification of the check digit characters, if any: 2)	
Display Requirements :	The Finnish Business ID (Business Identity Code) is a code given to businesses and organizations by The Finnish Patent and Registration Office or The Finnish Tax Administration.
Character Repertoire :	Capital letters A-Z, digits 0-9
Language(s) Used :	Finnish, English
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	OVT code reallocation is not allowed
Orgs Covered By System :	Private companies, public companies, public organizations, associations
Notes on Use of Code :	Scheme will be used by organizations
Alt. Names of Scheme :	Finnish: OVT-tunnus
Sponsoring Authority :	Finnish Standards Association SFS Malminkatu 34, P.O. Box 130, Helsinki Sirpa Sipola tel: +358 9 149 9331. fax: +358 9 146 4925 email: sirpa.sipola@sfs.fi
Date of Issue of ICD :	2021-12-16
Additional Comments :	
Record Last Updated :	2021-12-17 12:50:58 UTC

International Code Designator:

0217

ICD :	0217
Name of Coding System :	The Netherlands Chamber of Commerce and Industry establishment number
Intended Purpose/App. Area :	Electronic invoicing
Issuing Organization :	Kamer van Koophandel Sint Jacobsstraat 300 3511 BT Utrecht The Netherlands
Structure of Code :	The identifier consists of digits only and has a fixed length (20 digits). No separators are required. Structure: [123456789012] [12345678] = establishment registration number (12 digits); organization registration number (8 digits).
number of characters and their significance, if any: 1)	20
identification of the check digit characters, if any: 2)	
Display Requirements :	Not applicable (n/a)
Character Repertoire :	n/a
Language(s) Used :	Dutch, English
Supports Org. Parts? :	Yes, establishments (geographically)
Org. Identifier Reuse :	n/a
Orgs Covered By System :	(establishments of) companies and legal persons
Notes on Use of Code :	n/a
Alt. Names of Scheme :	n/a
Sponsoring Authority :	Nederlands Normalisatie Instituut (NEN) Vlinderweg 6 2623 AX Delft The Netherlands
Date of Issue of ICD :	2022-02-25
Additional Comments :	
Record Last Updated :	2022-02-25 12:08:57 UTC

International Code Designator:

0218

ICD :	0218
Name of Coding System :	Unified registration number
Intended Purpose/App. Area :	Each legal entity registered with the Register of Enterprises of the Republic of Latvia is assigned a unique unified registration number. This unique unified registration number is used to identify legal subjects for every purpose where it might be necessary, including for the use of the tax authority.
Issuing Organization :	<p>The Register of Enterprises of the Republic of Latvia Address: Perses street 2, Riga, LV-1011 E-mail: pasts@ur.gov.lv Phone: +371 67 031 703 Web: https://www.ur.gov.lv/en/</p> <p>Individual: Otto Daniels Kokars E-mail: Otto.daniels.kokars@ur.gov.lv Phone: +371 28628343</p>
Structure of Code :	<p>The unified registration number is an 11-digit code where first character can be 4 or 5 or 6 (with the exception of mass media and public-private partnerships whose unified registration number is nine digits long).</p>
number of characters and their significance, if any: 1)	<p>Unified registration number classification based on legal entity type:</p> <ul style="list-style-type: none"> • Agricultural (farming and fishing) companies – digits 2 through 5 can be 0001 or 0101 • Individual company – digits 2 through 5 can be 0002 or 0102 • All other commercial subjects – digits 2 through 5 can be 0003 or 0103 or 0203 • Non-governmental organizations (except religious institutions) – digits 2 through 5 are 0008 • Religious institutions – digits 2 through 5 are 0801, except those institutions that are registered as tax paying where numbers start with 9000 • Foreign legal entities – digits 2 through 5 are 0006 • Mediums of mass information – number consists of 9 characters, where digits 1 through 4 are 0007. • Public-private partnerships – number consists of 9 characters where digits 1 through 3 are 009
identification of the check digit characters, if any: 2)	Last character of the 11-digit long code is the control character
Display Requirements :	Should be always displayed in full, no special requirements.
Character Repertoire :	Figure of 0,1,2,3,4,5,6,7,8,9. Unicode code-points U+0030 through U+0039
Language(s) Used :	Latvian
Supports Org. Parts? :	None
Org. Identifier Reuse :	Never, each identifier is only used once and will always refer to one subject.
Orgs Covered By System :	<p>Legal entities including:</p> <ul style="list-style-type: none"> • Commercial subjects • Associations and foundations • Public organizations • Public persons and authorities • Religious organizations and institutions

	<ul style="list-style-type: none"> • Mass media providers • Representative offices • Political parties • Political organizations • Trade unions • European economic interest groupings • Arbitrage courts • Public-private partnerships
Notes on Use of Code :	None
Alt. Names of Scheme :	<p>Most common alternatives include:</p> <ul style="list-style-type: none"> • Registration number • Company registration number • Subject registration number • Reg. nr. <p>Latvian:</p> <ul style="list-style-type: none"> • Reģistrācijas numurs • Reģ. nr. • Uzņēmuma reģistrācijas numurs • Subjekta reģistrācijas numurs
Sponsoring Authority :	<p>Latvian Standard (LVS) Ltd. Address: 157 K. Valdemara Street, Riga, Latvia Phone: +371 27334460 Fax: E-mail: lvs@lvs.lv Point of Contact: Sandra Vitolina</p>
Date of Issue of ICD :	2022-06-10
Additional Comments :	
Record Last Updated :	2022-06-10 02:49:48 UTC

International Code Designator:

0219

ICD :	0219
Name of Coding System :	Taxpayer registration code
Intended Purpose/App. Area :	For use in Electronic data interchange (EDI) to identify private and public organizations.
Issuing Organization :	<p>State Revenue Service of the Republic of Latvia Address: Talejas iela 1, Rīga, LV-1978 E-mail: vid@vid.gov.lv · Phone +371 67122689 Web: https://www.vid.gov.lv/en</p> <p>Individual: Ingrīda Kareva Ingrida.kareva@vid.gov.lv</p>
Structure of Code :	Always 11-digit number
number of characters and their significance, if any: 1)	<p>First number in code:</p> <ul style="list-style-type: none"> • 9 - the code was originally assigned by the State Revenue Service • 4, 5, or 6 - the code was initially assigned by the Register of Enterprises of the Republic of Latvia
identification of the check digit characters, if any: 2)	None
Display Requirements :	None
Character Repertoire :	Figure of 0,1,2,3,4,5,6,7,8,9. Unicode code-points U+0030 through U+0039
Language(s) Used :	Latvian
Supports Org. Parts? :	None
Org. Identifier Reuse :	Issued identifiers are not reallocated and reused.
Orgs Covered By System :	Commercial organizations, state agencies, local government institutions, non-profit associations, foundations.
Notes on Use of Code :	Taxpayer registration code is an identifier of all institutions and organizations in Latvia. This code is widely used for various purposes, including electronic commerce. Usage of Taxpayer registration code is required in communication between institutions and also in communication between private and public organizations.
Alt. Names of Scheme :	<p>Most common alternatives include:</p> <ul style="list-style-type: none"> • Registration code, • Reg.code, • Registration number, • Taxpayer Registration Code, • Taxpayer Registration Number. <p>Latvian:</p> <ul style="list-style-type: none"> • Nodokļu maksātāja kods, • Nodokļu maksātāja reģistrācijas kods, • Nodokļu maksātāja reģistrācijas numurs, • NMR kods, • Reģistrācijas kods, • Reģistrācijas numurs
Sponsoring Authority :	Latvian Standard (LVS) Ltd. Address: 157 K. Valdemara Street, Riga, Latvia

	Phone: +371 27334460 Fax: E-mail: lvs@lvs.lv Point of Contact: Sandra Vitolina
Date of Issue of ICD :	2022-06-10
Additional Comments :	
Record Last Updated :	2022-06-15 13:05:09 UTC

International Code Designator:

0220

ICD :	0220
Name of Coding System :	The Register of Natural Persons (hereinafter - the Register)
Intended Purpose/App. Area :	<p>The Register combines the functionality of the current information system of the Population Register and Civil Register. The Register is a uniform state registration and recording system of information and natural persons that provides identification of natural persons, data processing and accumulation, and includes and updates information about civil entries. The data included in the Register is used for statistical surveys, tax forecasting and calculation, organizing of elections and other processes of national importance. When entering information regarding a person in the Register, the Office of Citizenship and Migration Affairs of the Republic of Latvia shall assign an automatically generated individual personal identity number thereto.</p>
Issuing Organization :	<p>Office of Citizenship and Migration Affairs of the Republic of Latvia Address: Čiekurkalna 1. līnija 1, k-3 LV-1026, Rīga</p> <p>E-mail: pasts@pmlp.gov.lv Phone +371 67209400 Web: https://www.pmlp.gov.lv/en</p> <p>Individual:</p> <ul style="list-style-type: none"> • a responsible person on legal issues the manager of the Register information resources is Svetlana Biseniece (67219410, pdad@pmlp.gov.lv); • a responsible person on the technical issues is Ginta Goldmane (67829722, ginta.goldmane@pmlp.gov.lv).
<p>Structure of Code :</p> <p>number of characters and their significance, if any: 1)</p>	<p>11 digits</p> <p>As of 1 July 2017 an individual personal identity number, starting with the digit "3" will be allocated to all persons, regarding whom information will be included in the Register of Natural Persons (initial registration of a person). If a personal identity number contains the date of birth (personal identity numbers until 30 June 2017 including), as of 1 July 2017 a person shall be entitled to change the personal identity number once.</p> <p>In the previously mentioned cases the personal identity number shall consist of eleven digits, ensuring non-repeating of personal identity numbers. The first digit of the personal identity number shall be "3", the second digit is a random digit between "2" and "9" automatically generated by the system while the remaining digits are random digits between "0" and "9" automatically generated by the system. The first six digits may be separated from the remaining five digits by a hyphen.</p> <p>Example: 38XXXX-XXXXX</p> <p>In case the person, to whom the personal identity number has</p>

<p>identification of the check digit characters, if any: 2)</p>	<p>been allocated until 30 June 2017 including, hasn't requested the change of the allocated personal identity number, the personal identity number contains the date of birth of the person (ddmmyy), the 7th digit indicates century ("0" is 19th century, "1"-20th century, "2"-21th century). Format: DDMMYY99999 (date of birth + 5 digits).</p> <p>Example: 121212-XXXXX</p> <p>* in order to avoid coincidence with a real person and based on data protection, the numbers in the example are replaced by X.</p> <p>In addition to the above, if the first 2 digits are less than 32, then the first six digits of the code must match the date format "ddmmyy".</p>
<p>Display Requirements :</p>	<p>The first six digits may be separated from the remaining five digits by a hyphen. Two modes: XXXXXXXX-XXXXX XXXXXXXXXXXXX</p>
<p>Character Repertoire :</p>	<p>Figure of 0,1,2,3,4,5,6,7,8,9, and hyphen Unicode code-points U+0030 through U+0039, and U+002D</p>
<p>Language(s) Used :</p>	<p>Latvian</p>
<p>Supports Org. Parts? :</p>	<p>None</p>
<p>Org. Identifier Reuse :</p>	<p>The personal identification number is unique, it is not reused.</p>
<p>Orgs Covered By System :</p>	<p>None</p>
<p>Notes on Use of Code :</p>	<p>None</p>
<p>Alt. Names of Scheme :</p>	<p>Most common alternatives include:</p> <ul style="list-style-type: none"> • FPRIS • FPR <p>Latvian:</p> <ul style="list-style-type: none"> • Personas kods
<p>Sponsoring Authority :</p>	<p>Latvian Standard (LVS) Ltd. Address: 157 K. Valdemara Street, Riga, Latvia Phone: +371 27334460 Fax: E-mail: lvs@lvs.lv Point of Contact: Sandra Vitolina</p>
<p>Date of Issue of ICD :</p>	<p>2022-06-10</p>
<p>Additional Comments :</p>	
<p>Record Last Updated :</p>	<p>2022-06-10 04:23:35 UTC</p>

International Code Designator:

0221

ICD :	0221
Name of Coding System :	The registered number of the qualified invoice issuer
Intended Purpose/App. Area :	<p>The registered number of the qualified invoice issuer is used on the invoice-based method for Japanese consumption tax, which will be implemented on 1 October 2023.</p> <p>Under the invoice-based method, business entities seeking input tax deductions is required to preserve qualified invoices including registered number of the qualified invoice issuer.</p>
Issuing Organization :	<p>Name: National Tax Agency Japan Address: 3-1-1 Kasumigaseki, Chiyoda-ku, Tokyo Telephone: +81-3-3581-4161 Facsimile: e-mail: the name of any individual in the IO: Azusa.Fukuda</p>
Structure of Code :	T + 13-digit integer
number of characters and their significance, if any: 1)	Figure of 14 digits
identification of the check digit characters, if any: 2)	<p>Figures from 1 to 9 (Formula to calculate the test number) Formula $9 - ((n = 1 (\text{Sigma})12(P_n * Q_n))$ remainder obtained by dividing the 9) P_n: the numeral of the n-th digit of a fundamental number, when counted from the bottom digit. Q_n: one when the "n" is an odd number, two when the "n" is an even one</p>
Display Requirements :	None
Character Repertoire :	
Language(s) Used :	Japanese
Supports Org. Parts? :	None
Org. Identifier Reuse :	It is not recycled
Orgs Covered By System :	Business entities that has applied to the tax office and has been registered as a qualified invoice issuer with tax office. (Related laws and regulations: Paragraph 1, Article 57-4 of the Consumption tax law)
Notes on Use of Code :	Business entities need to submit application to be registered to issue qualified invoices.
Alt. Names of Scheme :	None
Sponsoring Authority :	<p>Name: Japanese Industrial Standards Committee Address: 1-3-1 Kasumigaseki, Chiyoda-ku, Tokyo Telephone: +81-3-3501-9287 Facsimile: +81-3-3580-8631 e-mail: krow-uohuoj@meti.go.jp the name of any individual in the SA: Tatsuo Takeshige</p>
Date of Issue of ICD :	2022-08-15
Additional Comments :	
Record Last Updated :	2022-08-15 03:22:03 UTC

International Code Designator:

0222

ICD :	0222
Name of Coding System :	Metadata Registry Support
Intended Purpose/App. Area :	Database of metadata supporting description of object-data-information-etc.
Issuing Organization :	Farance Inc. PO Box 256, New York, NY 10044, USA Frank Farance, +1 212 486 4700, frank@farance.com
Structure of Code :	Identifiers based upon RFC 3987 Internationalized Resource Identifiers (IRI)
number of characters and their significance, if any: 1)	2048
identification of the check digit characters, if any: 2)	None
Display Requirements :	None
Character Repertoire :	Printable characters, as defined by RFC 3987
Language(s) Used :	Not applicable
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	No minimum period
Orgs Covered By System :	As most organizations have some assets, named assets, or descriptions of the organization and its features and components, generally all organizations are covered.
Notes on Use of Code :	Used for describing organizations and their components, including perceivable objects and conceivable objects. ISO/IEC 11179 metadata descriptions should be used, but other standardized metadata descriptions are permitted, too.
Alt. Names of Scheme :	MDRS
Sponsoring Authority :	ANSI 25 West 43rd Street, 4th Floor, New York, NY 10036 USA Tel: +1 212 642 4900 Email: ISOT@ansi.org Person: ISO Team
Date of Issue of ICD :	2022-08-15
Additional Comments :	
Record Last Updated :	2022-08-15 03:34:46 UTC

International Code Designator:

0223

ICD :	0223
Name of Coding System :	EU based company
Intended Purpose/App. Area :	To provide identifiers for organizations based in EU
Issuing Organization :	AIFE (Agence pour l'Informatique Financière de l'Etat) 10 rue du Centre 93160 NOISY-LE-GRAND France
Structure of Code :	EU Based Company Intracommunity VAT ID up to 18 characters maximum, used in order to identify EU based company in e-invoices
number of characters and their significance, if any: 1)	This identifier is alphanumeric and composed with 18 characters maximum: - It starts with 2 characters which must be the Country code of a Member of the European Union - Followed with 8 to 16 characters and digits
identification of the check digit characters, if any: 2)	NO
Display Requirements :	The identification number is a concatenated string of the characters, without spaces and left justified
Character Repertoire :	A-Z and 0-9
Language(s) Used :	French
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	All EU companies which have to be identified in an electronic invoice
Notes on Use of Code :	This identifier is used as an entity identifier for EU companies identified in electronic invoices
Alt. Names of Scheme :	
Sponsoring Authority :	Association Française de Normalisation: AFNOR 11 rue Francis de Pressensé 93571 La Plaine Saint-Denis Cedex France + 33 1 41 61 80 00
Date of Issue of ICD :	2022-11-20
Additional Comments :	
Record Last Updated :	2024-02-19 19:36:04 UTC

International Code Designator:

0224

ICD :	0224
Name of Coding System :	FTCTC CODE ROUTAGE
Intended Purpose/App. Area :	To provide identifiers used in electronic invoices for routing among accredited platforms for the French Continuous Transactional Control reform on e-invoicing
Issuing Organization :	AIFE (Agence pour l'Informatique Financière de l'Etat) 10 rue du Centre 93160 NOISY-LE-GRAND France
Structure of Code :	FRCTC CODE ROUTAGE: The identifier is alphanumeric with 100 characters maximum
number of characters and their significance, if any: 1)	This identifier is alpha numeric with 100 characters maximum
identification of the check digit characters, if any: 2)	NO
Display Requirements :	The identification number is a concatenated string of the characters, without spaces and left justified
Character Repertoire :	A-Z, a-z, 0-9 and special characters "-", "_", "/", "@"
Language(s) Used :	French
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	All Entities / Companies receiving invoices in France in the respect of the French Continuous Transactional Control reform
Notes on Use of Code :	This identifier is used as key to identify the e-invoicing Platform on which a company / entity receives its e-invoices.
Alt. Names of Scheme :	
Sponsoring Authority :	Association Française de Normalisation: AFNOR 11 rue Francis de Pressensé 93571 La Plaine Saint-Denis Cedex France + 33 1 41 61 80 00
Date of Issue of ICD :	2022-11-21
Additional Comments :	
Record Last Updated :	2024-05-31 00:45:14 UTC

International Code Designator:

0225

ICD :	0225
Name of Coding System :	FRCTC ELECTRONIC ADDRESS
Intended Purpose/App. Area :	To provide identifiers used as electronic addresses in the context of the French Continuous Transactional Control reform on e-invoicing
Issuing Organization :	AIFE (Agence pour l'Informatique Financière de l'Etat) 10 rue du Centre 93160 NOISY-LE-GRAND France
Structure of Code :	FRCTC EA The identifier is alphanumeric with 130 characters maximum
number of characters and their significance, if any: 1)	This identifier is alpha numeric with 130 characters maximum
identification of the check digit characters, if any: 2)	NO
Display Requirements :	The identification number is a concatenated string of the characters, without spaces and left justified
Character Repertoire :	A-Z, a-z, 0-9 and special characters "-", "_", ":", "@"
Language(s) Used :	French
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	All Entities / Companies receiving invoices in France in the respect of the French Continuous Transactional Control reform
Notes on Use of Code :	This identifier is used as an electronic address for e-invoices and acknowledgement and response messages exchanged in the respect of the French Continuous Transactional Control reform
Alt. Names of Scheme :	
Sponsoring Authority :	Association Française de Normalisation: AFNOR 11 rue Francis de Pressensé 93571 La Plaine Saint-Denis Cedex France + 33 1 41 61 80 00
Date of Issue of ICD :	2022-11-20
Additional Comments :	
Record Last Updated :	2024-05-31 00:56:29 UTC

International Code Designator:

0226

ICD :	0226
Name of Coding System :	FRCTC Particulier
Intended Purpose/App. Area :	To provide identifiers for French citizen sending invoices to the French Public Sector
Issuing Organization :	AIFE (Agence pour l'Informatique Financière de l'Etat) 10 rue du Centre 93160 NOISY-LE-GRAND France
Structure of Code :	FRCTC PARTICULIER: The identifier is alphanumeric with 80 characters maximum
number of characters and their significance, if any: 1)	This identifier is alpha numeric with 80 characters maximum - 10 digits (the NIR) composed with - 1 digit = 1 or 2 - 2 digits (0-9) - a 2-digit number between 01 and 12 - 5 digits (0-9) - 70 characters maximum with + the first 35 characters of the last name + the first 35 characters of the first name
identification of the check digit characters, if any: 2)	NO
Display Requirements :	The identification number is a concatenated string of the characters, without spaces and left justified
Character Repertoire :	For the first 10 characters, are allowed: 0-9 For the following characters (maximum 70), are allowed: A-Z and the special characters "-", "'", ";", ":", "&"
Language(s) Used :	French
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	All French citizen who has to send e-invoices to a public entity in France
Notes on Use of Code :	This identifier is used as a legal identifier for French citizen sending invoices to the French Public Sector.
Alt. Names of Scheme :	
Sponsoring Authority :	Association Française de Normalisation: AFNOR 11 rue Francis de Pressensé 93571 La Plaine Saint-Denis Cedex France + 33 1 41 61 80 00
Date of Issue of ICD :	2022-11-20
Additional Comments :	
Record Last Updated :	2023-01-10 16:27:01 UTC

International Code Designator:

0227

ICD :	0227
Name of Coding System :	NON - EU based company
Intended Purpose/App. Area :	To provide identifiers for organizations based in a country not Member of the European Union
Issuing Organization :	AIFE (Agence pour l'Informatique Financière de l'Etat) 10 rue du Centre 93160 NOISY-LE-GRAND France
Structure of Code :	Non EU Based Company up to 18 characters maximum, used in order to identify a non EU based company in e-invoices
number of characters and their significance, if any: 1)	This identifier is alphanumeric and composed with 18 characters maximum - It starts with 2 characters which must be the Country code of country where the company is registered - Followed with the first 16 Characters of the company registered name
identification of the check digit characters, if any: 2)	NO
Display Requirements :	The identification number is a concatenated string of the characters, without spaces and left justified
Character Repertoire :	A-Z and 0-9 special characters allowed: "-", "", ",", ".", "&"
Language(s) Used :	French
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	All Non-EU companies which have to be identified in a electronic invoice
Notes on Use of Code :	This identifier is used as an entity identifier for non-EU companies identified in electronic invoices
Alt. Names of Scheme :	
Sponsoring Authority :	Association Française de Normalisation: AFNOR 11 rue Francis de Pressensé 93571 La Plaine Saint-Denis Cedex France + 33 1 41 61 80 00
Date of Issue of ICD :	2022-11-20
Additional Comments :	
Record Last Updated :	2022-11-21 04:45:30 UTC

International Code Designator:

0228

ICD :	0228
Name of Coding System :	Répertoire des Entreprises et des Etablissements (RIDET)
Intended Purpose/App. Area :	To provide identifiers for organizations at national level in Nouvelle Calédonie (French)
Issuing Organization :	AIFE (Agence pour l'Informatique Financière de l'Etat) 10 rue du Centre 93160 NOISY-LE-GRAND France
Structure of Code :	RIDET : The identifier is numeric with 10 digits
number of characters and their significance, if any: 1)	This identifier is numeric, with 10 digits - 7 digits for the RID (company ID number) - 3 digits for establishment level
identification of the check digit characters, if any: 2)	NO
Display Requirements :	The identification number is a concatenated string of the characters, without spaces and left justified
Character Repertoire :	0000000000 to 9999999999
Language(s) Used :	French
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	All French companies which have to be registered in Nouvelle Calédonie
Notes on Use of Code :	This identifier is used as a legal identifier for French companies based in Nouvelle Calédonie
Alt. Names of Scheme :	
Sponsoring Authority :	Association Française de Normalisation: AFNOR 11 rue Francis de Pressensé 93571 La Plaine Saint-Denis Cedex France + 33 1 41 61 80 00
Date of Issue of ICD :	2022-11-20
Additional Comments :	
Record Last Updated :	2022-11-21 04:51:17 UTC

International Code Designator:

0229

ICD :	0229
Name of Coding System :	T.A.H.I.T.I (traitement automatique hiérarchisé des institutions de Tahiti et des îles)
Intended Purpose/App. Area :	To provide identifiers for organizations at national level in TAHITI (French)
Issuing Organization :	AIFE (Agence pour l'Informatique Financière de l'Etat) 10 rue du Centre 93160 NOISY-LE-GRAND France
Structure of Code :	T.A.H.I.T.I : The identifier is alphanumeric with 9 characters
number of characters and their significance, if any: 1)	This identifier is alpha numeric with 9 characters
identification of the check digit characters, if any: 2)	NO
Display Requirements :	The identification number is a concatenated string of the characters, without spaces and left justified
Character Repertoire :	A-Z and 0-9 for 6 characters completed with 3 digits 0-9 special characters allowed: "-", "'", ",", ".", "&".
Language(s) Used :	French
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	All French companies which have to be registered in Tahiti
Notes on Use of Code :	This identifier is used as a legal identifier for French companies based in Tahiti
Alt. Names of Scheme :	
Sponsoring Authority :	Association Française de Normalisation: AFNOR 11 rue Francis de Pressensé 93571 La Plaine Saint-Denis Cedex France + 33 1 41 61 80 00
Date of Issue of ICD :	2022-11-20
Additional Comments :	
Record Last Updated :	2022-11-21 04:55:54 UTC

International Code Designator:

0230

ICD :	0230
Name of Coding System :	National e-Invoicing Framework
Intended Purpose/App. Area :	Identifier for organizations
Issuing Organization :	<p>Malaysia Digital Economy Corporation Sdn Bhd (MDEC) 2360 Persiaran APEC, 63000 Cyberjaya, Selangor Darul Ehsan Malaysia</p> <p>Director, National e-Invoicing Email: clic@mdec.com.my Tel: +60 3 8315 3000 Fax: +60 3 8315 3115</p>
Structure of Code :	
number of characters and their significance, if any: 1)	<p>1st field = ICD 2nd field = Special Identifier (e.g. country identifier, test identifier, etc) 3rd field = Organisation identifier</p>
identification of the check digit characters, if any: 2)	No check value
Display Requirements :	None
Character Repertoire :	Alphanumeric (0-9, A-Z, a-z), hyphen (-), underscore (_), and period (.).
Language(s) Used :	English
Supports Org. Parts? :	No
Org. Identifier Reuse :	Reuse is prohibited
Orgs Covered By System :	Any organization participating in Malaysia's National e-Invoicing framework
Notes on Use of Code :	For use in electronic messages in accordance to the National e-Invoicing framework on identification of organization
Alt. Names of Scheme :	None
Sponsoring Authority :	<p>Department of Standards Malaysia Level 4 – 7, Tower 2, Menara Cyber Axis, Jalan Impact, Cyber 6 63000 Cyberjaya, Selangor Darul Ehsan Malaysia</p> <p>Director, Strategic Planning Division Tel : +60 3 8008 2900 Fax : +60 3 8008 2901 Email : central@jsm.gov.my</p>
Date of Issue of ICD :	2023-02-22
Additional Comments :	
Record Last Updated :	2023-02-22 16:16:07 UTC

International Code Designator:

0231

ICD :	0231
Name of Coding System :	single taxable company
Intended Purpose/App. Area :	Provide identifiers to companies in a single taxable company regime
Issuing Organization :	AIFE (Agence pour l'Informatique Financière de l'Etat) 10 rue du Centre 93160 NOISY-LE-GRAND France
Structure of Code :	9 characters maximum, same the SIREN (code 0002)
number of characters and their significance, if any: 1)	The 9 characters number designates an organization
identification of the check digit characters, if any: 2)	NO
Display Requirements :	
Character Repertoire :	0-9
Language(s) Used :	French
Supports Org. Parts? :	
Org. Identifier Reuse :	
Orgs Covered By System :	All French companies which have to be identified in an electronic invoice
Notes on Use of Code :	This identifier is used as an entity identifier for French companies
Alt. Names of Scheme :	
Sponsoring Authority :	Association Française de Normalisation: AFNOR 11 rue Francis de Pressensé 93571 La Plaine Saint-Denis Cedex France +33 1 41 61 80 00
Date of Issue of ICD :	2023-09-22
Additional Comments :	
Record Last Updated :	2023-09-22 04:29:00 UTC

International Code Designator:

0232

ICD :	0232
Name of Coding System :	NOBB product number
Intended Purpose/App. Area :	Norsk Byggevarbase (NOBB) is a national product information datapool which purpose is to organize and distribute unique product information to the parties within the construction industry's value chain.
Issuing Organization :	Norsk Byggtjeneste AS C.J. Hambros Plass 2D, 0164 Oslo, Norway Email: firmapost@byggtjeneste.no Responsible : Mikkel Nielsen – CEO Email: mni@byggtjeneste.no
Structure of Code :	9 characters maximum, same the SIREN (code 0002)
number of characters and their significance, if any: 1)	NOBB Number 8 digit numeric NRF Number 7 digit numeric
identification of the check digit characters, if any: 2)	
Display Requirements :	None
Character Repertoire :	NOBB NR : 00000001-99999999 NRF NR: 0000001-9999999
Language(s) Used :	Norwegian, English
Supports Org. Parts? :	No
Org. Identifier Reuse :	n/a
Orgs Covered By System :	Norsk Byggtjeneste As is an independent company, set up as a joint venture of several building material manufacturers and building material wholesalers and retailers. Norsk Byggtjeneste AS has launched their NOBB NR and NRF NR (Product Information) in the construction industry. The initiative introduces an enhanced standard structure for product information. The standard helps retailers and builders to take full advantage of electronic communication and data processing, as the Internet and ICT are fundamentally changing how products and services are offered, bought, and sold.
Notes on Use of Code :	Construction product unique identifier
Alt. Names of Scheme :	NOBB Number & NRF Number
Sponsoring Authority :	Standard Norge P.O Box 242, NO-1326 Lysaker, Norway Lilleakerveien 2A, NO-0283 Oslo Postcode:0283 Country Norway Contact name : Jacob Mehus, email: jme@standard.no
Date of Issue of ICD :	2023-12-13
Additional Comments :	
Record Last Updated :	2023-12-13 20:06:22 UTC

International Code Designator:

0233

ICD :	0233
Name of Coding System :	Elnummer
Intended Purpose/App. Area :	EFObasen (www.efobasen .no) is a national product information database which purpose is to organize and distribute unique product information to the parties within the electrotechnical industry's value chain
Issuing Organization :	Elektroforeningen Vollsveien 19, 1366 Lysaker, Norway Email: elektroforeningen@efo.no Responsible : Frank Jaegtnes - CEO Email: frank@efo.no
Structure of Code : number of characters and their significance, if any: 1) identification of the check digit characters, if any: 2)	Elnummer 7 digit numeric
Display Requirements :	None
Character Repertoire :	EL NR: 1000000 - 9999999
Language(s) Used :	Norwegian, English
Supports Org. Parts? :	No
Org. Identifier Reuse :	n/a
Orgs Covered By System :	The Norwegian Electrical Trade Association (Elektroforeningen, EFO) is a trade association of suppliers and wholesalers of electrical materials, equipment and solutions. Through the electrical industry's joint product identification scheme scheme database (EFObasen), we offer a shared digital platform where all suppliers and wholesalers can add their products with accompanying information and features. The products are also assigned a branch ID (EL NR10-99). This creates a marketplace for the products as well as facilitating digitalisation of the entire value chain all the way to operation and maintenance of building and construction works. The database contains approximately 260,000 unique products and manages the ETIM standard, which is strongly represented in the building and construction industry.
Notes on Use of Code :	Electrotechnical product unique identifier
Alt. Names of Scheme :	Elnummer, Elnumber
Sponsoring Authority :	Standard Norge P.O Box 242, NO-1326 Lysaker, Norway Lilleakerveien 2A, NO-0283 Oslo Postcode:0283 Country Norway Contact name : Jacob Mehus, email: jme@standard.no
Date of Issue of ICD :	2024-01-31
Additional Comments :	
Record Last Updated :	2024-01-31 05:23:50 UTC

International Code Designator:

0234

ICD :	0234
Name of Coding System :	Toimitusosoite ID
Intended Purpose/App. Area :	Identification scheme is used to identify delivery locations of the Finnish government accounting units
Issuing Organization :	Valtiokonttori Sörnäisten rantatie 13, Helsinki PL 14, 00054 Valtiokonttori FINLAND Tel: +358 295 50 2000 email: kirjaamo@valtiokonttori.fi
Structure of Code :	XXXXYYZZZZ
number of characters and their significance, if any: 1)	The length of the code is 10 characters. The XXXX part is the accounting agency ID. YY is used to identify sub-agency. If sub-agency is not present, 00 is used. The ZZZZ part is a running number.
identification of the check digit characters, if any: 2)	Only numbers are allowed [0...9].
Display Requirements :	Toimitusosoite ID is used to identify delivery locations of the Finnish government accounting units
Character Repertoire :	Digits 0-9
Language(s) Used :	Finnish, English
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	Not allowed
Orgs Covered By System :	The scheme applies to the Finnish government organisation accounting units
Notes on Use of Code :	
Alt. Names of Scheme :	
Sponsoring Authority :	Finnish Standards Association SFS Malminkatu 34, P.O. Box 130, Helsinki, Finland Tuomo Hirvonen, Tel: +358 9 1499 3432. Email: tunnukset@sfs.fi
Date of Issue of ICD :	2024-01-31
Additional Comments :	
Record Last Updated :	2024-01-31 05:41:44 UTC

International Code Designator:

0235

ICD :	0235
Name of Coding System :	UAE Tax Identification Number (TIN)
Intended Purpose/App. Area :	The TIN is a unique number issued by the UAE Federal Tax Authority (FTA) to a range of persons required to be identified for tax purposes in the country. Appended to the TIN by the FTA is a designator of the specific types of tax a person might be registered (e.g., VAT, Excise Tax, Corporate Tax) which, in combination with the TIN, is known as the Tax Registration Number. The intended purpose is to use the TIN to establish an endpoint ID on the OpenPeppol Network
Issuing Organization :	Abdulla AlBastaki UAE Federal Tax Authority Emirates Property Investment Company Building, P.O. Box 2440, Abu Dhabi, United Arab Emirates Email address: Abdulla.AlBastaki@tax.gov.ae Phone number: +971502262255
Structure of Code :	A TIN comprises of 10 numerical digits: <ul style="list-style-type: none"> • [1]: UAE country identifier in accordance with GCC agreement. This number must always be "1" • [23456789]: business identifier, generated automatically by the FTA's core tax administration system at the time a person presents themselves for registration • [X]: check digit (mathematically derived by adopting Luhn's algorithm). Luhn's algorithm is as follows: <ol style="list-style-type: none"> a. Multiply each ODD-placed digit by 2 b. Multiplying each EVEN-placed digit by 1 <ol style="list-style-type: none"> 0 If the product is less than 10, the number is retained as it is 0 If the product is 10 or more, the units place and tens place digits is added to get a single value c. Take the sum of the digits from step b above d. Mod 10 of the unit's place of the sum of the values in step c above
number of characters and their significance, if any: 1)	A TIN comprises 10 numerical digits.
identification of the check digit characters, if any: 2)	[1][23456789][X] : The tenth digit from the left has a check digit
Display Requirements :	[1][23456789][X] : The first digit from the left must always be "1"
Character Repertoire :	The second through ninth digit (8 digits) can be a combination of any numerical digits [1][23456789][X] . All 8 digits cannot be zero i.e. [00000000]
Language(s) Used :	English only
Supports Org. Parts? :	Explained above as part of "Structure of code"
Org. Identifier Reuse :	A TIN can never be reallocated to any other business
Orgs Covered By System :	Any organisation whether a commercial enterprise, government organisation, charitable entity etc, where required to be identified for tax purposes in the UAE
Notes on Use of Code :	All entities that are obligated to issue and/or receive invoice in the UAE shall use the TIN allocated by the FTA to uniquely identify themselves (i.e., the TIN shall operate as the endpoint ID) on the Peppol Network

Alt. Names of Scheme :	There is no alternate name for the scheme
Sponsoring Authority :	Khadija Qalandari United Arab Emirates Ministry of Industry & Advance Technology -- Standards and Technical Regulations Sector, Abu Dhabi P.O. Box 2166, Abu Dhabi, United Arab Emirates kqalandari@moiat.gov.ae Phone number: [+971 522624242]
Date of Issue of ICD :	2024-06-28
Additional Comments :	
Record Last Updated :	2024-06-28 23:27:27 UTC

International Code Designator:

0236

ICD :	0236
Name of Coding System :	ToimipaikkalD
Intended Purpose/App. Area :	Identification scheme is used to identify Establishments of Finnish Registered Enterprises.
Issuing Organization :	Statistics Finland Työpajankatu 13, Helsinki FI-00022 Tilastokeskus FINLAND tel: +358 29 551 1000 email: kiriaamo@stat.fi cc: Mr. Ville-Matti Pilviö
Structure of Code :	XXXXXXXXZZ with the last two numbers being validation codes
number of characters and their significance, if any: 1)	The length of the code is 9 characters. The ZZ part is the validation code.
identification of the check digit characters, if any: 2)	Only numbers are allowed [9].
Display Requirements :	ToimipaikkalD is used to identify Establishments of Finnish Registered Enterprises
Character Repertoire :	Digits 9
Language(s) Used :	Finnish, Swedish, English
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	Not allowed
Orgs Covered By System :	The scheme applies to all Establishments of all Enterprises in Finland
Notes on Use of Code :	This is the Unique ID of all Establishments of Enterprises in Finland and is maintained by legislative authority by Statistics Finland. Maintenance of the Business Register is decreed in the Statistics Act of Finland (2004/280), the EU Regulation 2019/2152 on European business statistics and the Commission implementing regulation (EU) 2020/1197
Alt. Names of Scheme :	EN: The Register of Enterprises and Establishments of Finland SE: Finlands Företags- och arbetsställeregistret
Sponsoring Authority :	Finnish Standards Association SFS Malminkatu 34, P.O. Box 130, 00100 Helsinki, Finland Tuomo Hirvonen tel: +358 9 1499 3432. email: tunnukset@sfs.fi
Date of Issue of ICD :	2024-06-29
Additional Comments :	
Record Last Updated :	2024-06-29 04:00:09 UTC

International Code Designator:

0237

ICD :	0237
Name of Coding System :	CPR
Intended Purpose/App. Area :	Identify Danish persons based on civil registration number (CPR number)
Issuing Organization :	The Danish Business Authority Langelinie Alle 17 DK-2100 Copenhagen Ø Denmark Att. Nemhandel Tel: +45 35 29 10 00 E-mail: erst@erst.dk
Structure of Code :	10 digits eg. 0707614285
number of characters and their significance, if any: 1)	1 - 2 position contains the persons birthday. 3 - 4 position contains the persons birth month. 5 - 6 position contains the persons birth year (without century), 7 - 10 position contains an additional serial number.
identification of the check digit characters, if any: 2)	N/A
Display Requirements :	10 digits, no space or other separator
Character Repertoire :	Digits 0,1,2,3,4,5,6,7,8,9
Language(s) Used :	Only digits
Supports Org. Parts? :	No
Org. Identifier Reuse :	N/A
Orgs Covered By System :	Danish civil registration number (CPR number)
Notes on Use of Code :	The scheme with ICD code + CPR number will be used to identify persons that are parties to or referenced in electronic transactions such as electronic invoicing or other B2B exchanges. New ICD code is in required to comply with European Standard for e-invoicing (EN 16931-1).
Alt. Names of Scheme :	N/A
Sponsoring Authority :	Dansk Standard (DS) (Danish Standards Foundation) Göteborg Plads 1 DK-2150 Nordhavn Denmark
Date of Issue of ICD :	2024-07-01
Additional Comments :	
Record Last Updated :	2024-07-01 07:40:28 UTC

International Code Designator:

0238

ICD :	0238
Name of Coding System :	Plateforme.s agréée.s à la facturation électronique (PPF/PDP)
Intended Purpose/App. Area :	To provide identifiers for E-invoicing Public Platform and Partner Dematerialisation Platform
Issuing Organization :	AIFE (Agence pour l'Informatique Financière de l'Etat) 10 rue du Centre 93160 NOISY-LE-GRAND
Structure of Code :	Plateforme.s agréée.s à la facturation électronique (PPF/PDP) : the identifier is a string of 30 characters
number of characters and their significance, if any: 1)	The identifier is a string of 30 characters
identification of the check digit characters, if any: 2)	No
Display Requirements :	The identification number is a concatenated string of characters, without spaces and left justified
Character Repertoire :	A-Z and 0-9 characters
Language(s) Used :	French
Supports Org. Parts? :	No
Org. Identifier Reuse :	N/A
Orgs Covered By System :	E-invoicing Public Platform and Partner Dematerialisation Platform
Notes on Use of Code :	This identifier is used as a legal identifier for E-invoicing Public Platform and Partner Dematerialisation Platform
Alt. Names of Scheme :	N/A
Sponsoring Authority :	Association Française de Normalisation: AFNOR 11 rue Francis de Pressensé 93571 La Plaine Saint-Denis Cedex France +33 1 41 61 80 00
Date of Issue of ICD :	2024-07-01
Additional Comments :	
Record Last Updated :	2024-07-01 08:07:17 UTC

International Code Designator:

0239

ICD :	0239
Name of Coding System :	EAEU
Intended Purpose/App. Area :	Maintaining register of object identifiers designed to ensure electronic data interchange among the EAEU Member States, including object identifiers of public key infrastructure.
Issuing Organization :	Eurasian Economic Commission 3/5 Smolensky Boulevard, bid. 1, Moscow 119121 Russian Federation Telephone: +7 (495) 669-24-00 Fax: +7 (495) 669-24-15 Sergei Kovalchuk dept_it@ecommission.org
Structure of Code :	
number of characters and their significance, if any: 1)	ICD 4 digits code
identification of the check digit characters, if any: 2)	None
Display Requirements :	None
Character Repertoire :	numeric digits separated by comma
Language(s) Used :	Russian, English
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	None
Orgs Covered By System :	Authorized bodies of the member states of the Eurasian Economic Union, the Eurasian Economic Commission
Notes on Use of Code :	The ICD is primarily intended for the registration of Object Identifiers to be used for the registration of the following: a) Identification of subject of electronic interaction in information systems b) Authorisation of subject electronic interaction in information systems c) Type of electronic interaction The OID structure and the inclusion of the ICD therein is given below: level 1 : iso(1) level 2: Identified-Organization (3) level 3: (ICD EEC) level 4 to n: (defined by EEC)
Alt. Names of Scheme :	None
Sponsoring Authority :	Federal Agency on Technical Regulating and Metrology Presnenskaya embankment, 10-2, Moscow, Russia, 125039 Tel: +7 (495) 547-51-51 Fax: +7 (495) 547-51-60 E-mail: info@rst.gov.ru
Date of Issue of ICD :	2024-08-05
Additional Comments :	
Record Last Updated :	2024-08-06 15:36:24 UTC

International Code Designator:

0240

ICD :	0240
Name of Coding System :	Register of legal persons (in French : Répertoire des personnes morales)
Intended Purpose/App. Area :	Unique identifier for legal persons in general and more specifically in the domain of electronic invoicing.
Issuing Organization :	Centre des technologies de l'information de l'Etat (CTIE) 560, rue de Neudorf L-2220 Luxembourg Grand Duchy of Luxembourg M. Pierre TRAUSCH (pierre.trausch@ctie.etat.lu) https://annuaire.public.lu/fr.html?id=471
Structure of Code :	
number of characters and their significance, if any: 1)	- 11 characters in total (Arabic numerals only) - 4 first digits = year - Digits 5-6 = legal form of the legal person
identification of the check digit characters, if any: 2)	Checksum: digit 11
Display Requirements :	None
Character Repertoire :	Arabic numerals only (0,1,2,3,4,5,6,7,8,9)
Language(s) Used :	French
Supports Org. Parts? :	Yes
Org. Identifier Reuse :	N/A No reuse of identifiers!
Orgs Covered By System :	Legal persons
Notes on Use of Code :	The organization identification scheme is used in many domains as a unique identifier to identify unambiguously and reliably legal persons.
Alt. Names of Scheme :	- Matricule (also used in French to designate the unique identifier)
Sponsoring Authority :	Institut luxembourgeois de la normalisation, de l'accréditation, de la sécurité et qualité des produits et services (ILNAS) 1, avenue du Swing L-4367 Belvaux Grand Duchy of Luxembourg Phone: +352 247-74300 Email : info@ilnas.etat.lu https://annuaire.public.lu/fr.html?id=574
Date of Issue of ICD :	2024-12-12
Additional Comments :	
Record Last Updated :	2024-12-12 08:07:18 UTC